


Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten.
This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.



Nederlandse norm

NEN-EN 529

(en)

Respiratory protective devices -
Recommendations for selection, use, care and
maintenance - Guidance document

Vervangt CR 529:1993;
NEN-EN 529:2003 Ontw.

ICS 13.340.30

november 2005

Als Nederlandse norm is aanvaard:
- EN 529:2005, IDT

VOORBEELD
Preview

Normcommissie 302 094 "Persoonlijke beschermingsmiddelen"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden veelevoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veelevoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprerecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Nederlands voorwoord

Voor de in deze norm vermelde normatieve verwijzingen bestaan in Nederland de volgende equivalenten:

<u>vermelde norm</u>	<u>Nederlandse norm</u>	<u>titel</u>
EN 132:1998	NEN-EN 132:1999	Ademhalingsbeschermingsmiddelen - Definities van termen en pictogrammen (en,nl)
EN 134:1998	NEN-EN 134:1998	Ademhalingsbeschermingsmiddelen - Benaming van onderdelen (en,nl)

Voorbeeld

Preview

English Version

Respiratory protective devices - Recommendations for selection,
use, care and maintenance - Guidance document

Appareils de protection respiratoire - Recommandations
pour le choix, l'utilisation, l'entretien et la maintenance -
Guide

Atemschutzgeräte - Empfehlungen für Auswahl, Einsatz,
Pflege und Instandhaltung - Leitfaden

This European Standard was approved by CEN on 22 July 2005.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	Page
Foreword	5
Introduction	6
1 Scope	7
2 Normative references	7
3 Terms and definitions	7
4 Classification	9
4.1 General classification	9
4.2 Main components	9
4.2.1 General	9
4.2.2 Facepieces	9
4.2.3 Filters	9
4.2.4 Breathable air or gas supply source for breathing apparatus	9
5 Programme process	10
5.1 Employers and self-employed persons responsibilities	10
5.1.1 Programme policy	10
5.1.2 Provision of respiratory protective devices	10
5.1.3 Organisation	10
5.1.4 Resources	10
5.1.5 Management review	10
5.1.6 Training	10
5.1.7 Supervision	10
5.2 Employees responsibilities	11
5.2.1 Wearers	11
5.2.2 Competent persons	11
5.3 Manufacturers' responsibilities	11
6 Risk assessment process	11
7 Criteria for using respiratory protective devices	12
8 Risk assessment for respiratory protective device use	12
8.1 Elements of respiratory protective device programme	12
8.2 Factors to consider in risk assessment	13
9 Adequacy and suitability	13
9.1 General	13
9.2 Adequacy	13
9.2.1 General	13
9.2.2 Assessing atmospheres immediately dangerous to life or health	13
9.2.3 Assessing the minimum required protection factor	14
9.3 Suitability	14
9.3.1 General	14
9.3.2 Assessing suitability for the workplace environment	14
9.3.3 Assessing suitability for the task	15
9.3.4 Assessing suitability for the wearer	15
9.3.5 CE-Marking	15
10 Use	16
11 Operating information, instruction and training	16
11.1 General	16
11.2 Employers	16
11.3 Wearers	16
2	

11.4	Supervisors	17
12	Maintenance	17
13	Storage	17
13.1	Employers duties	17
13.2	Employees' duties	17
14	Record keeping	17
Annex A (informative) Types and components of respiratory protective devices		19
A.1	Facepieces	19
A.1.1	Half mask without inhalation valves and with separable filters to protect against gases or gases and particles and particles only (EN 1827)	19
A.1.2	Half masks and quarter masks (EN 140)	19
A.1.3	Full face Masks (EN 136)	19
A.2	Filters	20
A.2.1	General	20
A.2.2	Particle filters (EN 143, EN 12941 and EN 12942)	20
A.2.3	Gas filters and combined filters (EN 14387, EN 12941 and EN 12942)	20
A.2.4	Service life of filters	21
A.3	Filtering devices	22
A.3.1	General	22
A.3.2	Negative pressure devices	22
A.3.3	Assisted filtering devices	23
A.4	Breathing apparatus	24
A.4.1	Fresh air hose breathing apparatus	24
A.4.2	Compressed air line breathing apparatus (EN 14593-1, EN 14593-2, EN 14594, EN 1835 and EN 12419)	25
A.4.3	Self-contained breathing apparatus	26
A.4.4	Ventilated protective suits (EN 943-1 and EN 1073-1)	27
A.4.5	Compressed air for breathing apparatus (EN 12021)	27
Escape devices		30
Annex B (informative) Atmospheres immediately dangerous to life or health		32
B.1	General	32
B.2	Conditions	32
B.3	Situations likely to present atmospheres immediately dangerous to life or health	32
B.3.1	Confined spaces	32
B.3.2	Oxygen deficiency	32
B.3.3	Emergency situations created by hazardous substances	33
Annex C (informative) Protection factors		34
C.1	General	34
C.2	Using protection factors	34
Annex D (informative) Suitability factors		37
D.1	General	37
D.2	Environmental factors	37
D.2.1	Oxygen deficiency	37
D.2.2	Oxygen enrichment	37
D.2.3	Asphyxiants	37
D.2.4	Contaminant levels immediately dangerous to life or health	38
D.2.5	Potentially corrosive atmospheres	38
D.2.6	Potentially explosive atmospheres	38
D.2.7	Potentially permeating contaminants	39
D.2.8	Particulate contaminants (aerosols)	39
D.2.9	Gas and vapour contaminants	39
D.2.10	Climatic extremes	40
D.3	Task/job factors impacting on the wearer	40
D.3.1	Work rate	40
D.3.2	Visibility	41
D.3.3	Mobility	41
D.3.4	Communication	41

D.3.5	Thermal stress.....	42
D.3.6	Duration of wear.....	42
D.3.7	Tools used.....	42
D.4	Wearer factors.....	43
D.4.1	Medical fitness.....	43
D.4.2	Facial characteristics.....	43
D.4.3	Spectacles.....	44
D.4.4	Contact lenses.....	44
D.4.5	Non PPE accessories.....	44
D.4.6	Interaction with other PPE.....	44
D.5	Legal factors.....	45
D.5.1	European Product Directives.....	45
D.5.2	European Standards.....	45
Annex E (informative)	Assessing the fit of tight fitting facepiece.....	46
E.1	General.....	46
E.2	Fit checking.....	46
E.2.1	General.....	46
E.2.2	Negative pressure fit check.....	46
E.2.3	Positive pressure fit check.....	46
E.3	Fit test methods.....	46
E.3.1	Qualitative fit testing.....	46
E.3.2	Quantitative fit testing.....	47
Annex F (informative)	Respiratory protection passport.....	48
Bibliography	49

Foreword

This European Standard (EN 529:2005) has been prepared by Technical Committee CEN/TC 79 "Respiratory protective devices", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by March 2006, and conflicting national standards shall be withdrawn at the latest by March 2006.

This European Standard supersedes CR 529:1993.

Users of this European Standard, prepared in the field of application of Article 118A of the EC Treaty, should be aware that European Standards have no formal legal relationship with Directives which may have been made under Article 118A of the Treaty. In addition, national legislation in the Member States may contain more stringent requirements than the minimum requirements of a Directive based on Article 118A. Information on the relationship between the national legislation implementing Directives based on Article 118A and this European Standard may be given in a national foreword of the national standard implementing this European Standard.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Introduction

Hazardous substances such as dusts, fibres, fumes, vapours, gases, micro-organisms and radioactive particulates and gases encountered at work can cause significant damage to health or, in extreme cases, can lead to death. This frequently occurs by the inhalation of harmful levels of hazardous substances that are present in the workplace air. Besides the inhalation exposure dermal exposure to hazardous substances can also lead to local skin damage, and sensitisation, as well as systemic effects.

Similarly exposure to an oxygen deficient atmosphere can lead to death.

Exposure (via all routes - inhalation, dermal and ingestion) to hazardous substances at work should be eliminated or alternative substances which are less hazardous used. Where elimination is not practicable adequate protective measures should be put in place so that exposures are reduced to a minimum.

The use of suitable protective measures at source should be the first choice for minimising the exposure. Such measures protect everyone in the workplace, whereas a respiratory protective device only protects the person who wears it. If adequate protective measures at source or any other administrative measures are not reasonably practicable or found to be inadequate for controlling inhalation exposure then an adequate and suitable respiratory protective device should be used.

Respiratory protective devices are designed to be worn in hazardous environments and should provide wearers with an adequate supply of breathable air or gas. Respiratory protective devices are considered to be at the bottom of the hierarchy of protective measures and should only be used after an acceptable case for their use has been established by way of an appropriate risk assessment.

Fatalities and serious accidents can occur if there is a failure to select and use a respiratory protective device suited to the substances, the wearer, the task and the environment in which the device is used. The failure to maintain the device in good working condition can also lead to similar consequences. These problems should be avoided by implementing a suitably designed respiratory protective device programme.

1 Scope

This European Standard provides guidance on the best practice for establishing and implementing a suitable respiratory protective device programme. It is published to provide a Europe-wide baseline for the selection, use, care and maintenance of respiratory protective devices. It provides guidelines for preparing national guidance in this area. The guidance contained in this European Standard is not intended to be exhaustive, but highlights important aspects to which attention should be given. The recommendations in this European Standard will help to comply with national legislation on this subject where it exists, or with European legislation.

Respiratory protective devices used exclusively in diving and at increased or reduced atmospheric pressures are not covered by this guidance.

2 Normative references

The following referenced documents are indispensable for the application of this European Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 132:1998, *Respiratory protective devices – Definitions of terms and pictograms*

EN 134:1998, *Respiratory protective devices – Nomenclature of components*

3 Terms and definitions

For the purposes of this European Standard, the terms and definitions given in EN 132:1998 and EN 134:1998 and the following apply.

3.1

atmosphere immediately dangerous to life or health

atmosphere in which the concentrations of hazardous substances, including asphyxiants, or the oxygen levels present create one or more of the following conditions:

- immediate threat to life;
- could cause delayed threat to life;
- would cause immediate acute health effects;
- would prevent the respiratory protective device wearer from an unaided escape to safety in case of the device malfunctioning or failing to operate correctly

3.2

assigned protection factor (APF)

level of respiratory protection that can realistically be expected to be achieved in the workplace by 95% of adequately trained and supervised wearers using a properly functioning and correctly fitted respiratory protective device and is based on the 5th percentile of the Workplace Protection Factor (WPF) data

3.3

breathing zone

space outside the facepiece extending 0,3 m in radius in front of the respiratory protective device wearer's face and centred on the mid-point of a line joining the ears

3.4

competent person

person with suitable and sufficient experience and with practical and theoretical knowledge of the elements of respiratory protective device programme for which that person is responsible

3.5

emergency breathing facility

facility, as specified by the respiratory protective device manufacturer, coming into operation when the normally operating respiratory protective device is not functioning. The facility provides an adequate level of protection for a period to enable the device wearer to exit the work area, unassisted, to a place of safety

3.6

nominal protection factor

number derived from the maximum percentage of total inward leakage permitted in relevant European Standards for a given class of respiratory protective device. The relationship between nominal protection factor and total inward leakage can be expressed as follows:

$$\text{nominal protection factor} = \frac{100}{\text{permitted maximum percentage total inward leakage}}$$

3.7

maximum allowed occupational exposure limit

limit of the time weighted average concentration of hazardous substances in the air within the breathing zone of a worker in relationship to a specified reference period

3.8

specified reference period

specified time for the purposes of time-weighting the exposure concentration as stated for the occupational exposure limit value of hazardous substances. The specified reference period for the long-term limit value is normally 8 h and for the short-term limit value is normally 15 min

3.9

peak inhalation rate

maximum instantaneous volume flow rate which occurs during an inhalation cycle of a respiratory protective device wearer

3.10

respiratory protective device passport

document for recording the details of initial and refresher training provided to a respiratory protective device wearer

3.11

workplace protection factor

ratio between the breathing zone (see 3.3) concentration (outside the facepiece) of a chosen hazardous substance and its concentration inside the facepiece (suitable sampler being placed as near as possible to the mouth of respiratory protective device wearer) of a correctly functioning respiratory protective device when correctly worn and used in the work place. The workplace protection factor may be expressed as:

$$\text{workplace protection factor} = \frac{\text{concentration within the breathing zone (outside the facepiece)}}{\text{concentration inside the facepiece}}$$

3.12

work rate

physiological load (strain) imposed on an individual respiratory protective device wearer due to his work rate can be defined in terms of the maximal oxygen uptake rate in l/min. The rate of oxygen uptake due to work rate can be categorised into light, moderate, heavy and very heavy metabolic rates (watts)

NOTE Metabolic rate may be calculated using the international standard method (see EN ISO 8996).

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 529:2005 en Ademhalingsbeschermingsmiddelen -
Aanbevelingen voor keuze, gebruik, verzorging en onderhoud - Praktijkrichtlijn

€ 75.00

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop**

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer

BTW nummer

Postbus / Adres

Postcode

Plaats

Telefoon

Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode

Plaats

Datum

Handtekening

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products & Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.