

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten.
This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.

Preview

Nederlandse norm

NEN-ISO/IEC 15476-4 (en)

Information technology - CDIF semantic
metamodel - Part 4: Data models (ISO/IEC
15476-4:2005, IDT)

ICS 35.080
januari 2006

Als Nederlandse norm is aanvaard:

- ISO/IEC 15476-4:2005, IDT

Normcommissie 381 007 "Programmatuurtechniek"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden veelevoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veelevoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprerecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Preview

Copyright

**Information technology — CDIF semantic
metamodel —**

**Part 4:
Data models**

*Technologies de l'information — Métamodèle sémantique CDIF —
Partie 4: Modèles de données*

Reference number
ISO/IEC 15476-4:2005(E)



© ISO/IEC 2005

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright
Preview

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

1	Scope	1
2	Conformance	2
2.1	General	2
2.2	Input conformance	2
2.3	Output conformance	2
2.4	Round-trip conformance	3
3	Normative references	3
4	Terms and definitions	3
4.1	From other International Standards	3
4.1.1	ISO/IEC 15474-1	3
4.1.2	ISO/IEC 13238-1	4
4.1.3	For this International Standard	4
5	Symbols (and abbreviated terms)	4
5.1	Naming, diagramming and definition conventions	4
5.2	Abbreviations	4
5.3	Notation for this subject area	4
6	Data models subject area overview	5
6.1	Introduction	5
6.2	Diagrams	6
6.3	Entities	11
6.4	Relationships	11
6.4.1	Binary relationship	12
6.4.2	N-ary relationship	12
6.4.3	Simple relationships (n)	12
6.4.4	Complex relationships	12
6.5	Roles	14
6.6	Cardinalities	15
6.6.1	Outer cardinalities	16
6.6.2	Inner cardinalities	17
6.7	Multi-player roles	18
6.8	Role constraints	20
6.9	Attributes	22
6.10	Keys and access paths	23
6.11	Referential integrity	27
6.12	Supertypes and subtypes	29
6.12.1	Coverage	30
6.12.2	Exclusivity	31
6.12.3	Orthogonality	32
6.12.4	Inheritance	33
6.13	Refinement of inherited characteristics	34
6.13.1	Refinement of attribute characteristics	34
6.13.2	Refinement of relationship characteristics	35
6.14	Subsets	36
6.15	Clusters	37
6.16	Projections	38
6.17	Computable languages	41
7	Data models subject area summary	43
7.1	AttributableMetaObject hierarchy	43
7.2	MetaEntity summary	45

7.3	MetaRelationship summary.....	50
8	Data models subject area specification	54
8.1	Introduction	54
8.2	Subject area definition.....	54
8.3	Meta-entity definitions	55
8.3.1	AccessPath.....	55
8.3.2	Attribute.....	56
8.3.3	CandidateKey	58
8.3.4	Cluster	59
8.3.5	ComponentObject.....	59
8.3.6	DataModel.....	59
8.3.7	DataModelObject.....	60
8.3.8	DataModelSubset.....	61
8.3.9	DefinitionObject	61
8.3.10	Entity.....	62
8.3.11	ForeignKey.....	68
8.3.12	InheritableDataModelObject.....	68
8.3.13	Key	69
8.3.14	ProjectedAttribute.....	70
8.3.15	ProjectionComponent.....	71
8.3.16	Relationship	73
8.3.17	Role	74
8.3.18	RoleConstraint	75
8.3.19	RolePlayer	77
8.3.20	SemanticInformationObject	90
8.3.21	SubtypeSet	91
8.3.22	SubtypeSetMembershipCriterion.....	92
8.4	Meta-relationship definitions	94
8.4.1	AccessPath.Incorporates.Attribute	94
8.4.2	AccessPath.Instantiates.Key	95
8.4.3	Attribute.IsDiscriminatorForSubtypeSetMembershipCriterion	96
8.4.4	Attribute.IsInheritedFrom.Attribute	96
8.4.5	CandidateKey.Incorporates.ForeignKey	97
8.4.6	Cluster.Collects.DataModelObject	97
8.4.7	ComponentObject.References.DefinitionObject	97
8.4.8	DataModel.Collects.DataModelObject	98
8.4.9	DataModelObject.ActsAs.RolePlayer	98
8.4.10	DataModelObject.IsMemberOf.DataModelSubset.....	99
8.4.11	DataModelSubset.Excludes.Attribute.....	99
8.4.12	DataModelSubset.IsSubsetOf.DataModel	100
8.4.13	DefinitionObject.Contains.ComponentObject	100
8.4.14	DefinitionObject.IsConstructedWith.ProjectionComponent.....	100
8.4.15	Entity.IsAccessedUsing.AccessPath	101
8.4.16	Entity.IsIdentifiedBy.CandidateKey	101
8.4.17	ForeignKey.Incorporates.RolePlayer	102
8.4.18	ForeignKey.References.CandidateKey	102
8.4.19	InheritableDataModelObject.IsSubtypeIn.SubtypeSet	103
8.4.20	InheritableDataModelObject.IsSupertypeFor.SubtypeSet	104
8.4.21	Key.Incorporates.Attribute	105
8.4.22	Key.Incorporates.SemanticInformationObject	106
8.4.23	ProjectedAttribute.IsProjectionOf.Attribute.....	107
8.4.24	ProjectionComponent.IsFullProjectionOf.DefinitionObject.....	107
8.4.25	ProjectionComponent.IsProjectionOf.Attribute.....	108
8.4.26	Role.BelongsTo.Relationship	109
8.4.27	RoleConstraint.Incorporates.RoleConstraint	109
8.4.28	RoleConstraint.Incorporates.RolePlayer	110
8.4.29	RoleConstraint.Incorporates.SemanticInformationObject.....	110
8.4.30	RolePlayer.IsSupportedBy.Key.....	111
8.4.31	RolePlayer.Plays.Role	111

8.4.32 **RolePlayer.Refines.RolePlayer** 112
 8.4.33 **RolePlayer.RefinesForSubtype.DataModelObject** 112
 8.4.34 **SubtypeSet.Specifies.SubtypeSetMembershipCriterion** 113
 8.4.35 **SubtypeSetMembershipCriterion.Selects.InheritableDataModelObject** 113

Table of Illustrations

Figure 1 – CDIF family of International Standards 1
 Figure 2 – Diagrammatic Conventions - Keys 5
 Figure 3 – Data Models subject area overview 6
 Figure 4 – Partitioning/View mechanisms 7
 Figure 5 – Keys and *AccessPath* 8
 Figure 6 – *Roles*, *RolePlayers* and *RoleConstraints* 9
 Figure 7 – Connection between Data Models and Common subject areas 10
 Figure 8 – Connection between Data Models and Data Definition subject areas 11
 Figure 9 – Binary Relationship 12
 Figure 10 – Ternary Relationship 12
 Figure 11 – Complex Binary Relationship 13
 Figure 12 – Instance Diagram showing a Complex Relationship 14
 Figure 13 – Roles 14
 Figure 14 – Reflexive or Recursive Relationship 15
 Figure 15 – Examples of Types of Binary Relationships 16
 Figure 16 – Outer Cardinalities 16
 Figure 17 – Inner Cardinalities 17
 Figure 18 – Inner Cardinalities and Attributed Binary Relationships 18
 Figure 19 – Multi-player Roles and Heterogeneous Collections 19
 Figure 20 – Multi-player Roles and Common Outer Cardinality 20
 Figure 21 – Role Constraint Network 21
 Figure 22 – Constraints on Role Participation 21
 Figure 23 – Instance Diagram showing Role Constraints 22
 Figure 24 – Attributed *Relationships*, *Roles* and *RolePlayers* 23
 Figure 25 – Foreign Keys 24

Figure 26 – <i>RolePlayer</i> as a component of a <i>ForeignKey</i>	25
Figure 27 – Key support of <i>RolePlayer</i>	26
Figure 28 – Key support for <i>RolePlayer</i> in a <i>Reflexive Relationship</i>	27
Figure 29 – Subtype Set Discriminator	30
Figure 30 – Abstract Supertype	31
Figure 31 – Concrete Supertype	31
Figure 32 – Non-exclusive Subtype Set	32
Figure 33 – Orthogonal Subtype Sets	32
Figure 34 – Instance Diagram showing Orthogonal Subtype Sets	33
Figure 35 – Overlapping Subtype Sets	33
Figure 36 – Inheritance	34
Figure 37 – Refinement of Cardinalities	35
Figure 38 – Instance Diagram showing refinement of Cardinalities	36
Figure 39 – Subsets	37
Figure 40 – <i>Clusters</i>	38
Figure 41 – Instance Diagram showing Simple Projection	39
Figure 42 – Instance Diagram showing Complex Projection	40
Figure 43 – Instance Diagram showing <i>Attribute Renaming</i>	41

Preview
 NEN-ISO/IEC 15476-4:2006

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15476-4 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and system engineering*.

ISO/IEC 15476 consists of the following parts, under the general title *Information technology — CDIF semantic metamodel*:

- *Part 1: Foundation*
- *Part 2: Common*
- *Part 3: Data definitions*
- *Part 4: Data models*
- *Part 5: Data flow models*
- *Part 6: State/event models*

Introduction

This International Standard will assist the vendors and users of modelling tools and meta-data repositories in developing mechanisms for interchanging information. This International Standard specifies an element of a family of related International Standards. When used together, these International Standards specify a mechanism for transferring information between tools.

ISO/IEC 15474-1:2002, *Information technology - CDIF framework - Part 1: Overview* and ISO/IEC 15474-2:2002, *Information technology - CDIF framework - Part 2: Modelling and extensibility* should be read first when initially exploring CDIF. The first explains the overall CDIF architecture and how the family of standards fits together. The second explains the scope and modelling approach in CDIF. The CDIF meta-metamodel and extensibility mechanism are also defined in that document.

This International Standard explains the Data models subject area. The CDIF semantic metamodel is used to ensure that the information held by tools communicating using CDIF is transferred with an agreed meaning. It covers the information required to express Entity-Relationship-Attribute Modelling and Logical Database Design concepts.

This International Standard has been developed with the wide support and participation of vendors, users, academia and government involved in or familiar with the CASE industry, its products and the general requirements associated with interchanging information between these products.

This document is organized into the following Clauses.

- Clause 1 to 5 are prescribed ISO/IEC Clauses;
- Clause 6: Subject area overview:
This Clause gives an overview of the coverage of this subject area.
- Clause 7: Subject area summary:
This Clause gives an overview of the content of this subject area.
- Clause 8: Subject area specification:
This Clause gives the formal specification of all the objects defined in the subject area, and the formal reference to those used, but not defined in the subject area.

This document is intended to be used by anyone wishing to understand and/or use CDIF. This document provides a definition of a single subject area of the CDIF semantic metamodel. It is suitable for:

- Those evaluating CDIF;
- Those who wish to understand the principles and concepts of a CDIF transfer; and
- Those developing importers and exporters.

This document, ISO/IEC 15474-1:2002, *Information technology - CDIF framework - Part 1: Overview*, and the framework document ISO/IEC 15474-2:2002, *Information technology - CDIF framework - Part 2: Modelling and extensibility*, should be read first when initially exploring CDIF and before attempting to read other documents in the CDIF family of standards.

While there are no specific prerequisites for reading this document, it will be helpful for the reader to have familiarity with the following:

- Entity-Relationship-Attribute modelling;
- Modelling (CASE) tools;
- Information repositories;
- Data dictionaries;
- Multiple meta-layer modelling.

Copyright
Preview

Probleem
Preview

Information technology — CDIF semantic metamodel —

Part 4: Data models

1 Scope

The CDIF family of International Standards is primarily designed to be used as a description of a mechanism for transferring information between modelling tools. It facilitates a successful transfer when the authors of the importing and exporting tools have nothing in common except an agreement to conform to CDIF. The language that is defined for the transfer format also has applicability as a general language for import/export from repositories. The CDIF semantic metamodel defined for CASE also has applicability as the basis of standard definitions for use in repositories.

The International Standards which form the complete family of CDIF standards are documented in ISO/IEC 15474-1. These International Standards cover the overall framework, the transfer format and the CDIF semantic metamodel.




Figure 1 – CDIF family of International Standards

The diagram in Figure 1 depicts the various International Standards that comprise the CDIF family of standards. The shaded box depicts this Standard and its position in the CDIF family of standards.

This International Standard defines the portion of the CDIF semantic metamodel that supports general Data Modelling. This includes Entity-Relationship-Attribute Modelling as well as Logical Database Design.

2 Conformance

2.1 General

A product is fully standards conformant to a CDIF subject area standard if and only if it is input-conformant, output-conformant and round-trip conformant to each and every *MetaEntity*, *MetaRelationship*, *MetaAttribute*, and *AttributableMetaObject* which is defined and/or used in that standard, and it is also CDIF architecture conformant. A product may be partially input-conformant, and/or partially output-conformant, and/or partially round-trip conformant to a CDIF subject area standard.

2.2 Input conformance

Input conformance for a specific *MetaEntity*, *MetaRelationship*, *MetaAttribute*, or *AttributableMetaObject* (short: *CollectableMetaObject*) is determined by applying the following test:

A set of meta-data containing all meanings and structures standardized by a CDIF subject area is imported by the product under test. Then the meta-data which has arrived in the product is examined. The following options exist for the relation between the input (CDIF) meta-data and the imported (product) meta-data:

For a specific *CollectableMetaObject*:

- 1 The product is input conformant if each instance of the specific *CollectableMetaObject* has arrived in the product without change of meaning or structure. If the *CollectableMetaObject* is a meta-entity or meta-relationship, its structural relationships to other *CollectableMetaObjects* have been preserved. If the *CollectableMetaObject* is a meta-attribute, the value of the meta-attribute has been preserved.
- 2 The product is input morphing conformant if each instance of the specific *CollectableMetaObject* has arrived in the product, but with some changes in meaning or structure. If the *CollectableMetaObject* is a meta-attribute, the value(s) for some instances of the meta-attribute have changed.
- 3 The product is not input conformant for that *CollectableMetaObject* if neither of the previous tests is satisfied.

2.3 Output conformance

Output conformance for a specific *CollectableMetaObject* is determined by applying the following test:

For the product being tested, a set of meta-data that includes all possible meanings and structures representable in that product is exported. Then the meta-data that has been exported is examined. The following options exist for the relation between the product's meta-data and the exported (CDIF) meta-data:

For a specific *CollectableMetaObject*:

- 1 The product is output conformant if all of the meaning and structure for the specific *CollectableMetaObject* has been represented as meta-data in the product and has been exported as one or more instances of that *CollectableMetaObject*. If the *CollectableMetaObject* is a meta-attribute, the correct value of the meta-attribute has been exported.
- 2 The product is output morphing conformant if each instance of meta-data in the product that has the same meaning and structure as the *CollectableMetaObject* has been exported, but some instances have been exported as a different *CollectableMetaObject* or some of the meaning and structure has been changed.
- 3 If the product does not represent the meaning and structure associated with the *CollectableMetaObject*, output conformance for that *CollectableMetaObject* is not applicable to the product.

4 In all other cases, the product is not output conformant for that *CollectableMetaObject*.

2.4 Round-trip conformance

Round-trip conformance for a specific *CollectableMetaObject* is determined by applying the following test:

A set of meta-data containing all meanings and structures standardized by a CDIF subject area is imported by the product under test. Then the meta-data is exported again. The following options exist for the relation between the input meta-data and the output meta-data:

For a specific *CollectableMetaObject*:

- 1 The product is round-trip conformant if the meaning and structure of each instance of the *CollectableMetaObject* is preserved without changes during the round-trip. For a vendor to claim round-trip conformance, it is also necessary for the tool to be able to perform create, read, update, and delete operations on the imported (product) meta-data corresponding to the instances of the *CollectableMetaObject*.
- 2 The product is round-trip morphing conformant if each instance of the input *CollectableMetaObject* is preserved, but with some changes in meaning and/or structure. If the *CollectableMetaObject* is a meta-entity or meta-relationship, some of its instances' structural relationships to other *CollectableMetaObjects* have changed, or some instances have been transformed into other *CollectableMetaObjects*, or instances of other *CollectableMetaObjects* have been transformed into instances of the *CollectableMetaObject*. If the *CollectableMetaObject* is a meta-attribute, the values of some instances of the meta-attribute have changed or the domain of the meta-attribute has changed.
- 3 In all other cases, the product is not round-trip conformant for that *CollectableMetaObject*.

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 15474-1, *Information technology — CDIF framework — Part 1: Overview*

ISO/IEC 15474-2, *Information technology — CDIF framework — Part 2: Modelling and extensibility*

ISO/IEC 15476-1, *Information technology — CDIF semantic metamodel — Part 1: Foundation*

ISO/IEC 15476-2, *Information technology — CDIF semantic metamodel — Part 2: Common*

ISO/IEC 15476-3, *Information technology — CDIF semantic metamodel — Part 3: Data definitions*

4 Terms and definitions

For the purposes of this document, the following definitions apply. Unless otherwise noted, the definitions are specific to this International Standard.

4.1 From other International Standards

4.1.1 ISO/IEC 15474-1

This part of ISO/IEC 15476 makes use of the following terms defined in ISO/IEC 15474-1:

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-ISO/IEC 15476-4:2006 en Information technology - CDIF semantic metamodel - Part 4: Data models € 179.33

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.