

Nederlandse norm

NEN-ISO 8178-11

(en)

Reciprocating internal combustion engines -
Exhaust emission measurement - Part 11: Test-
bed measurement of gaseous and particulate
exhaust emissions from engines used in
nonroad mobile machinery under transient test
conditions (ISO 8178-11:2006, IDT)

ICS 13.040.50; 27.020

april 2006

Als Nederlandse norm is aanvaard:

- ISO 8178-11:2006.IDT

VOORBEELD
Preview

Normcommissie 345 055 "Verbrandingsmotoren"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

**Reciprocating internal combustion
engines — Exhaust emission
measurement —**

**Part 11:
Test-bed measurement of gaseous and
particulate exhaust emissions from
engines used in nonroad mobile
machinery under transient test conditions**

*Moteurs alternatifs à combustion interne — Mesurage des émissions de
gaz d'échappement —*

*Partie 11: Mesurage au banc d'essai des émissions de gaz et de
particules des gaz d'échappement de moteurs d'engins mobiles non
routiers en régime transitoire*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright
Preview

© ISO 2006

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	vi
Introduction.....	vii
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Symbols and abbreviated terms.....	4
4.1 General symbols.....	4
4.2 Symbols and abbreviations for the fuel composition.....	6
4.3 Symbols and abbreviations for the chemical components.....	7
4.4 Abbreviations.....	7
5 Test conditions.....	8
5.1 Engine test conditions.....	8
5.1.1 Test condition parameter.....	8
5.1.2 Test validity.....	8
5.2 Engines with charge air cooling.....	8
5.3 Power.....	8
5.4 Engine air intake system.....	9
5.5 Engine exhaust system.....	9
5.6 Cooling system.....	9
5.7 Lubricating oil.....	9
5.8 Test fuel.....	9
6 Test cycle.....	10
6.1 General.....	10
6.2 General test sequence.....	10
6.3 Engine mapping procedure.....	11
6.3.1 General.....	11
6.3.2 Determination of the mapping speed range.....	11
6.3.3 Engine mapping curve.....	12
6.3.4 Mapping curve generation.....	12
6.3.5 Alternative mapping.....	12
6.3.6 Replicate tests.....	12
6.4 Generation of the reference test cycle.....	13
6.4.1 Reference speed.....	13
6.4.2 Denormalization of engine speed.....	13
6.4.3 Denormalization of engine torque.....	13
6.4.4 Example of denormalization procedure.....	13
6.5 Dynamometer.....	14
6.5.1 General.....	14
6.5.2 Eddy-current dynamometer.....	14
6.6 Verification of the test run.....	14
6.6.1 Data shift.....	14
6.6.2 Calculation of the cycle work.....	14
6.6.3 Validation statistics of the test cycle.....	15
7 Emissions test run.....	16
7.1 General.....	16
7.2 Preparation of the sampling filters.....	16
7.3 Installation of the measuring equipment.....	16
7.4 Starting and preconditioning the dilution system and the engine.....	16

7.5	Starting the particulate sampling system.....	16
7.6	Adjustment of the dilution system	17
7.7	Checking the analysers	17
7.8	Engine starting procedure	17
7.9	Cycle run	17
7.9.1	Test sequence	17
7.9.2	Analyser response	17
7.9.3	Particulate sampling	18
7.9.4	Engine stalling	18
7.9.5	Operations after test	18
8	Principles of emissions measurement	18
8.1	General	18
8.2	Equivalence	19
8.3	Accuracy	19
9	Determination of gaseous components in the raw exhaust gas and of the particulates with a partial flow dilution system.....	20
9.1	General	20
9.2	Determination of exhaust gas mass flow	21
9.2.1	General	21
9.2.2	Response time.....	21
9.2.3	Direct measurement method.....	21
9.2.4	Air and fuel measurement method.....	21
9.2.5	Tracer measurement method.....	21
9.2.6	Air flow and air to fuel ratio measurement method.....	22
9.3	Determination of the gaseous components	23
9.3.1	General	23
9.3.2	Sampling for gaseous emissions	23
9.3.3	Data evaluation.....	23
9.3.4	Calculation of mass emission.....	24
9.3.5	Dry/wet correction.....	26
9.3.6	NO _x correction for humidity and temperature	27
9.3.7	Calculation of the specific emissions	28
9.4	Particulate determination	28
9.4.1	General	28
9.4.2	Particulate sampling	28
9.4.3	System response time	28
9.4.4	Data evaluation.....	29
9.4.5	Calculation of mass emission.....	29
9.4.6	Particulate correction factor for humidity	30
9.4.7	Calculation of the specific emissions	31
10	Determination of gaseous and particulate components with a full flow dilution system	31
10.1	General.....	31
10.2	Determination of the diluted exhaust gas flow	32
10.2.1	General.....	32
10.2.2	PDP-CVS system.....	32
10.2.3	CFV-CVS system	32
10.2.4	SSV-CVS system	33
10.3	Determination of the gaseous components	34
10.3.1	General	34
10.3.2	Sampling for gaseous emissions	34
10.3.3	Data evaluation.....	34
10.3.4	Calculation of mass emission.....	34
10.3.5	Dry/wet correction.....	37
10.3.6	NO _x correction for humidity and temperature	38
10.3.7	Calculation of the specific emissions	38
10.4	Particulate determination	38
10.4.1	General	38
10.4.2	Particulate sampling	39

10.4.3	Calculation of mass emission	39
10.4.4	Particulate correction factor for humidity	40
10.4.5	Calculation of the specific emissions	40
11	Measurement equipment for the gaseous components	40
11.1	General analyser specifications	40
11.1.1	General	40
11.1.2	Accuracy	40
11.1.3	Precision	41
11.1.4	Noise	41
11.1.5	Zero drift	41
11.1.6	Span drift	41
11.1.7	Rise time	41
11.1.8	Gas drying	41
11.2	Analysers	41
11.2.1	General	41
11.2.2	Carbon monoxide (CO) analysis	41
11.2.3	Carbon dioxide (CO ₂) analysis	41
11.2.4	Hydrocarbon (HC) analysis	42
11.2.5	Non-methane hydrocarbon (NMHC) analysis	42
11.2.6	Oxides of nitrogen (NO _x) analysis	42
11.2.7	Formaldehyde (HCHO) analysis	42
11.2.8	Methanol (CH ₃ OH) analysis	42
11.2.9	Air to fuel measurement	43
11.3	Calibration	43
11.3.1	General	43
11.3.2	Response time check of the analytical system	43
11.3.3	Verification of the calibration curve	44
11.3.4	Calibration of tracer gas analyser for exhaust flow measurement	44
11.3.5	Calibration intervals	44
11.4	Analytical systems	44
12	Measurement equipment for particulates	44
12.1	General specifications	44
12.1.1	General	44
12.1.2	Particulate sampling filters	45
12.1.3	Weighing chamber and analytical balance specifications	45
12.1.4	Specifications for flow measurement	46
12.1.5	Additional specifications	47
12.2	Dilution and sampling system	47
12.3	Calibration	47
12.3.1	General	47
12.3.2	Flow measurement	47
12.3.3	Determination of the transformation time (partial flow dilution system only)	48
12.3.4	Calibration of the CVS system (full flow dilution system only)	49
12.3.5	Calibration intervals	49
Annex A	(normative) NRTC engine dynamometer schedule	50
Annex B	(normative) Determination of system equivalence	61
Annex C	(normative) Determination of system sampling error	63
Annex D	(normative) Carbon flow check	65
Annex E	(informative) Example of calculation procedure (raw/partial flow)	67
Annex F	(informative) Ramped modal cycle (RMC)	70
Annex G	(normative) Statistical equations	71

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 8178-11 was prepared by Technical Committee ISO/TC 70, *Internal combustion engines*, Subcommittee SC 8, *Exhaust gas emission measurement*.

ISO 8178 consists of the following parts, under the general title *Reciprocating internal combustion engines — Exhaust gas emission measurement*:

- *Part 1: Test-bed measurement of gaseous and particulate exhaust emissions*
- *Part 2: Measurement of gaseous and particulate exhaust emissions at site*
- *Part 3: Definitions and methods of measurement of exhaust gas smoke under steady-state conditions*
- *Part 4: Test cycles for different engine applications*
- *Part 5: Test fuels*
- *Part 6: Report of measuring results and tests*
- *Part 7: Engine family determination*
- *Part 8: Engine group determination*
- *Part 9: Test cycles and test procedures for test bed measurement of exhaust gas smoke emissions from compression ignition engines operating under transient conditions*
- *Part 10: Test cycles and test procedures for field measurement of exhaust gas smoke emissions from compression ignition engines operating under transient conditions*
- *Part 11: Test-bed measurement of gaseous and particulate exhaust emissions from engines used in nonroad mobile machinery under transient test conditions*

Introduction

Today's measurement systems depend on the type of test cycle, steady state or transient, and the type of pollutant to be measured. On a steady state cycle, the mass of gaseous emissions can be calculated either from the concentration in the raw exhaust gas and the exhaust flow of the engine, which can easily be determined, or from the concentration in the diluted exhaust gas and the CVS (Constant Volume Sampling) flow of a full flow dilution system. Both equivalent systems are described in ISO 8178-1. For PM, full flow dilution or partial flow dilution systems, in which only a portion of the exhaust gas is diluted, can be used.

On a transient cycle as covered by this International Standard, real-time exhaust flow determination is more difficult. Therefore, the CVS principle has been used for many years due to the fact that exhaust mass flow measurement is not required with this system. The total exhaust gas is diluted, the total flow as the sum of dilution air and exhaust gas flow is kept virtually constant and the emissions (gaseous and PM) are measured in the diluted exhaust gas. The space and cost requirements of such a system are considerably higher than for the partial flow dilution systems used on steady state cycles. On the other hand, raw exhaust measurement and partial flow systems can only be applied to transients if sophisticated control systems and calculation algorithms are used.

For most nonroad applications and heavy-duty engines, the CVS system is large and costly. Therefore, ISO 16183 has been developed by ISO/TC 22/SC 5, which defines raw gaseous emissions measurement and partial flow dilution for heavy-duty engines under transient test conditions. Since many nonroad engines are similar to heavy-duty engines in engine size, displacement and power, it is believed that the contents of ISO 16183 can also be applied to nonroad engines.

For the purpose of this International Standard, both full flow dilution and partial flow dilution/raw exhaust methods are considered equivalent and are therefore covered herein.

▼
Voorbeeld
Preview

Reciprocating internal combustion engines — Exhaust emission measurement —

Part 11: Test-bed measurement of gaseous and particulate exhaust emissions from engines used in nonroad mobile machinery under transient test conditions

1 Scope

This part of ISO 8178 specifies the measurement and evaluation methods for gaseous and particulate exhaust emission from reciprocating internal combustion (RIC) engines under transient conditions on a test bed, necessary for determining one value for each exhaust gas pollutant.

The specific transient test cycle covered by this part of ISO 8178 is applicable to compression-ignition engines for mobile use with a power output between 37 kW and 560 kW, excluding engines for motor vehicles primarily designed for road use. This part of ISO 8178 may be applied to engines used in off-road vehicles and diesel powered off-road industrial equipment as described in 8.3.1.3 of ISO 8178-4. This includes e.g. engines for construction equipment including wheel loaders, bulldozers, crawler tractors, crawler loaders, truck-type loaders, off-highway trucks, hydraulic excavators, agricultural equipment, self propelled agricultural vehicles (including tractors), forestry equipment, fork lift trucks, road maintenance equipment and mobile cranes.

Many of the procedures described below are detailed accounts of laboratory methods, since determining an emissions value requires performing a complex set of individual measurements, rather than obtaining a single measured value. Thus, the results obtained depend as much on the process of performing the measurements as they depend on the engine and test method.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 8178-1, *Reciprocating internal combustion engines — Exhaust emission measurement — Part 1: Test-bed measurement of gaseous and particulate exhaust emissions*

ISO 8178-5, *Reciprocating internal combustion engines — Exhaust emission measurement — Part 5: Test fuels*

ISO 5167-1, *Measurement of fluid flow by means of pressure differential devices inserted in circular cross-section conduits running full — Part 1: General principles and requirements*

ISO 5725-2:1994, *Accuracy (trueness and precision) of measurement methods and results — Part 2: Basic method for the determination of repeatability and reproducibility of a standard measurement method*

ISO 8178-11:2006(E)

ISO 14396:2002, *Reciprocating internal combustion engines — Determination and method for the measurement of engine power — Additional requirements for exhaust emission tests in accordance with ISO 8178*

ISO 15550, *Internal combustion engines — Determination and method for the measurement of engine power — General requirements*

ISO 16183:2002, *Heavy duty engines — Measurement of gaseous emissions from raw exhaust gas and of particulate emissions using partial flow dilution systems under transient test conditions*

SAE J 1937:1995, *Engine testing with low-temperature charge air-cooler systems in a dynamometer test cell*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 particulate matter
any material collected on a specified filter medium after diluting exhaust with clean filtered air to a temperature of greater than 315 K (42 °C) and less than or equal to 325 K (52 °C), as measured at a point immediately upstream of the filter

NOTE This is primarily carbon, condensed hydrocarbons, and sulfates with associated water.

3.2 gaseous pollutants
carbon monoxide, hydrocarbons and/or non-methane hydrocarbons, oxides of nitrogen (expressed in nitrogen dioxide (NO₂) equivalent), formaldehyde, and methanol

3.3 partial flow dilution method
process of separating a part of the raw exhaust from the total exhaust flow, then mixing it with an appropriate amount of dilution air prior to the particulate sampling filter

3.4 full flow dilution method
process of mixing dilution air with the total exhaust flow prior to separating a fraction of the diluted exhaust stream for analysis

NOTE It is common in many full flow dilution systems to dilute this fraction of pre-diluted exhaust a second time to obtain appropriate sample temperatures at the particulate filter.

3.5 specific emissions
mass emissions expressed in g/kWh

3.6 steady-state test cycle
test cycle with a sequence of engine test modes in which the engine is given sufficient time to achieve defined speed, torque and stability criteria at each mode

3.7 transient test cycle
test cycle with a sequence of normalized speed and torque values that vary relatively quickly with time

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-ISO 8178-11:2006 en Zuigermotoren met inwendige verbranding € 161.21
- Uitlaatgasmeting - Deel 11: Proefstandmeting van gas- en partikeluitstoot
van motoren gebruikt in niet voor de weg bestemde mobiele machines onder
transiënte beproevingsomstandigheden

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze
e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products
& Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.