



Nederlandse norm

NEN-ISO/IEC 14496-10

(en)

Information technology - Coding of audio-visual
objects - Part 10: Advanced Video Coding
(ISO/IEC 14496-10:2006-03, IDT)

Vervangt NEN-ISO/IEC 14496-10:2006-01

ICS 35.040
september 2006

Als Nederlandse norm is aanvaard:

- ISO/IEC 14496-10:2005, IDT

VOORBEELD
Preview

Normcommissie 381 029 "Multimedia/Hypermedia"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Preview

**Information technology — Coding
of audio-visual objects —
Part 10:
Advanced Video Coding**

*Technologies de l'information — Codage des objets audiovisuels —
Partie 10: Codage visuel avancé*

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright
Preview

© ISO/IEC 2005

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

0	Introduction	xiv
0.1	Prologue	xiv
0.2	Purpose	xiv
0.3	Applications	xiv
0.4	Publication and versions of this International Standard	xiv
0.5	Profiles and levels	xv
0.6	Overview of the design characteristics	xv
0.6.1	Predictive coding	xv
0.6.2	Coding of progressive and interlaced video	xvi
0.6.3	Picture partitioning into macroblocks and smaller partitions	xvi
0.6.4	Spatial redundancy reduction	xvi
0.7	How to read this specification	xvi
1	Scope	1
2	Normative references	1
3	Definitions	1
4	Abbreviations	9
5	Conventions	10
5.1	Arithmetic operators	10
5.2	Logical operators	10
5.3	Relational operators	11
5.4	Bit-wise operators	11
5.5	Assignment operators	11
5.6	Range notation	11
5.7	Mathematical functions	11
5.8	Variables, syntax elements, and tables	12
5.9	Text description of logical operations	13
5.10	Processes	14
6	Source, coded, decoded and output data formats, scanning processes, and neighbouring relationships	14
6.1	Bitstream formats	14
6.2	Source, decoded, and output picture formats	15
6.3	Spatial subdivision of pictures and slices	20
6.4	Inverse scanning processes and derivation processes for neighbours	20
6.4.1	Inverse macroblock scanning process	21
6.4.2	Inverse macroblock partition and sub-macroblock partition scanning process	21
6.4.2.1	Inverse macroblock partition scanning process	22
6.4.2.2	Inverse sub-macroblock partition scanning process	22
6.4.3	Inverse 4x4 luma block scanning process	23
6.4.4	Inverse 8x8 luma block scanning process	23
6.4.5	Derivation process of the availability for macroblock addresses	23
6.4.6	Derivation process for neighbouring macroblock addresses and their availability	24
6.4.7	Derivation process for neighbouring macroblock addresses and their availability in MBAFF frames	24
6.4.8	Derivation processes for neighbouring macroblocks, blocks, and partitions	25
6.4.8.1	Derivation process for neighbouring macroblocks	26
6.4.8.2	Derivation process for neighbouring 8x8 luma block	26
6.4.8.3	Derivation process for neighbouring 4x4 luma blocks	27
6.4.8.4	Derivation process for neighbouring 4x4 chroma blocks	28
6.4.8.5	Derivation process for neighbouring partitions	28
6.4.9	Derivation process for neighbouring locations	30
6.4.9.1	Specification for neighbouring locations in fields and non-MBAFF frames	30
6.4.9.2	Specification for neighbouring locations in MBAFF frames	31

7	Syntax and semantics	33
7.1	Method of describing syntax in tabular form	33
7.2	Specification of syntax functions, categories, and descriptors	34
7.3	Syntax in tabular form	36
7.3.1	NAL unit syntax	36
7.3.2	Raw byte sequence payloads and RBSP trailing bits syntax	37
7.3.2.1	Sequence parameter set RBSP syntax	37
7.3.2.1.1	Scaling list syntax	38
7.3.2.1.2	Sequence parameter set extension RBSP syntax	39
7.3.2.2	Picture parameter set RBSP syntax	39
7.3.2.3	Supplemental enhancement information RBSP syntax	40
7.3.2.3.1	Supplemental enhancement information message syntax	41
7.3.2.4	Access unit delimiter RBSP syntax	41
7.3.2.5	End of sequence RBSP syntax	41
7.3.2.6	End of stream RBSP syntax	41
7.3.2.7	Filler data RBSP syntax	42
7.3.2.8	Slice layer without partitioning RBSP syntax	42
7.3.2.9	Slice data partition RBSP syntax	42
7.3.2.9.1	Slice data partition A RBSP syntax	42
7.3.2.9.2	Slice data partition B RBSP syntax	42
7.3.2.9.3	Slice data partition C RBSP syntax	43
7.3.2.10	RBSP slice trailing bits syntax	43
7.3.2.11	RBSP trailing bits syntax	43
7.3.3	Slice header syntax	44
7.3.3.1	Reference picture list reordering syntax	45
7.3.3.2	Prediction weight table syntax	46
7.3.3.3	Decoded reference picture marking syntax	47
7.3.4	Slice data syntax	48
7.3.5	Macroblock layer syntax	49
7.3.5.1	Macroblock prediction syntax	50
7.3.5.2	Sub-macroblock prediction syntax	51
7.3.5.3	Residual data syntax	52
7.3.5.3.1	Residual block CABAC syntax	53
7.3.5.3.2	Residual block CABIN syntax	55
7.4	Semantics	56
7.4.1	NAL unit semantics	56
7.4.1.1	Encapsulation of an SODB within an RBSP (informative)	58
7.4.1.2	Order of NAL units and association to coded pictures, access units, and video sequences	59
7.4.1.2.1	Order of sequence and picture parameter set RBSPs and their activation	59
7.4.1.2.2	Order of access units and association to coded video sequences	60
7.4.1.2.3	Order of NAL units and coded pictures and association to access units	61
7.4.1.2.4	Detection of the first VCL NAL unit of a primary coded picture	62
7.4.1.2.5	Order of VCL NAL units and association to coded pictures	63
7.4.2	Raw byte sequence payloads and RBSP trailing bits semantics	63
7.4.2.1	Sequence parameter set RBSP semantics	63
7.4.2.1.1	Scaling list semantics	68
7.4.2.1.2	Sequence parameter set extension RBSP semantics	69
7.4.2.2	Picture parameter set RBSP semantics	70
7.4.2.3	Supplemental enhancement information RBSP semantics	73
7.4.2.3.1	Supplemental enhancement information message semantics	73
7.4.2.4	Access unit delimiter RBSP semantics	73
7.4.2.5	End of sequence RBSP semantics	73
7.4.2.6	End of stream RBSP semantics	74
7.4.2.7	Filler data RBSP semantics	74
7.4.2.8	Slice layer without partitioning RBSP semantics	74
7.4.2.9	Slice data partition RBSP semantics	74
7.4.2.9.1	Slice data partition A RBSP semantics	74
7.4.2.9.2	Slice data partition B RBSP semantics	74
7.4.2.9.3	Slice data partition C RBSP semantics	74

7.4.2.10	RBSP slice trailing bits semantics	75
7.4.2.11	RBSP trailing bits semantics	75
7.4.3	Slice header semantics	75
7.4.3.1	Reference picture list reordering semantics	81
7.4.3.2	Prediction weight table semantics	82
7.4.3.3	Decoded reference picture marking semantics	82
7.4.4	Slice data semantics	85
7.4.5	Macroblock layer semantics	86
7.4.5.1	Macroblock prediction semantics	93
7.4.5.2	Sub-macroblock prediction semantics	94
7.4.5.3	Residual data semantics	96
7.4.5.3.1	Residual block CAVLC semantics	97
7.4.5.3.2	Residual block CABAC semantics	97
8	Decoding process	98
8.1	NAL unit decoding process	99
8.2	Slice decoding process	99
8.2.1	Decoding process for picture order count	99
8.2.1.1	Decoding process for picture order count type 0	101
8.2.1.2	Decoding process for picture order count type 1	102
8.2.1.3	Decoding process for picture order count type 2	103
8.2.2	Decoding process for macroblock to slice group map	104
8.2.2.1	Specification for interleaved slice group map type	105
8.2.2.2	Specification for dispersed slice group map type	105
8.2.2.3	Specification for foreground with left-over slice group map type	105
8.2.2.4	Specification for box-out slice group map types	106
8.2.2.5	Specification for raster scan slice group map types	106
8.2.2.6	Specification for wipe slice group map types	106
8.2.2.7	Specification for explicit slice group map type	107
8.2.2.8	Specification for conversion of map-unit to slice group map to macroblock to slice group map	107
8.2.3	Decoding process for slice data partitioning	107
8.2.4	Decoding process for reference picture lists construction	108
8.2.4.1	Decoding process for picture numbers	108
8.2.4.2	Initialisation process for reference picture lists	109
8.2.4.2.1	Initialisation process for the reference picture list for P and SP slices in frames	109
8.2.4.2.2	Initialisation process for the reference picture list for P and SP slices in fields	110
8.2.4.2.3	Initialisation process for reference picture lists for B slices in frames	110
8.2.4.2.4	Initialisation process for reference picture lists for B slices in fields	111
8.2.4.2.5	Initialisation process for reference picture lists in fields	112
8.2.4.3	Reordering process for reference picture lists	113
8.2.4.3.1	Reordering process of reference picture lists for short-term reference pictures	113
8.2.4.3.2	Reordering process of reference picture lists for long-term reference pictures	114
8.2.5	Decoded reference picture marking process	114
8.2.5.1	Sequence of operations for decoded reference picture marking process	115
8.2.5.2	Decoding process for gaps in frame_num	115
8.2.5.3	Sliding window decoded reference picture marking process	116
8.2.5.4	Adaptive memory control decoded reference picture marking process	116
8.2.5.4.1	Marking process of a short-term reference picture as "unused for reference"	116
8.2.5.4.2	Marking process of a long-term reference picture as "unused for reference"	117
8.2.5.4.3	Assignment process of a LongTermFrameIdx to a short-term reference picture	117
8.2.5.4.4	Decoding process for MaxLongTermFrameIdx	117
8.2.5.4.5	Marking process of all reference pictures as "unused for reference" and setting MaxLongTermFrameIdx to "no long-term frame indices"	118
8.2.5.4.6	Process for assigning a long-term frame index to the current picture	118
8.3	Intra prediction process	118
8.3.1	Intra_4x4 prediction process for luma samples	119
8.3.1.1	Derivation process for the Intra4x4PredMode	119
8.3.1.2	Intra_4x4 sample prediction	121
8.3.1.2.1	Specification of Intra_4x4_Vertical prediction mode	122
8.3.1.2.2	Specification of Intra_4x4_Horizontal prediction mode	122
8.3.1.2.3	Specification of Intra_4x4_DC prediction mode	122

8.3.1.2.4	Specification of Intra_4x4_Diagonal_Down_Left prediction mode	123
8.3.1.2.5	Specification of Intra_4x4_Diagonal_Down_Right prediction mode	123
8.3.1.2.6	Specification of Intra_4x4_Vertical_Right prediction mode.....	123
8.3.1.2.7	Specification of Intra_4x4_Horizontal_Down prediction mode.....	124
8.3.1.2.8	Specification of Intra_4x4_Vertical_Left prediction mode.....	124
8.3.1.2.9	Specification of Intra_4x4_Horizontal_Up prediction mode.....	124
8.3.2	Intra_8x8 prediction process for luma samples.....	125
8.3.2.1	Derivation process for Intra8x8PredMode	125
8.3.2.2	Intra_8x8 sample prediction.....	127
8.3.2.2.1	Reference sample filtering process for Intra_8x8 sample prediction	128
8.3.2.2.2	Specification of Intra_8x8_Vertical prediction mode.....	129
8.3.2.2.3	Specification of Intra_8x8_Horizontal prediction mode	129
8.3.2.2.4	Specification of Intra_8x8_DC prediction mode.....	129
8.3.2.2.5	Specification of Intra_8x8_Diagonal_Down_Left prediction mode	130
8.3.2.2.6	Specification of Intra_8x8_Diagonal_Down_Right prediction mode	130
8.3.2.2.7	Specification of Intra_8x8_Vertical_Right prediction mode.....	130
8.3.2.2.8	Specification of Intra_8x8_Horizontal_Down prediction mode.....	131
8.3.2.2.9	Specification of Intra_8x8_Vertical_Left prediction mode.....	131
8.3.2.2.10	Specification of Intra_8x8_Horizontal_Up prediction mode.....	131
8.3.3	Intra_16x16 prediction process for luma samples.....	132
8.3.3.1	Specification of Intra_16x16_Vertical prediction mode	133
8.3.3.2	Specification of Intra_16x16_Horizontal prediction mode	133
8.3.3.3	Specification of Intra_16x16_DC prediction mode.....	133
8.3.3.4	Specification of Intra_16x16_Plane prediction mode	133
8.3.4	Intra prediction process for chroma samples.....	134
8.3.4.1	Specification of Intra_Chroma_DC prediction mode.....	134
8.3.4.2	Specification of Intra_Chroma_Horizontal prediction mode	136
8.3.4.3	Specification of Intra_Chroma_Vertical prediction mode	136
8.3.4.4	Specification of Intra_Chroma_Plane prediction mode	136
8.3.5	Sample construction process for I_PCM macroblocks.....	137
8.4	Inter prediction process	137
8.4.1	Derivation process for motion vector components and reference indices	139
8.4.1.1	Derivation process for luma motion vectors for skipped macroblocks in P and SP slices	140
8.4.1.2	Derivation process for luma motion vectors for B_Skip, B_Direct_16x16, and B_Direct_8x8	141
8.4.1.2.1	Derivation process for the co-located 4x4 sub-macroblock partitions.....	141
8.4.1.2.2	Derivation process for spatial direct luma motion vector and reference index prediction mode....	144
8.4.1.2.3	Derivation process for temporal direct luma motion vector and reference index prediction mode	146
8.4.1.3	Derivation process for luma motion vector prediction.....	148
8.4.1.3.1	Derivation process for median luma motion vector prediction.....	149
8.4.1.3.2	Derivation process for motion data of neighbouring partitions	150
8.4.1.4	Derivation process for chroma motion vectors.....	151
8.4.2	Decoding process for Inter prediction samples	151
8.4.2.1	Reference picture selection process.....	152
8.4.2.2	Fractional sample interpolation process	153
8.4.2.2.1	Luma sample interpolation process	154
8.4.2.2.2	Chroma sample interpolation process.....	157
8.4.2.3	Weighted sample prediction process.....	158
8.4.2.3.1	Default weighted sample prediction process	158
8.4.2.3.2	Weighted sample prediction process	159
8.5	Transform coefficient decoding process and picture construction process prior to deblocking filter process ..	161
8.5.1	Specification of transform decoding process for 4x4 luma residual blocks	162
8.5.2	Specification of transform decoding process for luma samples of Intra_16x16 macroblock prediction mode	162
8.5.3	Specification of transform decoding process for 8x8 luma residual blocks	163
8.5.4	Specification of transform decoding process for chroma samples	164
8.5.5	Inverse scanning process for transform coefficients	166
8.5.6	Inverse scanning process for 8x8 luma transform coefficients	167
8.5.7	Derivation process for the chroma quantisation parameters and scaling function	169

8.5.8	Scaling and transformation process for luma DC transform coefficients for Intra_16x16 macroblock type	171
8.5.9	Scaling and transformation process for chroma DC transform coefficients.....	171
8.5.10	Scaling and transformation process for residual 4x4 blocks.....	173
8.5.11	Scaling and transformation process for residual 8x8 luma blocks.....	175
8.5.12	Picture construction process prior to deblocking filter process.....	178
8.5.13	Residual colour transform process.....	179
8.6	Decoding process for P macroblocks in SP slices or SI macroblocks.....	179
8.6.1	SP decoding process for non-switching pictures.....	180
8.6.1.1	Luma transform coefficient decoding process.....	180
8.6.1.2	Chroma transform coefficient decoding process.....	181
8.6.2	SP and SI slice decoding process for switching pictures.....	182
8.6.2.1	Luma transform coefficient decoding process.....	183
8.6.2.2	Chroma transform coefficient decoding process.....	183
8.7	Deblocking filter process.....	184
8.7.1	Filtering process for block edges.....	188
8.7.2	Filtering process for a set of samples across a horizontal or vertical block edge.....	189
8.7.2.1	Derivation process for the luma content dependent boundary filtering strength.....	190
8.7.2.2	Derivation process for the thresholds for each block edge.....	191
8.7.2.3	Filtering process for edges with bS less than 4.....	193
8.7.2.4	Filtering process for edges for bS equal to 4.....	194
9	Parsing process.....	195
9.1	Parsing process for Exp-Golomb codes.....	195
9.1.1	Mapping process for signed Exp-Golomb codes.....	197
9.1.2	Mapping process for coded block pattern.....	197
9.2	CAVLC parsing process for transform coefficient levels.....	200
9.2.1	Parsing process for total number of transform coefficient levels and trailing ones.....	201
9.2.2	Parsing process for level information.....	205
9.2.2.1	Parsing process for level_prefix.....	206
9.2.3	Parsing process for run information.....	206
9.2.4	Combining level and run information.....	209
9.3	CABAC parsing process for slice data.....	209
9.3.1	Initialisation process.....	210
9.3.1.1	Initialisation process for context variables.....	211
9.3.1.2	Initialisation process for the arithmetic decoding engine.....	222
9.3.2	Binarization process.....	222
9.3.2.1	Unary (U) binarization process.....	224
9.3.2.2	Truncated unary (TU) binarization process.....	224
9.3.2.3	Concatenated unary/ k-th order Exp-Golomb (UEGk) binarization process.....	225
9.3.2.4	Fixed-length (FL) binarization process.....	225
9.3.2.5	Binarization process for macroblock type and sub-macroblock type.....	226
9.3.2.6	Binarization process for coded block pattern.....	229
9.3.2.7	Binarization process for mb_qp_delta.....	229
9.3.3	Decoding process flow.....	230
9.3.3.1	Derivation process for ctxIdx.....	230
9.3.3.1.1	Assignment process of ctxIdxInc using neighbouring syntax elements.....	232
9.3.3.1.1.1	Derivation process of ctxIdxInc for the syntax element mb_skip_flag.....	232
9.3.3.1.1.2	Derivation process of ctxIdxInc for the syntax element mb_field_decoding_flag.....	232
9.3.3.1.1.3	Derivation process of ctxIdxInc for the syntax element mb_type.....	233
9.3.3.1.1.4	Derivation process of ctxIdxInc for the syntax element coded_block_pattern.....	233
9.3.3.1.1.5	Derivation process of ctxIdxInc for the syntax element mb_qp_delta.....	234
9.3.3.1.1.6	Derivation process of ctxIdxInc for the syntax elements ref_idx_10 and ref_idx_11.....	234
9.3.3.1.1.7	Derivation process of ctxIdxInc for the syntax elements mvd_10 and mvd_11.....	235
9.3.3.1.1.8	Derivation process of ctxIdxInc for the syntax element intra_chroma_pred_mode.....	237
9.3.3.1.1.9	Derivation process of ctxIdxInc for the syntax element coded_block_flag.....	237
9.3.3.1.1.10	Derivation process of ctxIdxInc for the syntax element transform_size_8x8_flag.....	238
9.3.3.1.2	Assignment process of ctxIdxInc using prior decoded bin values.....	239
9.3.3.1.3	Assignment process of ctxIdxInc for syntax elements significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1.....	239
9.3.3.2	Arithmetic decoding process.....	242

9.3.3.2.1	Arithmetic decoding process for a binary decision	243
9.3.3.2.1.1	State transition process	243
9.3.3.2.2	Renormalization process in the arithmetic decoding engine	246
9.3.3.2.3	Bypass decoding process for binary decisions	247
9.3.3.2.4	Decoding process for binary decisions before termination.....	247
9.3.4	Arithmetic encoding process (informative).....	248
9.3.4.1	Initialisation process for the arithmetic encoding engine (informative).....	248
9.3.4.2	Encoding process for a binary decision (informative).....	248
9.3.4.3	Renormalization process in the arithmetic encoding engine (informative).....	249
9.3.4.4	Bypass encoding process for binary decisions (informative).....	251
9.3.4.5	Encoding process for a binary decision before termination (informative).....	252
9.3.4.6	Byte stuffing process (informative).....	254
Annex A Profiles and levels	255
A.1	Requirements on video decoder capability.....	255
A.2	Profiles	255
A.2.1	Baseline profile	255
A.2.2	Main profile.....	256
A.2.3	Extended profile	256
A.2.4	High profile	256
A.2.5	High 10 profile.....	257
A.2.6	High 4:2:2 profile.....	257
A.2.7	High 4:4:4 profile.....	258
A.3	Levels.....	258
A.3.1	Level limits common to the Baseline, Main, and Extended profiles.....	258
A.3.2	Level limits common to the High, High 10, High 4:2:2, and High 4:4:4 profiles.....	260
A.3.3	Profile-specific level limits	261
A.3.3.1	Baseline profile limits.....	262
A.3.3.2	Main, High, High 10, High 4:2:2, or High 4:4:4 profile limits.....	263
A.3.3.3	Extended Profile limits.....	264
A.3.4	Effect of level limits on frame rate (informative).....	266
Annex B Byte stream format	269
B.1	Byte stream NAL unit syntax and semantics.....	269
B.1.1	Byte stream NAL unit syntax.....	269
B.1.2	Byte stream NAL unit semantics.....	269
B.2	Byte stream NAL unit decoding process.....	270
B.3	Decoder byte-alignment recovery (informative).....	270
Annex C Hypothetical reference decoder	272
C.1	Operation of coded picture buffer (CPB)	274
C.1.1	Timing of bitstream arrival	274
C.1.2	Timing of coded picture removal	275
C.2	Operation of the decoded picture buffer (DPB)	276
C.2.1	Decoding of gaps in frame_num and storage of "non-existing" frames.....	276
C.2.2	Picture decoding and output.....	276
C.2.3	Removal of pictures from the DPB before possible insertion of the current picture.....	277
C.2.4	Current decoded picture marking and storage.....	277
C.2.4.1	Marking and storage of a reference decoded picture into the DPB.....	277
C.2.4.2	Storage of a non-reference picture into the DPB	277
C.3	Bitstream conformance	277
C.4	Decoder conformance	279
C.4.1	Operation of the output order DPB	280
C.4.2	Decoding of gaps in frame_num and storage of "non-existing" pictures.....	280
C.4.3	Picture decoding.....	280
C.4.4	Removal of pictures from the DPB before possible insertion of the current picture.....	280
C.4.5	Current decoded picture marking and storage.....	281
C.4.5.1	Storage and marking of a reference decoded picture into the DPB	281
C.4.5.2	Storage and marking of a non-reference decoded picture into the DPB	281
C.4.5.3	"Bumping" process	281

Annex D Supplemental enhancement information	283
D.1 SEI payload syntax	284
D.1.1 Buffering period SEI message syntax	285
D.1.2 Picture timing SEI message syntax	285
D.1.3 Pan-scan rectangle SEI message syntax	286
D.1.4 Filler payload SEI message syntax	287
D.1.5 User data registered by ITU-T Recommendation T.35 SEI message syntax	287
D.1.6 User data unregistered SEI message syntax	287
D.1.7 Recovery point SEI message syntax	287
D.1.8 Decoded reference picture marking repetition SEI message syntax	288
D.1.9 Spare picture SEI message syntax	288
D.1.10 Scene information SEI message syntax	289
D.1.11 Sub-sequence information SEI message syntax	289
D.1.12 Sub-sequence layer characteristics SEI message syntax	289
D.1.13 Sub-sequence characteristics SEI message syntax	290
D.1.14 Full-frame freeze SEI message syntax	290
D.1.15 Full-frame freeze release SEI message syntax	290
D.1.16 Full-frame snapshot SEI message syntax	290
D.1.17 Progressive refinement segment start SEI message syntax	291
D.1.18 Progressive refinement segment end SEI message syntax	291
D.1.19 Motion-constrained slice group set SEI message syntax	291
D.1.20 Film grain characteristics SEI message syntax	292
D.1.21 Deblocking filter display preference SEI message syntax	292
D.1.22 Stereo video information SEI message syntax	293
D.1.23 Reserved SEI message syntax	293
D.2 SEI payload semantics	293
D.2.1 Buffering period SEI message semantics	293
D.2.2 Picture timing SEI message semantics	294
D.2.3 Pan-scan rectangle SEI message semantics	297
D.2.4 Filler payload SEI message semantics	299
D.2.5 User data registered by ITU-T Recommendation T.35 SEI message semantics	299
D.2.6 User data unregistered SEI message semantics	299
D.2.7 Recovery point SEI message semantics	299
D.2.8 Decoded reference picture marking repetition SEI message semantics	301
D.2.9 Spare picture SEI message semantics	301
D.2.10 Scene information SEI message semantics	303
D.2.11 Sub-sequence information SEI message semantics	304
D.2.12 Sub-sequence layer characteristics SEI message semantics	306
D.2.13 Sub-sequence characteristics SEI message semantics	307
D.2.14 Full-frame freeze SEI message semantics	308
D.2.15 Full-frame freeze release SEI message semantics	308
D.2.16 Full-frame snapshot SEI message semantics	309
D.2.17 Progressive refinement segment start SEI message semantics	309
D.2.18 Progressive refinement segment end SEI message semantics	309
D.2.19 Motion-constrained slice group set SEI message semantics	310
D.2.20 Film grain characteristics SEI message semantics	310
D.2.21 Deblocking filter display preference SEI message semantics	316
D.2.22 Stereo video information SEI message semantics	318
D.2.23 Reserved SEI message semantics	318
Annex E Video usability information	319
E.1 VUI syntax	320
E.1.1 VUI parameters syntax	320
E.1.2 HRD parameters syntax	321
E.2 VUI semantics	321
E.2.1 VUI parameters semantics	321
E.2.2 HRD parameters semantics	332
Annex F Patent Rights	334

LIST OF FIGURES

Figure 6-1 – Nominal vertical and horizontal locations of 4:2:0 luma and chroma samples in a frame	16
Figure 6-2 – Nominal vertical and horizontal sampling locations of 4:2:0 samples in top and bottom fields	17
Figure 6-3 – Nominal vertical and horizontal locations of 4:2:2 luma and chroma samples in a frame	18
Figure 6-4 – Nominal vertical and horizontal sampling locations of 4:2:2 samples top and bottom fields	18
Figure 6-5 – Nominal vertical and horizontal locations of 4:4:4 luma and chroma samples in a frame	19
Figure 6-6 – Nominal vertical and horizontal sampling locations of 4:4:4 samples top and bottom fields	19
Figure 6-7 – A picture with 11 by 9 macroblocks that is partitioned into two slices	20
Figure 6-8 – Partitioning of the decoded frame into macroblock pairs	20
Figure 6-9 – Macroblock partitions, sub-macroblock partitions, macroblock partition scans, and sub-macroblock partition scans	22
Figure 6-10 – Scan for 4x4 luma blocks	23
Figure 6-11 – Scan for 8x8 luma blocks	23
Figure 6-12 – Neighbouring macroblocks for a given macroblock	24
Figure 6-13 – Neighbouring macroblocks for a given macroblock in MBAFF frames	25
Figure 6-14 – Determination of the neighbouring macroblock, blocks, and partitions (informative)	26
Figure 7-1 – Structure of an access unit not containing any NAL units with nal_unit_type equal to 0, 7, 8, or in the range of 12 to 18, inclusive, or in the range of 20 to 31, inclusive.	62
Figure 8-1 – Intra_4x4 prediction mode directions (informative)	120
Figure 8-2 – Example for temporal direct-mode motion vector inference (informative)	148
Figure 8-3 – Directional segmentation prediction (informative)	149
Figure 8-4 – Integer samples (shaded blocks with upper-case letters) and fractional sample positions (un-shaded blocks with lower-case letters) for quarter sample luma interpolation	155
Figure 8-5 – Fractional sample position dependent variables in chroma interpolation and surrounding integer position samples A, B, C, and D	157
Figure 8-6 – Assignment of the indices of dcY to luma4x4BlkIdx	163
Figure 8-7 – Assignment of the indices of dcC to chroma4x4BlkIdx: (a) chroma_format_idc equal to 1, (b) chroma_format_idc equal to 2, (c) chroma_format_idc equal to 3	165
Figure 8-8 – 4x4 block scans. (a) Zig-zag scan. (b) Field scan (informative)	166
Figure 8-9 – 8x8 block scans. (a) 8x8 zig-zag scan. (b) 8x8 field scan (informative)	167
Figure 8-10 – Boundaries in a macroblock to be filtered	185
Figure 8-11 – Convention for describing samples across a 4x4 block horizontal or vertical boundary	189
Figure 9-1 – Illustration of CABAC parsing process for a syntax element SE (informative)	210
Figure 9-2 – Overview of the arithmetic decoding process for a single bin (informative)	242
Figure 9-3 – Flowchart for decoding a decision	244
Figure 9-4 – Flowchart of renormalization	246
Figure 9-5 – Flowchart of bypass decoding process	247
Figure 9-6 – Flowchart of decoding a decision before termination	248
Figure 9-7 – Flowchart for encoding a decision	249

Figure 9-8 – Flowchart of renormalization in the encoder.....	250
Figure 9-9 – Flowchart of PutBit(B).....	251
Figure 9-10 – Flowchart of encoding bypass.....	252
Figure 9-11 – Flowchart of encoding a decision before termination.....	253
Figure 9-12 – Flowchart of flushing at termination.....	253
Figure C-1 – Structure of byte streams and NAL unit streams for HRD conformance checks.....	272
Figure C-2 – HRD buffer model.....	273
Figure E-1 – Location of chroma samples for top and bottom fields as a function of chroma_sample_loc_type_top_field and chroma_sample_loc_type_bottom_field.....	328

LIST OF TABLES

Table 6-1 – SubWidthC, and SubHeightC values derived from chroma_format_idc.....	15
Table 6-2 – Specification of input and output assignments for subclasses 6.4.8.1 to 6.4.8.5.....	26
Table 6-3 – Specification of mbAddrN.....	30
Table 6-4 – Specification of mbAddrN and yM.....	32
Table 7-1 – NAL unit type codes.....	57
Table 7-2 – Assignment of mnemonic names to scaling list indices and specification of fall-back rule.....	65
Table 7-3 – Specification of default scaling lists Default_4x4_Intra and Default_4x4_Inter.....	66
Table 7-4 – Specification of default scaling lists Default_8x8_Intra and Default_8x8_Inter.....	66
Table 7-5 – Meaning of primary_pic_type.....	73
Table 7-6 – Name association to slice type.....	76
Table 7-7 – Reordering_of_pic_nums_idc operations for reordering of reference picture lists.....	81
Table 7-8 – Interpretation of adaptive_pic_marking_mode_flag.....	83
Table 7-9 – Memory management control operation (memory_management_control_operation) values.....	84
Table 7-10 – Allowed collective macroblock types for slice_type.....	86
Table 7-11 – Macroblock types for I slices.....	88
Table 7-12 – Macroblock type with value 0 for SI slices.....	89
Table 7-13 – Macroblock type values 0 to 4 for P and SP slices.....	90
Table 7-14 – Macroblock type values 0 to 22 for B slices.....	91
Table 7-15 – Specification of CodedBlockPatternChroma values.....	93
Table 7-16 – Relationship between intra_chroma_pred_mode and spatial prediction modes.....	93
Table 7-17 – Sub-macroblock types in P macroblocks.....	94
Table 7-18 – Sub-macroblock types in B macroblocks.....	95
Table 8-1 – Refined slice group map type.....	104
Table 8-2 – Specification of Intra4x4PredMode[luma4x4BlkIdx] and associated names.....	120
Table 8-3 – Specification of Intra8x8PredMode[luma8x8BlkIdx] and associated names.....	126
Table 8-4 – Specification of Intra16x16PredMode and associated names.....	132
Table 8-5 – Specification of Intra chroma prediction modes and associated names.....	134

Table 8-6 – Specification of the variable colPic	142
Table 8-7 – Specification of PicCodingStruct(X)	142
Table 8-8 – Specification of mbAddrCol, yM, and vertMvScale	143
Table 8-9 – Assignment of prediction utilization flags	145
Table 8-10 – Derivation of the vertical component of the chroma vector in field coding mode.....	151
Table 8-11 – Differential full-sample luma locations	155
Table 8-12 – Assignment of the luma prediction sample predPartLX _L [x _L , y _L].....	157
Table 8-13 – Specification of mapping of idx to c _{ij} for zig-zag and field scan.....	166
Table 8-14 – Specification of mapping of idx to c _{ij} for 8x8 zig-zag and 8x8 field scan	168
Table 8-15 – Specification of QP _C as a function of qp _I	169
Table 8-16 – Derivation of offset dependent threshold variables α' and β' from indexA and indexB	192
Table 8-17 – Value of variable t'CO as a function of indexA and bS.....	194
Table 9-1 – Bit strings with “prefix” and “suffix” bits and assignment to codeNum ranges (informative).....	196
Table 9-2 – Exp-Golomb bit strings and codeNum in explicit form and used as ue(v) (informative).....	196
Table 9-3 – Assignment of syntax element to codeNum for signed Exp-Golomb coded syntax elements se(v).....	197
Table 9-4 – Assignment of codeNum to values of coded_block_pattern for macroblock prediction modes.....	198
Table 9-5 – coeff_token mapping to TotalCoeff(coeff_token) and TrailingOnes(coeff_token)	203
Table 9-6 – Codeword table for level_prefix (informative).....	206
Table 9-7 – total_zeros tables for 4x4 blocks with TotalCoeff(coeff_token) 1 to 7	207
Table 9-8 – total_zeros tables for 4x4 blocks with TotalCoeff(coeff_token) 8 to 15	208
Table 9-9 – total_zeros tables for chroma DC 2x2 and 2x4 blocks	208
Table 9-10 – Tables for run_before.....	209
Table 9-11 – Association of ctxIdx and syntax elements for each slice type in the initialisation process	211
Table 9-12 – Values of variables m and n for ctxIdx from 0 to 10.....	212
Table 9-13 – Values of variables m and n for ctxIdx from 11 to 23	213
Table 9-14 – Values of variables m and n for ctxIdx from 24 to 39	213
Table 9-15 – Values of variables m and n for ctxIdx from 40 to 53	213
Table 9-16 – Values of variables m and n for ctxIdx from 54 to 59, and 399 to 401.....	214
Table 9-17 – Values of variables m and n for ctxIdx from 60 to 69	214
Table 9-18 – Values of variables m and n for ctxIdx from 70 to 104	215
Table 9-19 – Values of variables m and n for ctxIdx from 105 to 165	216
Table 9-20 – Values of variables m and n for ctxIdx from 166 to 226	217
Table 9-21 – Values of variables m and n for ctxIdx from 227 to 275	218
Table 9-22 – Values of variables m and n for ctxIdx from 277 to 337	219
Table 9-23 – Values of variables m and n for ctxIdx from 338 to 398	220
Table 9-24 – Values of variables m and n for ctxIdx from 402 to 459	221
Table 9-25 – Syntax elements and associated types of binarization, maxBinIdxCtx, and ctxIdxOffset	223

Table 9-26 – Bin string of the unary binarization (informative).....	224
Table 9-27 – Binarization for macroblock types in I slices	227
Table 9-28 – Binarization for macroblock types in P, SP, and B slices.....	228
Table 9-29 – Binarization for sub-macroblock types in P, SP, and B slices.....	229
Table 9-30 – Assignment of ctxIdxInc to binIdx for all ctxIdxOffset values except those related to the syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1	231
Table 9-31 – Assignment of ctxIdxBlockCatOffset to ctxBlockCat for syntax elements coded_block_flag, significant_coeff_flag, last_significant_coeff_flag, and coeff_abs_level_minus1	232
Table 9-32 – Specification of ctxIdxInc for specific values of ctxIdxOffset and binIdx	239
Table 9-33 – Specification of ctxBlockCat for the different blocks	240
Table 9-34 – Mapping of scanning position to ctxIdxInc for ctxBlockCat == 5	241
Table 9-35 – Specification of rangeTabLPS depending on pStateIdx and qCodIRangeIdx	245
Table 9-36 – State transition table	246
Table A-1 – Level limits	260
Table A-2 – Specification of cpbBrVelFactor and cpbBrNalFactor	262
Table A-3 – Baseline profile level limits	263
Table A-4 – Main, High, High 10, High 4:2:2, or High 4:4:4 profile level limits	264
Table A-5 – Extended profile level limits	265
Table A-6 – Maximum frame rates (frames per second) for some example frame sizes.....	266
Table D-1 – Interpretation of pic_struct	295
Table D-2 – Mapping of ct_type to source picture scan	296
Table D-3 – Definition of counting_type values.....	296
Table D-4 – scene_transition_type values	303
Table D-5 – model_id values	311
Table D-6 – blending_mode_id values	312
Table E-1 – Meaning of sample aspect ratio indicator	322
Table E-2 – Meaning of video_format.....	323
Table E-3 – Colour primaries	324
Table E-4 – Transfer characteristics	325
Table E-5 – Matrix coefficients	327
Table E-6 – Divisor for computation of $\Delta t_{fi,dpb}(n)$	329
Table F-1 – Organisations providing patent rights licensing notices.....	335

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-ISO/IEC 14496-10:2006-09 en Information technology - Coding of audio-visual objects - Part 10: Advanced Video Coding € 179.33

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products & Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.