

Nederlandse norm

NEN-EN 15323

(en)

Bitumen en bitumineuze bindmiddelen -
Versnelde lange-termijn verouderingscondities
door de roterende cilinder methode (RCAT)

Bitumen and bituminous binders - Accelerated
long-term ageing conditioning by the Rotating
Cylinder Method (RCAT)

Vervangt NEN-EN 15323:2005 Ontw.

ICS 75.140; 91.100.50

april 2007

Als Nederlandse norm is aanvaard:
- EN 15323:2007, IDT

Normcommissie 353 008 "Bitumen"

Preview

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Nederlands voorwoord

Voor de in deze norm vermelde normatieve verwijzingen bestaan in Nederland de volgende equivalenten:

<u>vermelde norm</u>	<u>Nederlandse norm</u>	<u>titel</u>
EN 12594	NEN-EN 12594	Bitumen en bitumineuze bindmiddelen - Monstervoorbehandeling (en)
EN 12607-1	NEN-EN 12607-1	Bitumen en bitumineuze bindmiddelen - Bepaling van de weerstand tegen verharding onder de invloed van warmte en lucht - Deel 1: RTFOT- methode (en)
EN 12607-2	NEN-EN 12607-2	Bitumen en bitumineuze bindmiddelen - Bepaling van de weerstand tegen verharding onder de invloed van warmte en lucht - Deel 2: TFOT- methode (en)
EN 14895	NEN-EN 14895	Bitumen en bitumineuze bindmiddelen - Stabilisatie van bindmiddelen van bitumineuze emulsies of van vloeibare bitumineuze bindmiddelen (en)

Copyright
Preview

Voorbeeld
Preview

ICS 91.100.50

English Version

Bitumen and bituminous binders - Accelerated long-term ageing/conditioning by the rotating cylinder method (RCAT)

Bitumes et liants bitumineux -
Vieillessement/conditionnement long-terme accéléré par la
méthode du cylindre tournant (RCAT)

Bitumen und bitumenhaltige Bindemittel - Beschleunigte
Langzeit-Alterung mit dem Verfahren mit rotierendem
Zylinder (RCAT)

This European Standard was approved by CEN on 24 February 2007.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

Page

Foreword.....	3
1 Scope	4
2 Normative references	4
3 Terms and definitions	4
4 Principle.....	5
5 Apparatus	5
6 Procedure	7
7 Precision.....	9
8 Report	10
Annex A (normative) Short-term ageing/conditioning with the RCAT device (RCAT163).....	16
Annex B (normative) Preparation of a mastic sample to be aged in the RCAT device	18
Annex C (informative) Inspections and verifications	19
Bibliography	21

Preview
NEN
16323

Foreword

This document (EN 15323:2007) has been prepared by Technical Committee CEN/TC 336 "Bituminous binders", the secretariat of which is held by AFNOR.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by October 2007, and conflicting national standards shall be withdrawn at the latest by October 2007.

This European Standard is based upon documents [1], [2] and [3], referenced in Bibliography.

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Copyright
Preview

1 Scope

This European Standard specifies an accelerated ageing/conditioning procedure for bitumen, bituminous binders and bituminous mastics. The procedure involves rotating cylinder ageing (RCA), i.e binder ageing at moderate temperatures in a large cylinder rotating in an oven under oxygen flow conditions. Prior to long-term ageing with this method, samples are prepared in the condition they would be applied to the road.

This method is also applicable to modified binders and bituminous mastics.

NOTE For binders used in hot asphalt applications pre-conditioning of the sample would typically be by one of the methods given in EN 12607-1 or EN 12607-2 or directly in the RCAT cylinder to an equivalent ageing level. For binders used in bituminous emulsion and cut-back application, stabilising the sample would typically be by methods given in EN 14895. For bituminous emulsion, stabilising the sample can also be realised directly in the RCAT cylinder under a nitrogen flow (quantity-temperature-time have still to be experienced).

WARNING — Use of this document can involve hazardous materials, operations and equipment, in particular, the use of a flow of oxygen as ageing atmosphere. This document does not purport to address all of the safety problems associated with its use. It is the responsibility of the user of this document to establish appropriate health and safety practices and determine the applicability of regulatory limitations prior to use.

If there is a likelihood that more than 1 % mass fraction in a binder of volatile components is present, this procedure must not be used.

2 Normative references

The following referenced standards are indispensable for the application of this European Standard. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12594, *Bitumen and bituminous binders — Preparation of test samples*

EN 12607-1, *Bitumen and bituminous binders — Determination of the resistance to hardening under the influence of heat and air — Part 1: RTFOT method*

EN 12607-2, *Bitumen and bituminous binders — Determination of the resistance to hardening under the influence of heat and air — Part 2: TFOT method*

EN 14895, *Bitumen and bituminous binders — Stabilisation of binder from bituminous emulsions or from cut-back and fluxed bituminous binders*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

rotating cylinder ageing test

RCAT

ageing procedure performed using a rotating cylinder

3.2

short-term ageing/conditioning

conditioning a binder undergoes during the method described in EN 12607-1 and EN 12607-2 or directly in the rotating cylinder to an equivalent level of ageing

NOTE 1 Short-term ageing/conditioning simulates the hardening which a bituminous binder undergoes during the mixing in an asphalt mixing plant

NOTE 2 See Annex A

3.3

stabilisation

conditioning of the binders from bituminous emulsions, cut-back or fluxed bitumen to produce residual binders to further determine their characteristics

NOTE E.g. the procedure described in EN 14895

3.4

long-term ageing

ageing that the binder undergoes during its service life

3.5

accelerated long-term ageing conditioning

simulated long-term ageing that the binder undergoes during the accelerated rotating cylinder ageing procedure.

NOTE 1 In the case of hot-mix asphalt binders the long-term ageing is carried out on binders that have already been conditioned through short-term ageing/conditioning.

NOTE 2 In the case of bituminous emulsions or cut-back or fluxed bitumen the long-term ageing is carried out on binders that have already been conditioned through the stabilisation procedure

3.6

mastic

homogenous mixture of filler and bituminous binder

NOTE 1 The mixture can be prepared directly in the rotating cylinder

NOTE 2 See Annex B

4 Principle

A rotating film of binder is heated to a specified temperature under a specified rotation speed and under a specified oxygen flow for a given period of time. This is to simulate the changes that occur to the binder during service (pavement or other bituminous applications, e.g. roofing). The standard procedure is RCAT90 as described in Subclause 6.4. For other purposes, e.g. research, other conditions may be used.

The effects of this ageing procedure are evaluated on the residual binder after the test. However, as samples can be taken at intermediate exposure times, the ageing process can be monitored on the basis of a kinetic approach.

NOTE Ageing of binders during service is affected by ambient temperature and air pressure as well as by mixture-associated variables such as volumetric mixture proportions, mixture permeability, aggregate properties and other factors. This procedure is intended to provide an evaluation of the relative ageing behaviour of binders under specified conditions, but cannot account entirely for mixture variables or provide relative resistance to ageing at in-service conditions.

5 Apparatus

Usual laboratory apparatus and glassware, together with the following:

5.1 Test system comprised of a cylinder with a grooved inner roller, an oxygen supply system with flow control devices, a forced-draft oven equipped with an appropriate outlet for the evacuation of volatile

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 15323:2007 en Bitumen en bitumineuze bindmiddelen -
Versnelde lange-termijn verouderingscondities door de roterende cilinder
methode (RCAT) € 50.04

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop**

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze
e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products
& Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.