



Nederlandse norm

NEN-ISO 6460-1

(en)

Motorcycles - Measurement method for gaseous exhaust emissions and fuel consumption - Part 1: General test requirements (ISO 6460-1:2007, IDT)

Vervangt NEN-ISO 7860:1995,deels

ICS 13.040.50; 43.140

augustus 2007

Als Nederlandse norm is aanvaard:

- ISO 6460-1:2007, IDT

VOORBEELD
Preview

Normcommissie 345 042 "Wegvoeren"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Preview

Motorcycles — Measurement method for
gaseous exhaust emissions and fuel
consumption —
Part 1:
General test requirements

*Motorcycles — Méthode de mesure des émissions de gaz
d'échappement et de la consommation de carburant —
Partie 1: Exigences générales d'essai*



PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright
Preview

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2007

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	v
Introduction.....	vi
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	1
4 Symbols.....	2
5 Standard reference conditions.....	4
6 Tests.....	5
6.1 Measurement of gaseous exhaust emissions.....	5
6.2 Measurement of fuel consumption.....	5
7 Measurement equipment.....	5
7.1 Chassis dynamometer.....	5
7.2 Gas-collection equipment.....	5
7.3 Analytical equipment.....	6
7.4 Cooling equipment.....	7
7.5 Fuel consumption measurement.....	7
7.6 Accuracy of instruments and measurements.....	8
8 Preparing the test.....	8
8.1 Engine fuel and lubricants.....	8
8.2 Description of the test motorcycle.....	8
8.3 Conditioning/preparation of the test motorcycle.....	8
8.4 Adjustment of the analytical apparatus.....	9
9 System check procedure.....	9
9.1 Accuracy of the CVS system.....	9
9.2 Metering a constant flow of pure gas (CO or C ₃ H ₈) using a critical flow orifice.....	9
9.3 Metering a limited quantity of pure gas (CO or C ₃ H ₈) by means of a gravimetric technique.....	9
10 Procedure for sampling, analysing and measuring the volume of gaseous exhaust emissions.....	10
10.1 Operations to be carried out before the motorcycle start up.....	10
10.2 Beginning of sampling and volume measurement.....	12
10.3 End of sampling and volume measurement.....	12
10.4 Analysis.....	12
10.5 Measuring the driving distance.....	12
10.6 Open type CVS system.....	13
11 Determination of the quantity of gaseous exhaust emissions.....	13
11.1 Total diluted exhaust mixture volume corrected to the standard reference conditions.....	13
11.2 Exhaust gas sampling and the dilution factor.....	14
11.3 Mass of the gaseous exhaust emissions.....	15
12 Determination of the fuel consumption.....	17
12.1 Carbon balance method.....	17
12.2 Fuel flow measurement method.....	17
12.3 Calculation of results in litres per 100 km.....	18
12.4 Criteria of the statistical accuracy for the fuel consumption measurements.....	18
Annex A (normative) Method and equipment for measuring fuel consumption by the fuel flow measurement method.....	19

ISO 6460-1:2007(E)

Annex B (informative) Example for record form of test fuel specifications	29
Annex C (informative) Exhaust gas leakage check procedure for the open type CVS system	30
Annex D (informative) Determination of the dilution factor	35
Annex E (informative) Principle of the carbon balance method	42
Annex F (informative) Simplified determination method of the atom number ratio of hydrogen and carbon, and that of oxygen and carbon in gasoline and diesel fuel	45
Annex G (normative) Fuel consumption for two-stroke engines	47
Annex H (informative) Criteria of the statistical accuracy for the fuel consumption measurements	49
Bibliography	51

Orbital
Preview

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 6460-1 was prepared by Technical Committee ISO/TC 22, *Road vehicles*, Subcommittee SC 22, *Motorcycles*.

ISO 6460-1, together with ISO 6460-2 and ISO 6460-3, cancels and replaces ISO 6460:1981 and ISO 7860:1995, which have been technically revised.

ISO 6460 consists of the following parts, under the general title *Motorcycles — Measurement method for gaseous exhaust emissions and fuel consumption*:

- *Part 1: General test requirements*
- *Part 2: Test cycles and specific test conditions*
- *Part 3: Fuel consumption measurement at a constant speed*

Introduction

For measurement of motorcycle fuel consumption, the carbon balance method, where the fuel consumption is calculated from analysis of the carbon quantity in the exhaust gas, is now widely used in addition to the conventional fuel flow measurement. Therefore, the measurement of exhaust gas and that of fuel consumption are inseparably related to each other.

ISO 6460 now covers in one single series of standards the two subjects that were previously covered separately by ISO 6460:1981 and ISO 7860:1995. This part of ISO 6460 defines fundamental elements such as the measurement accuracy, test vehicle conditions and the details of the carbon balance method. Measurement of gaseous exhaust emissions and fuel consumption of test cycles can be conducted by means of this part of ISO 6460 and ISO 6460-2:2007. Together with ISO 6460-3, they also give details of those measurements at a constant speed.

While the most up-to-date technologies are reflected in the ISO 6460 series, further technical development in the following aspects will be necessary in the future, when measurement of exhaust gas at a lower level is required:

- cleaning of the background air (i.e. the air in the test room which is used for the dilution air);
- heating of the sampling line;
- control of the test room humidity;
- the exhaust gas analysis system for low level emissions;
- consideration of the evaporated fuel from the test motorcycle.

In addition to the above issues, the chassis dynamometer with electrically simulated inertia is at the stage of practical application. Standardization of the verification method and the allowance of simulated inertia would be necessary for this recent development.

Motorcycles — Measurement method for gaseous exhaust emissions and fuel consumption —

Part 1: General test requirements

1 Scope

This part of ISO 6460 specifies the general test requirements for measurement for the gaseous exhaust emissions from motorcycles, and for determining the fuel consumption of motorcycles as defined in ISO 3833. It is applicable to motorcycles equipped with a spark ignition engine (four-stroke engine, two-stroke engine or rotary piston engine) or a compression ignition engine.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3833, *Road vehicles — Types — Terms and definitions*

ISO 6460-2:2007, *Motorcycles — Measurement method for gaseous exhaust emissions and fuel consumption — Part 2: Test cycles and specific test conditions*

ISO 6460-3:2007, *Motorcycles — Measurement method for gaseous exhaust emissions and fuel consumption — Part 3: Fuel consumption measurement at a constant speed*

ISO 11486, *Motorcycles — Methods for setting running resistance on a chassis dynamometer*

3 Terms and definitions

For the purposes of this document, the terms defined in ISO 3833 and the following apply.

3.1

motorcycle kerb mass

total unladen mass of the motorcycle, which is filled with fuel in such a way that the normal container for fuel is filled to at least 90 % of the capacity specified by the manufacturer, and which is fitted with a tool kit and a spare wheel (if obligatory)

3.2

reference mass of the motorcycle

kerb mass of the motorcycle increased by a uniform figure of 75 kg, which represents the mass of a rider

3.3

equivalent inertia

total inertia of the rotating masses of the test bench, determined with respect to the reference mass of the motorcycle

ISO 6460-1:2007(E)

3.4 gaseous exhaust emissions
carbon monoxide, hydrocarbons, nitrogen oxides (gaseous pollutants) and carbon dioxide emitted from motorcycles

4 Symbols

Table 1 — Symbols

Symbols	Definition	Unit ^a
a	mixing ratio of lubrication oil and fuel	—
$c_{\text{CO,d}}$	carbon monoxide concentration in the dilution air	ppm
$c_{\text{CO,dm}}$	carbon monoxide concentration in the dilution air with the water vapour and carbon dioxide absorbent	ppm
$c_{\text{CO,e}}$	carbon monoxide concentration in the diluted exhaust mixture	ppm
$c_{\text{CO,ec}}$	volumetric concentration of carbon monoxide in the diluted exhaust mixture, corrected to take account of carbon monoxide in the dilution air	ppm
$c_{\text{CO,em}}$	carbon monoxide concentration in the diluted exhaust mixture with the water vapour and carbon dioxide absorbent	ppm
$c_{\text{CO}_2,\text{d}}$	carbon dioxide concentration in the dilution air	%
$c_{\text{CO}_2,\text{e}}$	carbon dioxide concentration in the diluted exhaust mixture	%
$c_{\text{CO}_2,\text{ec}}$	volumetric concentration of carbon dioxide in the diluted exhaust mixture, corrected to take account of carbon dioxide in the dilution air	%
$c_{\text{NO}_x,\text{d}}$	nitrogen oxides concentration in the dilution air	ppm
$c_{\text{NO}_x,\text{e}}$	nitrogen oxides concentration in the diluted exhaust mixture	ppm
$c_{\text{NO}_x,\text{ec}}$	volumetric concentration of nitrogen oxides in the diluted exhaust mixture, corrected to take account of nitrogen oxides in the dilution air	ppm
$c_{\text{O}_2,\text{d}}$	oxygen concentration in the dilution air	%
$c_{\text{Pi,ec}}$	concentration of the pollutant i in the diluted exhaust mixture, corrected to take account of the amount of the pollutant i contained in the dilution air	ppm
$c_{\text{THC,d}}$	hydrocarbon concentration in the dilution air as measured in parts per million carbon equivalent	ppmC
$c_{\text{THC,e}}$	hydrocarbon concentration in the diluted exhaust mixture as measured in parts per million carbon equivalent	ppmC
$c_{\text{THC,ec}}$	volumetric concentration, expressed in parts per million carbon equivalent, of hydrocarbon in the diluted exhaust mixture, corrected to take account of hydrocarbon in the dilution air	ppmC
C_{THC}	value of HFID (hydrogen flame ionization detection) output	ppm
d_0	relative air density at the standard reference conditions	—
D_f	dilution factor	—
F_c	specific fuel consumption	km/L
F'_c	specific fuel consumption for lubrication oil mixed fuel	km/L
F_{c100}	fuel consumption per 100 km	L/100 km
F_o	lubrication oil consumption for the mixed fuel	km/L
H_a	absolute humidity in grams of water per kilogram of dry air	—
H_d	relative humidity of dilution air	%

Table 1 (continued)

Symbols	Definition	Unit ^a
H_r	relative humidity in the test room	%
H_0	standard relative humidity	%
K_H	humidity correction factor used for the calculation of the mass emissions of nitrogen oxides	—
K_1	venturi correction factor	—
K_2	ratio of pressure to temperature at the standard reference conditions	—
L	running distance actually travelled	km
m_{CO}	mass of carbon monoxide in the exhaust gas	g/km
m_{CO_2}	mass of carbon dioxide in the exhaust gas	g/km
m_f	fuel consumed	g
m_{NO_x}	mass of nitrogen oxides in the exhaust gas	g/km
m_{P_i}	mass emission of the pollutant i	g
m_{THC}	mass of hydrocarbon in the exhaust gas	g/km
N	number of revolutions of positive displacement pump during the test while samples are being collected	—
p_a	mean barometric pressure during the test in the test room	kPa
p_d	saturated water vapour pressure during the test in the test room	kPa
p_p	diluted exhaust mixture absolute pressure at the inlet of positive displacement pump	kPa
p_v	absolute pressure at the venturi inlet	kPa
$p_v(t)$	absolute pressure of the diluted exhaust mixture at the venturi inlet	kPa
p_0	total barometric pressure at the standard reference conditions	kPa
Q_a	measured flow rate of venturi at ambient conditions	L/s
Q_{cal}	measured flow rate of venturi using the other gas flowmeter	L/s
$R_{HC,ex}$	atom number ratio of hydrogen and carbon in the exhaust gas	—
$R'_{HC,ex}$	atom number ratio of hydrogen and carbon in the exhaust gas for lubrication oil mixed fuel	—
$R_{HC,f}$	atom number ratio of hydrogen and carbon in the fuel	—
$R_{HC,o}$	atom number ratio of hydrogen and carbon in the lubrication oil	—
$R_{OC,ex}$	atom number ratio of oxygen and carbon in the exhaust gas	—
$R'_{OC,ex}$	atom number ratio of oxygen and carbon in the exhaust gas for lubrication oil mixed fuel	—
$R_{OC,f}$	atom number ratio of oxygen and carbon in the fuel	—
$R_{OC,o}$	atom number ratio of oxygen and carbon in the lubrication oil	—
t	time	s
t_{test}	total test time	s
T_a	measured ambient temperature during the test in the test room	K
T_f	fuel temperature measured at the burette	K
T_p	temperature of diluted exhaust mixture at the positive displacement pump inlet during the test while samples are being collected	K
T_v	temperature at the venturi inlet	K
$T_v(t)$	temperature of diluted exhaust mixture at the venturi inlet	K

Table 1 (continued)

Symbols	Definition	Unit ^a
T_0	air temperature at the standard reference conditions	K
T_1	mean dry bulb temperature during the test in the test room	K
T_2	mean wet bulb temperature during the test in the test room	K
V	measured volume of fuel consumed	L
V_d	dilution air volume	L
V_e	volume of the diluted exhaust mixture expressed corrected to the standard reference conditions	L/km
V_{ex}	exhaust gas volume	L
V_f	fuel volume of lubrication oil mixed fuel	L
$V_{i,e}$	volume of the diluted exhaust mixture in one test under the standard reference conditions	L
V_o	lubrication oil volume of lubrication oil mixed fuel	L
V_p	diluted exhaust mixture volume pumped by the positive displacement pump per one revolution	L
V_s	total diluted exhaust mixture volume during one test	L
α	coefficient of volumetric expansion for the fuel	K ⁻¹
ρ_{CO}	carbon monoxide density at the standard reference conditions	g/L
ρ_{CO_2}	carbon dioxide density at the standard reference conditions	g/L
ρ_f	fuel density at 293,15 K	g/L
ρ_{NO_x}	nitrogen oxides density under the standard reference conditions, expressed in equivalent NO ₂	g/L
ρ_o	lubrication oil density at 293,15 K	g/L
ρ_{Pi}	density of the pollutant i under the standard reference conditions	g/L
ρ_{THC}	hydrocarbon density at the standard reference conditions	g/L
ρ_0	air volumetric mass	kg/m ³

^a ppm = parts per million.

5 Standard reference conditions

The standard reference conditions shall be as follows:

total barometric pressure, p_0 : 101,325 kPa;

air temperature, T_0 : 293,15 K;

relative humidity, H_0 : 65 %;

air volumetric mass, ρ_0 : 1,205 kg/m³;

relative air density, d_0 : 0,931 9.

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-ISO 6460-1:2007 en Motorfietsen - Meetmethode voor gasuitstoot en brandstofverbruik - Deel 1: Algemene beproevingseisen € 161.21

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.