

norm


Air Quality - Certification of automated dust arrestment plant monitors for use on stationary sources - Performance criteria and test procedures

NEN-EN 15859

Publicatie uitsluitend voor commentaar

oktober 2008
ICS 13.040.01

Commentaar voor 2009-01-04



Als Europees normontwerp is gepubliceerd: prEN 15859:2008, IDT

Definitief vastgestelde normen zullen als Nederlandse norm gelden. Daarom wordt dit normontwerp in Nederland voor commentaar gepubliceerd. Op het ontwerp ingebracht commentaar zal aan de bevoegde normcommissie worden voorgelegd die hiermee rekening zal houden bij de bepaling van de Nederlandse stem. Indien er geen bezwaar bij NEN wordt ingebracht, kan dat leiden tot ongewijzigd definitieve vaststelling van het ontwerp als norm.

Van Europese normen bestaan drie officiële versies: Engels, Frans en Duits. Voor Nederland zal de Engelse versie gelden, tenzij voor een geautoriseerde versie in het Nederlands wordt gekozen.

Normcommissie 390 146 "Luchtkwaliteit"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden vervaardigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor vervaardiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechters toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Voorbeeld
Preview

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 15859

September 2008

ICS 13.040.01

English Version

Air Quality - Certification of automated dust arrestment plant monitors for use on stationary sources - Performance criteria and test procedures

Qualité de l'air - Certification des analyseurs automatiques pour la surveillance des systèmes de réduction des poussières à l'émission des sources fixes - Spécifications de performance et procédures d'essai

Luftbeschaffenheit - Zertifizierung von automatischen Geräten zur Überwachung von Staubabscheidern an stationären Quellen - Mindestanforderungen und Prüfprozeduren

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 264.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Recipients of this draft are invited to submit with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
 COMITÉ EUROPÉEN DE NORMALISATION
 EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels


Contents

	Page
Foreword.....	3
0 Introduction.....	4
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions	7
4 Symbols and abbreviations	11
5 General requirements.....	13
6 Performance characteristics for laboratory testing	15
7 Performance characteristics for field testing	17
8 Performance criteria.....	19
9 General test requirements	20
10 Test procedures for laboratory tests.....	21
11 Requirements for field tests	28
12 Test procedures for field tests	29
13 Test report	34
Annex A (informative) Elements of performance testing report	35
Bibliography	37

Foreword

This document (prEN 15859:2008) has been prepared by Technical Committee CEN/TC 264 "Air quality", the secretariat of which is held by DIN.

This document is currently submitted to the CEN Enquiry.



0 Introduction

0.1 General

CEN has established standards for the certification of automated measuring systems (AMS) used for monitoring emissions from stationary sources. This certification is based on the following four sequential stages:

- a) performance testing of an AMS;
- b) initial assessment of the AMS manufacturer's quality management system;
- c) certification;
- d) post certification surveillance.

This European Standard defines the performance criteria and procedures for performance testing of automated dust arrestment plant monitors used on stationary sources.

The following two types of dust arrestment plant monitor are covered by this standard:

- a *filter dust monitor* which can be calibrated in mg/m^3 and used for dust arrestment control purposes;
- a *filter leakage monitor* which indicates a change in the emissions level or a change in the magnitude of the dust pulses created by the cleaning process.

For the purposes of this standard, the term *instrument* is used to encompass both types of dust arrestment plant monitor. The terms *filter dust monitor* and *filter leakage monitor* are only used where it is necessary to distinguish between the two types.

0.2 Legal drivers

This European Standard supports the requirements of the following EU Directives:

- Integrated Pollution Prevention and Control Directive

However, it can also be applicable to the monitoring requirements specified in other EU Directives and national requirements.

0.3 Processes

Field-testing of an instrument is ordinarily carried out on the most highly demanding industrial process in the range of applications for which a manufacturer seeks certification. The premise is that if the instrument performs acceptably on this process, then experience has shown that the instrument generally performs well on the majority of other processes. However, there are always exceptions and it is the responsibility of the manufacturer in conjunction with the user to ensure that the instrument performs adequately on a specific process.

0.4 Performance characteristics

A combination of laboratory and field testing is detailed within this European Standard. Laboratory testing is designed to assess whether an instrument can meet, under controlled conditions, the technical requirements of the relevant performance criteria. Field testing, over a minimum 3 month period, is designed to assess whether an instrument can continue to work and meet the relevant performance criteria in a real application.

Field testing is carried out on an industrial process representative of the intended application for the instrument for which the manufacturer seeks certification.

The main instrument performance characteristics are:

- cross-sensitivity to likely interferents contained in the waste gas;
- influence of variations of the waste gas velocity;
- response or detection time;
- influence of ambient conditions on zero readings;
- performance and accuracy of the filter dust monitor against a standard reference method (SRM), under field conditions;
- performance and accuracy of the filter leakage monitor against a certified particulate AMS tested according to EN 15267-3, under field conditions;
- reproducibility from two instruments under identical field conditions;
- availability and maintenance interval under field conditions;
- drift of internal zero and internal reference points;
- susceptibility to physical disturbances.

Measurements made by instruments certified to the requirements of this standard do not necessarily fulfil the uncertainty requirements of the EU Directives for Large Combustion Plant and Waste Incineration or the QAL3 functionality of EN 14181.

1 Scope

This European Standard provides the performance criteria and test procedures for filter dust monitors and filter leakage monitors used to ensure that dust arrestment plants used on stationary sources are working satisfactorily.

A filter dust monitor is a dust arrestment plant monitor which can be calibrated in mg/m³ and used for dust arrestment control purposes.

A filter leakage monitor is a dust arrestment plant monitor which indicates a possible problem with the dust arrestment plant by monitoring a change in the emissions level or a change in the magnitude of the dust pulses created by the cleaning process.

This standard is intended for use with the certification procedure for automated measuring systems described in EN 15267-1 and EN 15267-2.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13284-1, *Stationary source emissions – Determination of low range mass concentration of dust – Part 1: Manual gravimetric method*.

EN 13284-2, *Stationary source emissions – Determination of low range mass concentration of dust – Part 2: Automated measuring systems*

EN 14181, *Stationary source emissions – Quality assurance of automated measuring systems*

EN 15259, *Air Quality – Measurement of stationary source emissions – Requirements for measurement sections and sites and for the measurement objective, plan and report*

EN 15267-1, *Air quality – Certification of automated measuring systems – Part 1: General principles*

EN 15267-2, *Air quality – Certification of automated measuring systems – Part 2: Initial assessment of the AMS manufacturer's quality system and post certification surveillance for the manufacturing process*

EN 15267-3, *Air Quality – Certification of automated measuring systems – Part 3: Performance criteria and test procedures for automated measuring systems for monitoring emissions from stationary sources*

EN 50160, *Voltage characteristics of electricity supplied by public distribution systems*

EN 60529, *Specification for degrees of protection provided by enclosures (IP code)*

EN ISO 14956, *Air quality – Evaluation of the suitability of a measurement procedure by comparison with a required measurement uncertainty (ISO 14956:2002)*

EN ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories (ISO/IEC 17025:2005)*

3 Terms and definitions

For the purposes of this standard, the following terms and definitions apply.

3.1

dust

particles, of any shape, structure or density, dispersed in the gas phase at the sampling point conditions which may be collected by filtration under specified conditions after representative sampling of the gas to be analysed

3.2

dust arrestment plant monitor

filter dust monitor or filter leakage monitor and additional devices for obtaining a result

NOTE 1 Apart from the actual measuring device (the analyser), an instrument may include further components, like purge air blowers, external displays etc.

3.3

instrument

dust arrestment plant monitor

3.4

filter dust monitor

instrument, which can be calibrated in mg/m^3 and used for dust arrestment control purposes, but does not fulfil the uncertainty demands according to EN 14181, or does not have reference materials for linearity test and QAL3 procedure according to EN 14181

3.5

filter leakage monitor

instrument, which indicates a possible problem with the dust arrestment plant

NOTE These instruments may either monitor a change in the emissions level or a change in the magnitude of the dust pulses created by the cleaning process.

3.6

reference method

RM

measurement method taken as a reference by convention, which gives the accepted reference value of the measurand

NOTE 1 A reference method is fully described.

NOTE 2 A reference method can be a manual or an automated method.

NOTE 3 Alternative methods can be used if equivalence to the reference method has been demonstrated.

[EN 15259, 2.8]

3.7

standard reference method

SRM

reference method prescribed by European or national standard.

NOTE Standard reference methods are used e.g. to calibrate and validate instrument and for periodic measurements to check compliance with limit values.

[EN 15259, 2.9]

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services
Postbus 5059
2600 GB Delft
Vlinderweg 6
2623 AX Delft
T (015) 2 690 390
F (015) 2 690 271
www.nen.nl/normshop

Ja, ik bestel

— ex. NEN-EN 15859:2008 Ontw. en Luchtkwaliteit - Certificatie van
geautomatiseerde stofconcentratie monitors voor gebruik bij stationaire
bronnen - Presentatie-eisen en beproevingssprocedures € 29.20

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop**

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling

T.a.v.

O M O V

E-mail

Klantrummer NEN

Uw ordernummer

BTW nummer

Postbus / Adres

Postcode

Plaats

Telefoon

Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode

Plaats

Datum

Handtekening

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.