


norm**NEN-EN 15722**Road transport and traffic telematics -
ESafety - ECall minimum set of data

Publicatie uitsluitend voor commentaar

maart 2010
ICS 03.220.20; 35.240.60**Commentaar vóór 2010-06-18**

Zal vervangen NPR-CEN/TS 15722:2009

Als Europees normontwerp is gepubliceerd: prEN 15722:2010, IDT

Definitief vastgestelde normen zullen als Nederlandse norm gelden. Daarom wordt dit normontwerp in Nederland voor commentaar gepubliceerd. Op het ontwerp ingebracht commentaar zal aan de bevoegde normcommissie worden voorgelegd die hiermee rekening zal houden bij de bepaling van de Nederlandse stem. Indien er geen bezwaar bij NEN wordt gebracht, kan dat leiden tot ongewijzigde definitieve vaststelling van het ontwerp als norm.

Van Europese normen bestaan drie officiële versies: Engels, Frans en Duits. Voor Nederland zal de Engelse versie gelden. Daarnaast kan er gekozen worden voor een andere geautoriseerde versie in het Nederlands.

Normcommissie 381042 "Telematica voor wegverkeer en -vervoer"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Voorbeeld
Preview

February 2010

ICS 03.220.20; 35.240.60

Will supersede CEN/TS 15722:2009

English Version

Road transport and traffic telematics - ESafety - ECall minimum set of data

Systèmes de transport intelligente - ESafety - ECall
ensemble minimum de données (MSD)

Intelligente Transportsysteme - Elektronische Sicherheit -
Minimaler Datensatz für Notrufe (MSD)

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 278.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

| | |
|--|-----------|
| Foreword | 3 |
| Introduction | 3 |
| 1 Scope | 4 |
| 2 Conformance | 4 |
| 3 Normative reference | 4 |
| 4 Terms and definitions | 5 |
| 5 Symbols and abbreviated terms | 5 |
| 6 Requirements | 5 |
| 6.1 Concepts and formats | 5 |
| 6.1.1 MSD data concepts | 5 |
| 6.1.2 Format definition of MSD data concepts | 5 |
| 6.1.3 Sequence of MSD data concepts | 6 |
| 6.1.4 Data presentation of MSD | 6 |
| 6.2 Minimum set of data (MSD) | 6 |
| 6.2.1 Order of bits and bytes | 6 |
| 6.2.2 Contents of MSD | 7 |
| 6.2.3 MSD acknowledgement and requests | 12 |
| Annex A (normative) ASN.1 PER representation of MSD | 13 |
| Annex B (informative) ASN.1 Data representation PER and BER explained | 17 |
| B.1 Introduction to ASN.1 and the 'Packed Encoding Rules' | 17 |
| B.2 Basic encoding rules | 18 |
| B.3 Packed encoding rules | 19 |
| Annex C (informative) Formal XML format description for the MSD | 20 |
| Bibliography | 27 |

Foreword

This document (prEN 15722:2010) has been prepared by Technical Committee CEN/TC 278 "Road transport and traffic telematics", the secretariat of which is held by NEN.

This document is currently submitted to the CEN Enquiry.

This document will supersede CEN/TS 15722:2009.

Introduction

The scale of death and injury on roads around the world needs to be fully comprehended to understand the need for "Emergency Call" (eCall). There are around 41,600 deaths and more than 1.7 million injured in 2005. Roads remain unsafe, and further efforts are needed. The pan-European in-vehicle emergency call, eCall, is estimated to have the potential to save up to 2.500 fatalities annually in EU-25 when fully deployed, and furthermore to reduce the severity of injuries, to bring significant savings to the society in healthcare and other costs and to reduce human suffering.

Emergency calls made from vehicles or mobile telephones using wireless technologies, can assist with the objectives of significantly reducing road deaths and injuries. but drivers often have poor (imprecise) location-awareness, especially on interurban roads or abroad. Additionally, in many situations a normal mobile phone may not be available for use, or the car occupants may not be in a position to call.

The situation is worse for those travelling abroad: For example, in EU there are over 100 million trips to another EU country per year (EU-15) -65 % people feel less protected while abroad and most do not know which number to call in an emergency (in some countries over 60%). Language problems are pertinent and prohibit proper communication.

Yet, in the most crucial cases, the victim(s) may not be able to call because they have been injured/trapped, do not know the local number to call, and in many cases, particularly in rural situations and late at night, there may be no witnesses who happen to have a mobile phone and a sense of community.

eCall, in the context of "Road Traffic and Transport Telematics" (otherwise known as "Intelligent Transport Systems" or "ITS") , can be described as a "user instigated or automatic system to provide notification to public safety answering points, by means of wireless communications, that a vehicle has crashed, and to provide coordinates and a defined minimum set of data ". This Technical Specification defines the "Minimum Set of Data" MSD to be transferred by such an in-vehicle eCall system in the event of a crash or emergency.

NOTE The communications media and means of transferring the eCall MSD are not defined in this European Standard.

1 Scope

This European Standard defines the standard data concepts that comprise the "Minimum Set of Data" to be transferred from a vehicle to a 'Public Safety Answering Point' (PSAP) in the event of a crash or emergency via an 'eCall' communication session.

NOTE 1 The communications media protocols and methods for the transmission of the eCall message are not specified in this Standard.

NOTE 2 Additional data concepts may also be transferred, and any such data concepts should be registered using a data registry as defined in EN ISO 24978.

2 Conformance

In order to claim conformance with this Technical Specification, communication shall be established using accepted wireless communication standards, and it shall be able to demonstrate that the minimum set of data (MSD) transferred together with any standardised optional data elements defined herein comply with the specifications of this Technical Specification, to the extent that such data is available from the vehicle.

3 Normative reference

This European Standard incorporates by dated or undated reference, provisions from other publications. These normative references are cited at the appropriate places in the text and the publications are listed hereafter. For dated references, subsequent amendments to or revisions of any of these publications apply to this European Standard only when incorporated in it by amendment or revision. For undated references the latest edition of the publication referred to applies (including amendments).

ISO 6709; *Standard representation of latitude, longitude and altitude for geographic point locations*

ISO/IEC 8825-2; Information technology - ASN.1 encoding rules: Specification of Packed Encoding Rules (PER)

prEN 278220¹; Intelligent transport systems - Pan European eCall - Operating requirements

prEN 278244²; Intelligent transport systems - eCall - Operating requirements for third party support

¹ Under development

² Under development

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1

eCall

Emergency call generated either automatically via activation of in-vehicle sensors or manually by the vehicle occupants; when activated it provides notification and relevant location information to the most appropriate 'Public Safety Answering Point', by means of *mobile wireless communications networks*, carries a defined standardised *Minimum Set of Data* notifying that there has been an incident that requires response from the emergency services, and establishes an audio channel between the occupants of the vehicle and the most appropriate 'Public Safety Answering Point'

5 Symbols and abbreviated terms

| | |
|--------------|--|
| 3G | third generation mobile cellular network system, defined by 3GPP standards |
| 3GPP | third generation partnership protocol |
| BCD | binary coded decimal |
| BER | basic encoding rules (ASN.1) |
| CNG | compressed natural gas |
| ETSI | European telecommunications standards institute |
| EC | European Commission |
| EU | European Union |
| EU-27 | 27 countries that formed the European Union from 2007 |
| GSM | global standard mobile |
| GNSS | global navigation satellite system |
| ID | identity |
| IP | Internet protocol |
| LPG | liquid propane gas |
| M | mandatory |
| MSD | minimum set of data |
| O | optional |
| PER | packed encoding rules (ASN.1) |
| PSAP | public safety answering point |

6 Requirements

NOTE The minimum set of data is important information to assist the provision of the most appropriate services to the crash or emergency site and to speed up the response. The minimum set of data makes it possible for the PSAP operator to respond to the eCall even without the voice connection.

6.1 Concepts and formats

6.1.1 MSD data concepts

The "Minimum Set of Data" shall be a direct, timely message to the PSAP operator receiving the emergency call.

6.1.2 Format definition of MSD data concepts

The definitions shown in this Standard are shown below in semantic representation. Data presentation shall be as determined in 6.1.4.

prEN 15722:2010 (E)

The real position of the element in the data-stream is defined by the ASN1 definition in Annex A. Elements therefore do not necessarily start or end on a byte boundary.

NOTE The information elements in the minimum set of data have been selected on the basis of their relevance in an emergency rescue situation.

6.1.3 Sequence of MSD data concepts

The sequence of data presentation shall be as specified in 6.2, presented as defined in 6.1.4

6.1.4 Data presentation of MSD

The MSD shall be transmitted using one or more wireless communications media as defined in prEN 278220 (under development) which defines one or more ETSI air interface Standards suitable for the transmission of eCall, and shall be presented in Abstract Syntax Notation, ASN.1 Packed encoding rules (PER unaligned) as defined in ISO 8825-2 using the ASN1 definitions defined in Annex A.

The MSD is also referred to in prEN 278244 (under development).

NOTE In order to implement presentation in ASN.1 PER, readers are advised to also read Annex B "ASN.1 Data Representation PER and BER explained"; and also [1], [2], [3], [4].

NOTE It is assumed that the integrity of the transmitted data is assured by the underlying communication interface standard used.

6.2 Minimum set of data (MSD)

The following sub-clauses provide the definition of the minimum set of data that shall be sent from the vehicle in case of an emergency call.

6.2.1 Order of bits and bytes

The message shall be sent in the sequence defined within these sub-Clauses

The "Minimum Set of Data" (MSD) and the acknowledgment shall be transmitted by the network access device according to agreed European Standards. Figure 1 provides the order of the bits and bytes in the MSD frame.




Figure 1 — Order of bits and bytes in MSD frame

6.2.2 Contents of MSD

Table 1 provides a summary of the semantic contents of the MSD.

The real position and type of the elements in the data stream is defined by the formal ASN1 definition in Annex A.

Table 1 — Contents/format of the MSD data concept

M – Mandatory data field

O – Optional data field, must be included even if no information is included.

| Block No. | Name | Type | Unit | Description |
|-----------|---------|--------------|------|---|
| 1 | ID | Integer | M | MSD format version set to 1 to discriminate from later MSD formats |
| | | Integer | M | Message identifier, starting with 1 and to be incremented with every MSD retransmission after the incident event |
| 2 | Control | Bit sequence | M | activation: 1 = Automatic activation 0 = Manual activation call type: 1 = Test call 0 = Emergency position confidence: 1= Low confidence in position 0 = Position can be trusted vehicle type encoding: 0001= passenger vehicle (Class M1) 0010= buses and coaches (Class M2) 0011= buses and coaches (Class M3) 0100= light commercial vehicles (Class N1) 0101= heavy duty vehicles (Class N2) 0110= heavy duty vehicles (Class N3) 0111= motorcycles (Class L1e) 1000= motorcycles (Class L2e) 1001= motorcycles (Class L3e) 1010= motorcycles (Class L4e) 1011= motorcycles (Class L5e) 1100= motorcycles (Class L6e) 1101= motorcycles (Class L7e) NOTE: Vehicle definitions class M, N according directive 2007/46/EC; class L according directive 2002/24/EC NOTE: The position confidence bit is to be set to "Low confidence in position" if the |

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 15722:2010 Ontw. en Telematica voor wegvervoer en -
verkeer - Esafety - ECall minimumgegevensset

€ 29.64

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop**

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.