

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 6-21: Application layer protocol specification – Type 21 elements**

Preview



THIS PUBLICATION IS COPYRIGHT PROTECTED

Copyright © 2010 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester.

If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

IEC Central Office
3, rue de Vafembé
CH-1211 Geneva 20
Switzerland
Email: inmail@iec.ch
Web: www.iec.ch

About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

- Catalogue of IEC publications: www.iec.ch/searchpub

The IEC on-line Catalogue enables you to search by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, withdrawn and replaced publications.

- IEC Just Published: www.iec.ch/online_news/justpub

Stay up to date on all new IEC publications. Just Published details twice a month all new publications released. Available on-line and also by email.

- Electropedia: www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing more than 20 000 terms and definitions in English and French, with equivalent terms in additional languages. Also known as the International Electrotechnical Vocabulary online.

- Customer Service Centre: www.iec.ch/webstore/custserv

If you wish to give us your feedback on this publication or need further assistance, please visit the Customer Service Centre FAQ or contact us:

Email: csc@iec.ch
Tel.: +41 22 919 02 11
Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

**Industrial communication networks – Fieldbus specifications –
Part 6-21: Application layer protocol specification – Type 21 elements**

INTERNATIONAL
ELECTROTECHNICAL
COMMISSION

PRICE CODE **XA**

ICS 25.04.40; 35.100.70; 35.110

ISBN 978-2-88912-135-9

CONTENTS

FOREWORD.....	5
INTRODUCTION.....	7
1 Scope.....	8
1.1 General.....	8
1.2 Overview.....	8
1.3 Specifications.....	9
1.4 Conformance.....	9
2 Normative references.....	9
3 Terms, definitions, symbols, abbreviations, and conventions.....	10
3.1 Terms and definitions from other ISO/IEC standards.....	10
3.2 Other terms and definitions.....	10
3.3 Abbreviations and symbols.....	16
3.4 Conventions.....	17
4 FAL syntax description.....	19
4.1 General.....	19
4.2 FAL-AR PDU abstract syntax.....	19
4.3 Abstract syntax of PDU body.....	20
4.4 Protocol data units (PDUs) for application service elements (ASEs).....	21
5 Transfer Syntax.....	24
5.1 Overview of encoding.....	24
5.2 APDU header encoding.....	25
5.3 APDU body encoding.....	26
5.4 Encoding of Data Types.....	26
6 FAL protocol state machines.....	30
7 AP context state machine.....	32
8 FAL service protocol machine.....	32
8.1 General.....	32
8.2 Common parameters of the primitives.....	32
8.3 AP ASE protocol machine.....	32
8.4 Service data object ASE protocol machine (SDOM).....	36
8.5 Process data object ASE protocol machine (PDOM).....	40
9 AR protocol machine.....	41
9.1 General.....	41
9.2 Point-to-point user-triggered confirmed client/server AREP (PTC-AR) ARPM.....	42
9.3 Multipoint network-scheduled unconfirmed publisher/subscriber AREP (MSU-AR) ARPM.....	44
9.4 Multipoint user-triggered unconfirmed publisher/subscriber AREP (MTU-AR) ARPM.....	47
10 DLL mapping protocol machine.....	49
10.1 Primitive definitions.....	49
10.2 DMPM state machine.....	50
Bibliography.....	51
Figure 1 – Common structure of specific fields.....	17
Figure 2 – APDU overview.....	25

Figure 3 – Type field	25
Figure 4 – Encoding of Time of Day value.....	29
Figure 5 – Encoding of Time Difference value	30
Figure 6 – Primitives exchanged between protocol machines	31
Figure 7 – State transition diagram of APAM.....	34
Figure 8 – State transition diagram of SDOM	37
Figure 9 – State transition diagram of PDOM	40
Figure 10 – State transition diagram of PTC-ARPM	43
Figure 11 – State transition diagram of MSU-ARPM.....	46
Figure 12 – State transition diagram of MTU-ARPM	48
Figure 13 – State transition diagram of DMPM.....	50
Table 1 – Conventions used for AE state machine definitions	18
Table 2 – Status code for the confirmed response primitive	21
Table 3 – Encoding of FalArHeader field.....	25
Table 4 – Transfer Syntax for bit sequences	26
Table 5 – Transfer syntax for data type UNSIGNEDn.....	27
Table 6 – Transfer syntax for data type INTEGERn.....	28
Table 7 – Primitives exchanged between FAL-user and APAM.....	33
Table 8 – Parameters used with primitives exchanged FAL-user and APAM	34
Table 9 – APAM state table – Sender transitions	34
Table 10 – APAM state table – Receiver transitions	35
Table 11 – Functions used by the APAM.....	35
Table 12 – Primitives exchanged between FAL-user and SDOM	36
Table 13 – Parameters used with primitives exchanged FAL-user and SDOM.....	37
Table 14 – SDOM state table – Sender transitions	38
Table 15 – SDOM state table – Receiver transitions	39
Table 16 – Functions used by the SDOM	39
Table 17 – Primitives exchanged between FAL-user and PDOM.....	40
Table 18 – Parameters used with primitives exchanged between FAL-user and PDOM.....	40
Table 19 – PDOM state table – Sender transitions	41
Table 20 – PDOM state table – Receiver transitions	41
Table 21 – Functions used by the SDOM	41
Table 22 – Primitives issued by user to PTC-ARPM	42
Table 23 – Primitives issued by PTC-ARPM to user	42
Table 24 – PTC-ARPM state table – sender transactions	43
Table 25 – PTC-ARPM state table – receiver transactions	44
Table 26 – Function BuildFAL-PDU.....	44
Table 27 – Primitives issued by user to ARPM.....	44
Table 28 – Primitives issued by ARPM to user	44
Table 29 – MSU-ARPM state table – sender transactions	46
Table 30 – MSU-ARPM state table – receiver transactions	46
Table 31 – Function BuildFAL-PDU.....	46

Table 32 – Primitives issued by user to ARPM	47
Table 33 – Primitives issued by ARPM to user	47
Table 34 – MTU-ARPM state table – sender transactions	48
Table 35 – MTU-ARPM state table – receiver transactions.....	48
Table 36 – Function BuildFAL-PDU.....	49
Table 37 – Primitives issued by ARPM to DMPM	49
Table 38 – Primitives issued by DMPM to ARPM	49
Table 39 – Primitives issued by DMPM to DLL.....	49
Table 40 – Primitives issued by DLL to DMPM.....	49
Table 41 – DMPM state table – sender transactions	50
Table 42 – DMPM state table – receiver transactions.....	50

Original
Preview

INTERNATIONAL ELECTROTECHNICAL COMMISSION

INDUSTRIAL COMMUNICATION NETWORKS –
FIELDBUS SPECIFICATIONS –Part 6-21: Application layer protocol specification –
Type 21 elements

FOREWORD

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any and user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

NOTE 1 Use of some of the associated protocol types is restricted by their intellectual-property-right holders. In all cases, the commitment to limited release of intellectual-property-rights made by the holders of those rights permits a particular data-link layer protocol type to be used with physical layer and application layer protocols in type combinations as specified explicitly in the IEC 61784 series. Use of the various protocol types in other combinations may require permission of their respective intellectual-property-right holders.

International Standard IEC 61158-6-21 has been prepared by subcommittee 65C: Industrial networks, of IEC technical committee 65: Industrial-process measurement, control and automation.

This standard cancels and replaces IEC/PAS 62573 published in 2008. This first edition constitutes a technical revision

The text of this standard is based on the following documents:

FDIS	Report on voting
65C/607/FDIS	65C/621/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with ISO/IEC Directives, Part 2.

A list of all parts of the IEC 61158 series, published under the general title *Industrial communication networks – Fieldbus specifications*, can be found on the IEC web site.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC web site under "<http://webstore.iec.ch>" in the data related to the specific publication. At this date, the publication will be:

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

NOTE 2 The revision of this standard will be synchronized with the other parts of the IEC 61158 series.

Preview
Copyright

INTRODUCTION

This part of IEC 61158 is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the "three-layer" fieldbus reference model described in IEC/TR 61158-1.

The application protocol provides the application service by making use of the services available from the data-link or other immediately lower layer. The primary aim of this standard is to provide a set of rules for communication expressed in terms of the procedures to be carried out by peer application entities (AEs) at the time of communication. These rules for communication are intended to provide a sound basis for development in order to serve a variety of purposes:

- as a guide for implementers and designers;
- for use in the testing and procurement of equipment;
- as part of an agreement for the admission of systems into the open systems environment;
- as a refinement to the understanding of time-critical communications within OSI.

This standard is concerned, in particular, with the communication and interworking of sensors, effectors and other automation devices. By using this standard together with other standards positioned within the OSI or fieldbus reference models, otherwise incompatible systems may work together in any combination.

Preview
Copyright

INDUSTRIAL COMMUNICATION NETWORKS – FIELDBUS SPECIFICATIONS –

Part 6-21: Application layer protocol specification – Type 21 elements

1 Scope

1.1 General

This standard is one of a series produced to facilitate the interconnection of automation system components. It is related to other standards in the set as defined by the three-layer fieldbus reference model described in IEC/TR 61158-1:2010.

This standard contains material specific to the Type 21 communication protocol.

1.2 Overview

The Fieldbus Application Layer (FAL) provides user programs with a means to access the fieldbus communication environment. In this respect, the FAL can be viewed as a window between corresponding application programs.

This standard provides common elements for basic time-critical and non-time-critical messaging communications between application programs in an automation environment, as well as material specific to Type 21. The term “time-critical” is used to represent the presence of a time-window, within which one or more specified actions must to be completed with some defined level of certainty. Failure to complete specified actions within the required time risks the failure of the applications requesting the actions, with attendant risk to equipment, plant, and possibly human life.

This standard defines interactions between remote applications. It also defines the externally visible behavior provided by the Type 21 application layer in terms of:

- a) the formal abstract syntax defining the application layer protocol data units (APDUs) conveyed between communicating application entities;
- b) the transfer syntax defining encoding rules that are applied to the APDUs;
- c) the application context state machine defining the application service behavior visible between communicating application entities;
- d) the application relationship state machines defining the communication behavior visible between communicating application entities.

The purpose of this standard is to:

- a) describe the wire-representation of the service primitives defined in IEC 61158-5-21:2010;
- b) describe the externally visible behavior associated with their transfer.

This standard defines the protocol of the Type 21 application layer in conformance with the OSI Basic Reference Model (ISO/IEC 7498) and the OSI application layer structure (ISO/IEC 9545).

1.3 Specifications

The principal objective of this standard is to specify the syntax and behavior of the application layer protocol that conveys the Type 21 application layer services.

A secondary objective is to provide migration paths from previously existing industrial communications protocols.

1.4 Conformance

This standard does not restrict individual implementations or products, nor does it constrain the implementations of application layer entities in industrial automation systems. Conformance is achieved through implementation of this application layer protocol specification.

2 Normative references

The following referenced documents are essential for the application of this document. For dated references, only the cited edition applies. For undated references, the latest edition of the document (including any amendments) applies.

IEC 61158-3-21:2010¹, *Industrial communication networks – Fieldbus specifications – Part 3-21: Data-link layer service definition – Type 21 elements*

IEC 61158-4-21:2010¹, *Industrial communication networks – Fieldbus specifications – Part 4-21: Data-link layer protocol specification – Type 21 elements*

IEC 61158-5-21:2010¹, *Industrial communication networks – Fieldbus specifications – Part 5-21: Application layer service definition – Type 21 elements*

ISO/IEC 7498-1, *Information technology – Open Systems Interconnection – Basic Reference Model: The Basic Model*

ISO/IEC 8822, *Information technology – Open Systems Interconnection – Presentation service definition*

ISO/IEC 8824-1, *Information technology – Abstract Syntax Notation One (ASN.1): Specification of basic notation*

ISO/IEC 9545, *Information technology – Open Systems Interconnection – Application layer structure*

ISO/IEC 10731:1994, *Information technology – Open Systems Interconnection – Basic Reference Model – Conventions for the definition of OSI services*

ISO/IEC 9899, *Programming Languages – C*

IEEE 754-2008, *IEEE Standard for Binary Floating-Point Arithmetic*

¹ To be published.

3 Terms, definitions, symbols, abbreviations, and conventions

3.1 Terms and definitions from other ISO/IEC standards

3.1.1 ISO/IEC 7498-1 terms

For the purposes of this document, the following terms as defined in ISO/IEC 7498-1 apply:

- a) application entity
- b) application process
- c) application protocol data unit
- d) application service element
- e) application entity invocation
- f) application process invocation
- g) application transaction
- h) real open system
- i) transfer syntax

3.1.2 ISO/IEC 8822 terms

For the purposes of this document, the following terms as defined in ISO/IEC 8822 apply:

- a) abstract syntax
- b) presentation context

3.1.3 ISO/IEC 8824-1 terms

For the purposes of this document, the following terms as defined in ISO/IEC 8824-1 apply:

- a) object identifier
- b) type

3.1.4 ISO/IEC 9545 terms

For the purposes of this document, the following terms as defined in ISO/IEC 9545 apply:

- a) application-association
- b) application-context
- c) application context name
- d) application-entity-invocation
- e) application-entity-type
- f) application-process-invocation
- g) application-process-type
- h) application-service-element
- i) application control service element

3.2 Other terms and definitions

3.2.1

application

function or data structure for which data are consumed or produced

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. IEC 61158-6-21:2010 en Industriële communicatienetwerken - Veldbus specificaties - Deel 6-21: Protocolspecificatie van de toepassingslaag - Type 21 elementen € 226.84

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling _____

T.a.v. _____ O M O V

E-mail _____

Klantnummer NEN _____

Uw ordernummer _____ BTW nummer _____

Postbus / Adres _____

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres _____

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products & Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.