
**Geometrical product specifications
(GPS) — Filtration —**

**Part 28:
Profile filters: End effects**

*Spécification géométrique des produits (GPS) — Filtrage —
Partie 28: Filtres de profil: Effets de bords*

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten. This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.

Preview



Reference number
ISO/TS 16610-28:2010(E)

© ISO 2010

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright
Preview



COPYRIGHT PROTECTED DOCUMENT

© ISO 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
Introduction	vi
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 End effect correction methods	2
Annex A (normative) Filters according to ISO 16610 with automatic correction of end effects	13
Annex B (informative) Relationship to the filtration matrix model	15
Annex C (informative) Relationship to the GPS matrix model	16
Bibliography	18

Preview

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

In other circumstances, particularly when there is an urgent market requirement for such documents, a technical committee may decide to publish other types of document:

- an ISO Publicly Available Specification (ISO/PAS) represents an agreement between technical experts in an ISO working group and is accepted for publication if it is approved by more than 50 % of the members of the parent committee casting a vote;
- an ISO Technical Specification (ISO/TS) represents an agreement between the members of a technical committee and is accepted for publication if it is approved by 2/3 of the members of the committee casting a vote.

An ISO/PAS or ISO/TS is reviewed after three years in order to decide whether it will be confirmed for a further three years, revised to become an International Standard, or withdrawn. If the ISO/PAS or ISO/TS is confirmed, it is reviewed again after a further three years, at which time it must either be transformed into an International Standard or be withdrawn.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO/TS 16610-28 was prepared by Technical Committee ISO/TC 213, *Dimensional and geometrical product specifications and verification*.

ISO 16610 consists of the following parts, under the general title *Geometrical product specifications (GPS) — Filtration*:

- *Part 1: Overview and basic concepts* [Technical Specification]
- *Part 20: Linear profile filters: Basic concepts* [Technical Specification]
- *Part 21: Linear profile filters: Gaussian filters*
- *Part 22: Linear profile filters: Spline filters* [Technical Specification]
- *Part 28: Profile filters: End effects* [Technical Specification]
- *Part 29: Linear profile filters: Spline wavelets* [Technical Specification]
- *Part 30: Robust profile filters: Basic concepts* [Technical Specification]

- Part 31: Robust profile filters: Gaussian regression filters [Technical Specification]
- Part 32: Robust profile filters: Spline filters [Technical Specification]
- Part 40: Morphological profile filters: Basic concepts [Technical Specification]
- Part 41: Morphological profile filters: Disk and horizontal line-segment filters [Technical Specification]
- Part 49: Morphological profile filters: Scale space techniques [Technical Specification]

The following parts are planned:

- Part 26: Linear profile filters: Filtration on nominally orthogonal grid planar data sets
- Part 27: Linear profile filters: Filtration on nominally orthogonal grid cylindrical data sets
- Part 42: Morphological profile filters: Motif filters
- Part 60: Linear areal filters: Basic concepts
- Part 61: Linear areal filters: Gaussian filters
- Part 62: Linear areal filters: Spline filters
- Part 69: Linear areal filters: Spline wavelets
- Part 70: Robust areal filters: Basic concepts
- Part 71: Robust areal filters: Gaussian regression filters
- Part 72: Robust areal filters: Spline filters
- Part 80: Morphological areal filters: Basic concepts
- Part 81: Morphological areal filters: Sphere and horizontal planar segment filters
- Part 82: Morphological areal filters: Motif filters
- Part 89: Morphological areal filters: Scale space techniques

Introduction

This part of ISO 16610 is a geometrical product specification (GPS) standard and is to be regarded as a global GPS standard (see ISO/TR 14638). It influences the chain link 3 of all chains of standards.

For more detailed information of the relation of this part of ISO 16610 to the GPS matrix model, see Annex C.

This part of ISO 16610 develops the concept of handling end effects in the case of linear profile filters.

ISO 16610-28:2010
Preview

Geometrical product specifications (GPS) — Filtration —

Part 28:

Profile filters: End effects

1 Scope

This part of ISO 16610 provides methods for treating the end effects of linear profile filters where such effects occur.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/TS 16610-1, *Geometrical product specifications (GPS) — Filtration — Part 1: Overview and basic concepts*

ISO/TS 16610-20, *Geometrical product specifications (GPS) — Filtration — Part 20: Linear profile filters: Basic concepts*

ISO 16610-21, *Geometrical product specifications (GPS) — Filtration — Part 21: Linear profile filters: Gaussian filters*

ISO/TS 16610-22, *Geometrical product specifications (GPS) — Filtration — Part 22: Linear profile filters: Spline filters*

ISO/TS 16610-31, *Geometrical product specifications (GPS) — Filtration — Part 31: Robust profile filters: Gaussian regression filters*

ISO/TS 16610-32, *Geometrical product specifications (GPS) — Filtration — Part 32: Robust profile filters: Spline filters*

ISO/IEC Guide 99, *International vocabulary of metrology — Basic and general concepts and associated terms (VIM)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/IEC Guide 99, ISO/TS 16610-1, ISO/TS 16610-20, ISO 16610-21, ISO/TS 16610-22, ISO/TS 16610-31, ISO/TS 16610-32 and the following apply.

3.1

end effect

unintentional changes in the filtration response in the end portions of an open profile

3.2 end effect region

end portion of an open profile where end effects are significant

3.3 moment

n th moment, μ_n , of a real valued function $f(x)$, defined by

$$\mu_n = \int_{-\infty}^{\infty} x^n \times f(x) \times dx \tag{1}$$

3.4 moment criterion

criterion applying to the shift invariant filter class of a linear profile filter where the weighting function of the filtration operation has vanishing moments up to the n th order, as expressed by

$$\int_{\Omega} x^p \times s(x) \times dx = 0, \quad p = 1, \dots, n \tag{2}$$

where $s(x)$ is the weighting function of the filter and Ω the definition area of the weighting function

4 End effect correction methods

4.1 General

A linear shift invariant profile filter can be implemented as a weighted moving average with a constant weighting function, $s(x)$, e.g. the Gaussian bell curve according to ISO 16610-21. Because the measured profile, $z(x)$, is always finite, $s(x)$ must have a local support, $-l_1 \leq x \leq l_2$, which is normally much smaller than the traversing length. Therefore, the filter equation for the low-pass filter based on the convolution is defined as

$$w(x) = \int_{-l_1}^{l_2} z(x-u) \times s(u) \times du = \int_{x-l_2}^{x+l_1} z(u) \times s(x-u) \times du, \quad l_2 \leq x \leq lt-l_1 \tag{3}$$

where


- $w(x)$ is the reference line;
- $z(x)$ is the measured profile;
- lt is the measuring length.

In contrast to profile $z(x)$, reference line $w(x)$ is only valid for $l_2 \leq x \leq lt-l_1$. The end effect regions are $B_2 = [0, l_2]$ and $B_1 = [lt-l_1, lt]$.

NOTE 1 For simplicity, only continuous weighting functions $s(x)$ are considered in this part of ISO 16610. The methods are also valid for discrete weighting functions.

NOTE 2 The procedure can be applied directly to the profile or can modify the filtration operation.

EXAMPLE In the case of the standardized Gaussian filter (see ISO 16610-21), the weighting function has a local support, e.g. $l_1 = l_2 = \lambda_c/2$. As shown in Figure 1, the filter equation cannot be applied over the whole traversing length. In the end effect region, either the left side or the right side of the bell curve lies outside the profile.



a End effect region.

Figure 1 End effects using standardized Gaussian filter

Due to their mathematical definition, the filters specified in ISO/TS 16610-22, ISO/TS 16610-29, ISO/TS 16610-32 (spline filter) and ISO/TS 16610-31 (Gaussian regression filter) have an automatic end effect correction. Annex A presents the corresponding weighting function for different positions of the linear spline filter and the linear Gaussian regression filter.

4.2 Extrapolation of the profile — Methods

4.2.1 Zero padding

Zero padding is a simple method for retaining the traversing length after filtering the profile. Profile $z(x)$ is padded with zeros over length l_2 at the left side and over length l_1 at the right side of the profile:

$$\tilde{z}(x) = \begin{cases} 0 & \text{for } -l_2 \leq x < 0 \\ z(x) & \text{for } 0 \leq x \leq lt \\ 0 & \text{for } lt < x \leq lt + l_1 \end{cases} \quad (4)$$

The Equation (2) filter can be rewritten as

$$w(x) = \int_{-l_2}^{l_2} \tilde{z}(x-u) \times s(u) \times du = \int_{x-l_2}^{x+l_1} \tilde{z}(u) \times s(x-u) \times du, \quad 0 \leq x \leq lt \quad (5)$$

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. ISO/TS 16610-28:2010 en Geometrische productspecificaties (GPS) - € 73.12
Filtratie - Deel 28: Profiefilters : Eindefecten

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling _____

T.a.v. _____ O M O V

E-mail _____

Klantnummer NEN _____

Uw ordernummer _____ BTW nummer _____

Postbus / Adres _____

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres _____

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.