

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten.  
This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.

Nederlandse norm

# **NEN-ISO/IEC TR 16167**

(en)

Information technology - Telecommunications  
and information exchange between systems -  
Next Generation Corporate Networks (NGCN) -  
Emergency calls (ISO/IEC TR 16167:2010, IDT)

ICS 35.110  
augustus 2010

Als Nederlandse norm is aanvaard:

- ISO/IEC TR 16167:2010, IDT

Preview

Normcommissie 381006 "Telecommunications and information exchange between systems"

---

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

---

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

---

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

---

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaardden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Preview

Copyright

---

---

**Information technology —  
Telecommunications and information  
exchange between systems — Next  
Generation Corporate Networks  
(NGCN) — Emergency calls**

*Technologies de l'information — Téléinformatique — Réseaux  
d'entreprise de prochaine génération (NGCN) — Appels d'urgence*

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright  
Preview

**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2010

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

Foreword .....	iv
Introduction .....	v
1 Scope .....	1
2 References .....	2
3 Terms and definitions .....	4
3.1 External definitions .....	4
3.2 Other definitions .....	4
4 Abbreviations .....	5
5 Background .....	6
6 Technical aspects of emergency calls in enterprise networks .....	9
6.1 Identifying a call as an emergency call .....	10
6.1.1 User actions .....	10
6.1.2 Signalling impact .....	11
6.1.3 Unauthenticated access .....	13
6.2 Obtaining and delivering the location of the caller .....	14
6.2.1 Format of location information .....	14
6.2.2 Obtaining location information .....	14
6.2.3 Location conveyance in SIP .....	19
6.3 Routing an emergency call to the appropriate ERC .....	20
6.3.1 Routing by the calling device .....	21
6.3.2 Routing by enterprise SIP intermediary .....	22
6.4 Delivering information to the ERC to allow a return call or verification call to be made .....	22
6.4.1 Delivery of caller identification .....	23
6.4.2 Delivery of device identification .....	23
6.4.3 Identifying a return call or verification call .....	23
6.5 Ensuring appropriate resources are available for an emergency call, return call or verification call .....	24
6.6 Ensuring appropriate media quality during an emergency call .....	24
6.7 Security considerations .....	25
6.8 Other aspects .....	26
6.8.1 Hosted users .....	26
6.8.2 Guest users .....	26
7 NGN considerations .....	27
8 Device considerations .....	28
9 Alternatives for roaming mobile and nomadic users .....	29
9.1 Establishing an emergency call when already signalling via a visited public network .....	29
9.2 Establishing an emergency call via a visited public network when other traffic is signalled directly via the enterprise network .....	30
9.3 Establishing an emergency call directly to a PSAP .....	30
10 Enterprise responsibilities .....	31
11 Summary of requirements and standardisation gaps .....	31
11.1 Requirements on NGNs .....	31
11.2 Recommendations on enterprise networks .....	32
11.3 Standardisation gaps .....	33

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC TR 16167 was prepared by Ecma International (as ECMA TR/101) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

Preview

Copyright

## Introduction

This Technical Report is one of a series of Ecma publications that explore IP-based enterprise communication involving Corporate telecommunication Networks (CNs) (also known as enterprise networks) and in particular Next Generation Corporate Networks (NGCN). The series particularly focuses on inter-domain communication, including communication between parts of the same enterprise, between enterprises and between enterprises and carriers. This particular Technical Report discusses issues related to emergency calls from an enterprise user to a public or enterprise emergency response centre. It builds upon concepts introduced in ISO/IEC TR 12860.

Various regional and national bodies address emergency communications, mainly with an emphasis on public telecommunications. In particular, in the United States work is carried out by the National Emergency Number Association (NENA). In Europe, ETSI EMTEL (Special Committee on Emergency Communications) plays a coordinating role, liaising with external bodies (e.g., in the European Commission, CEPT, CEN and CENELEC) as well as overseeing work done by other ETSI Technical Bodies (e.g., TISPAN). This Technical Report focuses on emergency calls as they impact enterprise networks, and therefore is intended to complement the work of those other bodies.

This Technical Report is based upon the practical experience of Ecma member companies and the results of their active and continuous participation in the work of ISO/IEC JTC1, ITU-T, ETSI, IETF and other international and national standardization bodies. It represents a pragmatic and widely based consensus. In particular, Ecma acknowledges valuable input from experts in ETSI TISPAN.

Probleem  
Preview



# Information technology — Telecommunications and information exchange between systems — Next Generation Corporate Networks (NGCN) — Emergency calls

## 1 Scope

This Technical Report is one of a series of publications that provides an overview of IP-based enterprise communication involving Corporate telecommunication Networks (CNs) (also known as enterprise networks) and in particular Next Generation Corporate Networks (NGCN). The series particularly focuses on session level communication based on the Session Initiation Protocol (SIP) [6], with an emphasis on inter-domain communication. This includes communication between parts of the same enterprise (on dedicated infrastructures and/or hosted), between enterprises and between enterprises and public networks. Particular consideration is given to Next Generation Networks (NGN) as public networks and as providers of hosted enterprise capabilities. Key technical issues are investigated, current standardisation work and gaps in this area are identified, and a number of requirements are stated. Among other uses, this series of publications can act as a reference for other standardisation bodies working in this field.

This particular Technical Report discusses issues related to emergency calls from an enterprise user to a public or enterprise emergency response centre (ERC) using SIP within the NGCN. It uses terminology and concepts developed in ISO/IEC TR 12860 [1]. It identifies a number of requirements impacting NGN standardisation and concerning deployment of enterprise networks.

The scope of this Technical Report is limited to calls from an enterprise user to an authority, where the authority is represented by a public or a private ERC. This includes the special case where a private ERC acts as an enterprise user in making an emergency call to a public ERC. Authority to authority calls, authority to enterprise user calls and enterprise user to enterprise user calls within the context of an emergency are out of scope.

This Technical Report focuses on emergency calls within a SIP-based NGCN using geographic location information to indicate the whereabouts of the caller. Emergency calls can originate from devices connected to the NGCN via various access technologies, e.g. SIP over fixed or wireless LAN (Local Area Network), TDM (Time Division Multiplex) networks, DECT (Digital Enhanced Cordless Telephone) networks, PMR (Private Mobile Radio) networks, PLMN (Public Land Mobile Network) etc.. ERCs are assumed to be reachable either directly using SIP or via a gateway to some legacy technology (e.g., TDM). Furthermore, ERCs are assumed to be reachable either directly from the NGCN or via a public network accessed from the NGCN using SIP. In the latter case, the NGCN might identify the ERC and instruct the public network to route to the ERC, or alternatively the NGCN might leave the public network to identify the ERC, based on the location of the caller. In all cases the NGCN is assumed to deliver the location of the caller to the ERC, gateway or public network in order to provide appropriate information to the call taker at the ERC.

The handling of incoming emergency calls at an ERC, even when the ERC is provided within an NGCN, is outside the scope of this Technical Report. This includes the case where a public ERC is provided within an NGCN and hence the NGCN can receive emergency calls from public networks. This also includes the case where a private ERC is provided within an NGCN and can receive emergency calls from other enterprise networks.

Different territories have different regulations impacting emergency calls, together with national or regional standards in support of these regulations. This Technical Report takes a general approach, which should be largely applicable to any territory. However, detailed differences might apply in some territories, e.g., country- or region-specific dial strings such as 911 and 112 used to identify emergency calls to a public ERC.

The scope of this Technical Report is limited to emergency communications with a real-time element, including but not limited to voice, video, real-time text and instant messaging. The focus, however, is on voice, which in the majority of situations is likely to be the most effective medium for emergency calls. However, it is

# Bestelformulier

# NEN

## Stuur naar:

NEN Standards Products & Services  
t.a.v. afdeling Klantenservice  
Antwoordnummer 10214  
2600 WB Delft

## NEN Standards Products & Services

Postbus 5059  
2600 GB Delft

Vlinderweg 6  
2623 AX Delft

T (015) 2 690 390  
F (015) 2 690 271

[www.nen.nl/normshop](http://www.nen.nl/normshop)

## Ja, ik bestel

\_\_ ex. NEN-ISO/IEC TR 16167:2010 en Information technology -  
Telecommunications and information exchange between systems - Next  
Generation Corporate Networks (NGCN) - Emergency calls € 124.99

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via  
[www.nen.nl/normshop](http://www.nen.nl/normshop)**

### Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,  
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze  
e-mailnieuwsbrieven. [www.nen.nl/nieuwsbrieven](http://www.nen.nl/nieuwsbrieven)

### Retourneren

Fax: (015) 2 690 271  
E-mail: [klantenservice@nen.nl](mailto:klantenservice@nen.nl)  
Post: NEN Standards Products  
& Services,  
t.a.v. afdeling Klantenservice  
Antwoordnummer 10214,  
2600 WB Delft  
(geen postzegel nodig).

## Gegevens

Bedrijf / Instelling

T.a.v.  O M O V

E-mail

Klantnummer NEN

Uw ordernummer  BTW nummer

Postbus / Adres

Postcode  Plaats

Telefoon  Fax

**Factuuradres** (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode  Plaats

Datum  Handtekening

### Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: [www.nen.nl/leveringsvoorwaarden](http://www.nen.nl/leveringsvoorwaarden).