



Nederlandse norm

NEN-EN 16028

(en)

Railway applications - Wheel/rail friction
management - Lubricants for trainborne and
trackside applications

Vervangt NEN-EN 16028:2009 Ontw.

ICS 45.040; 45.060.01; 75.100

juli 2012

Als Nederlandse norm is aanvaard:
 - EN 16028:2012, IDT

Voorbeeld
 Preview

Normcommissie 345051 "Spoorwegen"



THIS PUBLICATION IS COPYRIGHT PROTECTED
DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden veeleenvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veeleenvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Nederlands voorwoord

Voor de in deze norm vermelde normatieve verwijzingen bestaan in Nederland de volgende equivalenten:

<u>vermelde norm</u>	<u>Nederlandse norm</u>	<u>titel</u>
EN 10130	NEN-EN 10130	Koudgewalste platte producten van laag koolstofstaal voor koudvervormen - Technische leveringsvoorwaarden
EN 15427	NEN-EN 15427+A1	Railtoepassingen - Behandeling van de wrijving tussen wiel en spoorstaaf - Flenssmearing
EN ISO 868	NEN-EN-ISO 868	Kunststoffen en eboniet - Bepaling van de indrukhardheid met behulp van een hardheidsmeter (Shore-hardheid)
EN ISO 1183-1	NEN-EN-ISO 1183-1	Kunststoffen - Methoden voor het bepalen van de dichtheid van niet-geschuimde kunststoffen - Deel 1: Dompelmethode, vloeistof pyknometermethode en titratiemethode
EN ISO 2160	NEN-EN-ISO 2160	Aardolieproducten - Corrosiviteit ten opzichte van koper - Proef met koperband
EN ISO 2592	NEN-EN-ISO 2592	Bepaling van vlam- en brandpunten - Clevelandmethode met open kroes
EN ISO 3104	NEN-EN-ISO 3104	Aardolieproducten - Transparante en niet-transparante vloeistoffen - Bepaling van de kinematische viscositeit en berekening van de dynamische viscositeit
EN ISO 3146	NEN-EN-ISO 3146	Kunststoffen - Bepaling van het smeltgedrag (smelttemperatuur of smelttraject) van semi-kristallijne polymeren met methoden met een capillair en met een polarisatiemicroscop
EN ISO 3675	NEN-EN-ISO 3675	Ruwe aardolie en vloeibare aardolieproducten - Laboratoriumbepaling van de dichtheid - Areometermethode
EN ISO 4589-1	NEN-EN-ISO 4589-1	Kunststoffen - Bepaling van het brandgedrag met de zuurstofindex - Deel 1: Leidraad
EN ISO 4589-2	NEN-EN-ISO 4589-2	Kunststoffen - Bepaling van het brandgedrag met de zuurstofindex - Deel 2: Beproeving bij omgevingstemperatuur
EN ISO 5659-1	NEN-EN-ISO 5659-1	Kunststoffen - Rookontwikkeling - Deel 1: Leidraad voor de optische-dichtheidsbeproeving
EN ISO 5659-2	NEN-EN-ISO 5659-2	Kunststoffen - Rookontwikkeling - Deel 2: Bepaling van de optische dichtheid in een eenkamerbeproeving
ISO/TR 5659-3	NPR-ISO/TR 5659-3	Kunststoffen - Rookontwikkeling - Deel 3: Bepaling van de optische dichtheid door een methode met dynamische doorstroming
EN ISO 12185	NEN-EN-ISO 12185	Ruwe aardolie en aardolieproducten - Bepaling van de dichtheid - Methode met een oscillerende U-vormige buis
EN ISO 20623	NEN-EN-ISO 20623	Aardolie en aardolieproducten - Bepaling van de extreme-druk en anti-slijtage-eigenschappen van vloeistoffen - "Four ball" methode (Europese condities)
ISO 760	-	-
ISO 2049	NEN-ISO 2049	Aardolieproducten - Bepaling van de kleur (ASTM-schaal)
ISO 2137	NEN-ISO 2137	Aardolieproducten - Smeervet - Bepaling van het indringingsgetal met een conus
ISO 2176	NEN-ISO 2176	Aardolieproducten - Smeervet - Bepaling van het druppelpunt
ISO 3016	NEN-ISO 3016	Aardolie en aardolieproducten - Bepaling van het vloeipunt
ISO 3733	NEN-ISO 3733	Aardolieproducten en bitumineuze materialen - Bepaling van water - Destillatiemethode

ISO 6072	NEN-ISO 6072	Rubber - Compatibiliteit tussen hydraulische vloeistoffen en standaard elastomeer materiaal
ISO 6743-99	NEN-ISO 6743-99	Smeermiddelen, industriële oliën en aanverwante producten (klasse L) - Indeling - Deel 99: Algemeen
ISO 7120	-	-
ISO 9772	NEN-ISO 9772	Geschuimde kunststoffen - Bepaling van horizontale brandeigenschappen van kleine proefstukken blootgesteld aan een kleine vlam
ISO 11007	NEN-ISO 11007	Aardolieproducten en smeermiddelen - Bepaling van de roestpreventie-eigenschappen van smeervet

Voorbeeld
Preview

ICS 45.040; 75.100

English Version

**Railway applications - Wheel/rail friction management -
 Lubricants for trainborne and trackside applications**

Applications ferroviaires - Gestion des frottements roue/rail
 - Lubrifiants pour les applications embarquées et fixes de
 voie

Bahnanwendungen - Spurkranzschmierung - Prüfung der
 Schmierstoffe

This European Standard was approved by CEN on 9 June 2012.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
 COMITÉ EUROPÉEN DE NORMALISATION
 EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	4
Introduction.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	9
4 Legislative compliance.....	10
5 Approval procedure.....	10
6 Control and monitoring of product.....	11
6.1 Manufacturing process.....	11
6.2 Type tests.....	12
6.3 Routine tests.....	12
7 Technical datasheet.....	12
8 Tests.....	12
8.1 Explanation of Annex A: Tables A 1 to A.4.....	12
8.2 Key to Annex A table columns 'Type', 'Routine' and 'Datasheet'.....	13
8.3 Key to Annex A table column 'Use'.....	13
9 Packaging, labelling and storage.....	13
Annex A (normative) Requirements for lubricants and testing.....	15
Annex B (normative) Water wash-off test.....	27
B.1 Purpose.....	27
B.2 Short description.....	27
B.3 Conditions for testing.....	27
B.4 Test process.....	27
Annex C (informative) Corrosion test on steel.....	30
C.1 Purpose.....	30
C.2 Short description.....	30
C.3 Conditions for testing.....	30
C.4 Test process.....	31
Annex D (informative) Behaviour at an elevated temperature – Adhesion on steel sheet.....	32
D.1 Purpose.....	32
D.2 Short description.....	32
D.3 Conditions for test.....	32
D.4 Test process.....	32
Annex E (informative) Determination of the volatile constituents in greases.....	34
E.1 Purpose.....	34
E.2 Short description.....	34
E.3 Conditions for testing.....	34
E.4 Test process.....	35
E.5 Recording of test results.....	35
Annex F (informative) Peak forming and droop.....	36
F.1 Purpose.....	36
F.2 Short description.....	36
F.3 Conditions for testing.....	36
F.4 Test process.....	36

Annex G (informative) Low-temperature torque (rheometer measurement at -20 °C and -30 °C)	39
G.1 Purpose	39
G.2 Short description	39
G.3 Conditions for test	39
G.4 Test process	40
Annex H (informative) Miscibility with flange/rail lubricants in use – greases	43
H.1 Purpose	43
H.2 Short description	43
H.3 Conditions for testing	43
H.4 Test process	44
Annex I (informative) Miscibility with flange/rail lubricants in use – oils	45
I.1 Purpose	45
I.2 Short description	45
I.3 Conditions for testing	45
I.4 Test process	46
Annex J (informative) Determination of low temperature cone penetration of greases	47
J.1 Purpose	47
J.2 Short description	47
J.3 Conditions for test	47
J.4 Test process	47
Annex K (informative) Functional test on specific equipment	49
K.1 General	49
K.2 Flowing behaviour of wheel-flange greases	49
K.3 Test of spraying of oils at various temperatures	51
Annex L (informative) Solid stick testing on twin-disc machine	55
L.1 Purpose	55
L.2 Short description	55
L.3 Conditions for test	55
L.4 Test process	58
L.5 Test results	58
Annex M (informative) Lubricant product performance - Field assessment	60
M.1 General	60
M.2 Product performance assessment	60
Bibliography	61

Foreword

This document (EN 16028:2012) has been prepared by Technical Committee CEN/TC 256 "Railway applications", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2013, and conflicting national standards shall be withdrawn at the latest by January 2013.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN [and/or CENELEC] shall not be held responsible for identifying any or all such patent rights.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

According to the CEN/CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

Friction management using solid or fluid (oil, grease, etc.) substances at the wheel-rail interface is a complex subject and includes the following aspects:

- lubrication of the wheel flange/rail gauge corner (active interface), commonly referred to as “flange or rail lubrication”;
- friction modification of the top of rail/wheel tread interface, commonly referred to as “top of rail friction management”.

This European Standard sets out requirements for the lubricant for flange or rail lubrication. It specifies requirements for the lubricant, how to test it and how to approve it.

Lubricants should be tested to confirm there is:

- compatibility with lubricating systems;
- no intolerable increased risk of fire;
- no harmful environmental effects;
- no incompatibility between the different lubricants in use, particularly between solid and fluid systems;
- satisfactory and consistent product quality and performance.

The main purpose of the lubricant is to reduce friction and wear, and keep them at an acceptable level.

The content is based on current experience and should not exclude developments that can be later incorporated at reissue.

1 Scope

This European Standard specifies the requirements of lubricants intended for lubrication of the wheel-rail interface between the wheel flange and the rail gauge corner (active interface) applied either directly or indirectly to the wheel flange or to the rail to achieve an acceptable level of friction and wear.

It covers the approval procedure, the method of testing and routine control/monitoring of the lubricant.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 10130, *Cold rolled low carbon steel flat products for cold forming — Technical delivery conditions*

EN 15427, *Railway applications — Wheel/rail friction management — Flange lubrication*

EN ISO 868, *Plastics and ebonite — Determination of indentation hardness by means of a durometer (Shore hardness) (ISO 868)*

EN ISO 1183-1, *Plastics — Methods for determining the density of non-cellular plastics — Part 1: Immersion method, liquid pycnometer method and titration method (ISO 1183-1)*

EN ISO 2160, *Petroleum products — Corrosiveness to copper — Copper strip test (ISO 2160)*

EN ISO 2592, *Petroleum products — Determination of flash and fire points — Cleveland open cup method (ISO 2592)*

EN ISO 3104, *Petroleum products — Transparent and opaque liquids — Determination of kinematic viscosity and calculation of dynamic viscosity (ISO 3104)*

EN ISO 3146, *Plastics — Determination of melting behaviour (melting temperature or melting range) of semi-crystalline polymers by capillary tube and polarizing microscope methods (ISO 3146)*

EN ISO 3675, *Crude petroleum and liquid petroleum products — Laboratory determination of density — Hydrometer method (ISO 3675)*

EN ISO 4589-1, *Plastics — Determination of burning behaviour by oxygen index — Part 1: Guidance (ISO 4589-1)*

EN ISO 4589-2, *Plastics — Determination of burning behaviour by oxygen index — Ambient temperature test (ISO 4589-2)*

EN ISO 5659-1, *Plastics — Smoke generation — Part 1: Guidance on optical density testing (ISO 5659-1)*

EN ISO 5659-2, *Plastics — Smoke generation — Determination of optical density by a single-chamber test (ISO 5659-2)*

ISO/TR 5659-3, *Plastics — Smoke generation — Part 3: Determination of optical density by a dynamic-flow method*

EN ISO 12185, *Crude petroleum and petroleum products — Determination of density — Oscillating U-tube method (ISO 12185)*

EN ISO 20623, *Petroleum and its products — Determination of the extreme-pressure and anti-wear properties of fluids — Four ball method (European conditions) (ISO 20623)*

ISO 760, *Determination of water — Karl Fischer method (General method)*

ISO 2049, *Petroleum products — Determination of colour (ASTM scale)*

ISO 2137, *Petroleum products and lubricants — Determination of cone penetration of lubricating greases and petrolatum*

ISO 2176, *Petroleum products — Lubricating grease — Determination of dropping point*

ISO 3016, *Petroleum products — Determination of pour point*

ISO 3733, *Petroleum products and bituminous materials — Determination of water — Distillation method*

ISO 6072, *Rubber — Compatibility between hydraulic fluids and standard elastomeric materials*

ISO 6743-99, *Lubricants, industrial oils and related products (class L) — Classification — Part 99: General*

ISO 7120, *Petroleum products and lubricants — Petroleum oils and other fluids — Determination of rust-preventing characteristics in the presence of water*

ISO 9772, *Cellular plastics — Determination of horizontal burning characteristics of small specimens subjected to a small flame*

ISO 11007, *Petroleum products and lubricants — Determination of rust-prevention characteristics of lubricating greases*

DIN 51350-4, *Testing of lubricants — Testing by the Shell four-ball tester — Determination of welding load of consistent lubricants*

DIN 51350-5, *Testing of lubricants — Testing by the Shell four-ball tester — Determination of wear data for consistent lubricants*

DIN 51398, *Testing of lubricants — Procedure for measurement of low temperature apparent viscosity by means of the Brookfield viscometer (liquid bath method)*

DIN 51418-1, *X-ray spectrometry — X-ray emissions and X-ray fluorescence analysis (XRF) — Part 1: Definitions and principles*

DIN 51418-2, *X-ray spectrometry — X-ray emissions and X-ray fluorescence analysis (XRF) — Part 2: Definitions and basic principles for measurements, calibration and evaluation of results*

DIN 51451, *Testing of petroleum products and related products — Analysis by infrared spectrometry — General working principles*

DIN 51631, *Mineral spirits — Special boiling point spirits — Requirements*

DIN 51777-2, *Testing of mineral oil-hydrocarbons and solvents — Determination of the water content according to Karl Fischer (indirect method)*

DIN 51805, *Testing of lubricants — Determination of flow pressure of lubricating greases — Kesternich method*

DIN 51807-1, *Testing of lubricants — Test of the behaviour of lubricating greases in the presence of water — Static test*

EN 16028:2012 (E)

DIN 51810-1, *Testing of lubricants — Determination of shear viscosity of lubricating greases by the rotational viscosimeter – Part 1: System of cone / plate*

DIN 51811, *Testing of lubricants — Testing of corrosiveness to copper of greases — Copper strip tarnish test*

DIN 51817, *Testing of lubricants — Determination of oil separation from greases under static conditions*

DIN 51820-1, *Testing of lubricants — Analysis of greases by infrared spectrometry — Taking and evaluating an infrared spectrum*

ASTM D1831, *Standard Test Method for Roll Stability of Lubricating Grease*

ASTM D4049, *Standard Test Method for Determining the Resistance of Lubricating Grease to Water Spray*

IP 396, *Determination of dropping point of lubricating grease — Automatic apparatus method*

OECD 301 suite

OECD Document	Equivalent Standard
301a	EN ISO 7827, <i>Water quality — Evaluation in an aqueous medium of the 'ultimate' aerobic biodegradability of organic compounds — Method by analysis of dissolved organic carbon (DOC) (ISO 7827)</i>
301b	EN ISO 9439, <i>Water quality — Evaluation of ultimate aerobic biodegradability of organic compounds in aqueous medium — Carbon dioxide evolution test (ISO 9439)</i>
301c	Nil
301d	EN ISO 10707, <i>Water quality — Evaluation in an aqueous medium of the 'ultimate' aerobic biodegradability of organic compounds — Method by analysis of biochemical oxygen demand (closed bottle test) (ISO 10707)</i>
301e	EN ISO 7827, <i>Water quality — Evaluation in an aqueous medium of the 'ultimate' aerobic biodegradability of organic compounds — Method by analysis of dissolved organic carbon (DOC) (ISO 7827)</i>
301f	EN ISO 9408, <i>Water quality — Evaluation of ultimate aerobic biodegradability of organic compounds in aqueous medium by determination of oxygen demand in a closed respirometer (ISO 9408)</i>

Bestelformulier

NEN

Stuur naar:

NEN Uitgeverij
t.a.v. afdeling Marketing
Antwoordnummer 10214
2600 WB Delft

NEN Uitgeverij

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 16028:2012 en Railtoepassingen - Wielflenssmering -
Smeermiddelen voor toepassing vanuit voertuigen en vanaf spoorzijde

€ 86.00

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop**

Stel uw vraag aan
Klantenservice via:

[@NEN_webcare](https://twitter.com/NEN_webcare)

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: marketing@nen.nl
Post: NEN Uitgeverij,
t.a.v. afdeling Marketing
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling

T.a.v. _____ O M O V

E-mail

Klantnummer NEN

Uw ordernummer _____ BTW nummer _____

Postbus / Adres

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Voorwaarden

- De prijzen zijn geldig tot 31 december 2015, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.