

norm**NEN-EN 10025-4**

Warmgewalste producten van
constructiestaal - Deel 4: Technische
leveringsvoorwaarden voor
thermomechanisch gewalst lasbaar
fijnkorrelig constructiestaal

Publicatie uitsluitend voor commentaar

Hot rolled products of structural steels - Part 4: Technical delivery
conditions for thermomechanical rolled weldable fine grain structural
steels

juni 2014

ICS 77.140.10; 77.140.50

Commentaar vóór 2014-06-29

Vervangt NEN-EN 10025-4:2011 Ontw. Zal vervangen
NEN-EN 10025-4:2004

Als Europees normontwerp is gepubliceerd: prEN 10025-4:2014, IDT

Definitief vastgestelde normen zullen als Nederlandse norm gelden. Daarom wordt dit normontwerp in Nederland voor commentaar gepubliceerd. Op het ontwerp ingebracht commentaar zal aan de bevoegde normcommissie worden voorgelegd die hiermee rekening zal houden bij de bepaling van de Nederlandse stem. Indien er geen bezwaar bij NEN wordt gebracht, kan dat leiden tot ongewijzigde definitieve vaststelling van het ontwerp als norm.

Van Europese normen bestaan drie officiële versies: Engels, Frans en Duits. Voor Nederland zal de Engelse versie gelden. Daarnaast kan er gekozen worden voor een andere geautoriseerde versie in het Nederlands.

Normcommissie 342081 "Constructiestaal"



THIS PUBLICATION IS COPYRIGHT PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden veeleenvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veeleenvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Voorbeeld
Preview

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

WHITE DRAFT
prEN 10025-4

May 2014

ICS 77.140.10; 77.140.50

Will supersede EN 10025-4:2004

English Version

**Hot rolled products of structural steels - Part 4: Technical
delivery conditions for thermomechanical rolled weldable fine
grain structural steels**

Produits laminés à chaud en aciers de construction - Partie
4 : Conditions techniques de livraison pour les aciers de
construction soudable à grains fins obtenus par laminage
thermomécanique

Warmgewalzte Erzeugnisse aus Baustählen - Teil 4:
Technische Lieferbedingungen für thermomechanisch
gewalzte schweißgeeignete Feinkornbaustähle

This draft European Standard is submitted to ECISS/COCOR before submission to CEN members for formal vote. It has been drawn up by the Technical Committee ECISS/TC 103.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

Foreword.....	3
1 Scope.....	4
2 Normative references.....	4
2.1 General standards.....	4
2.2 Standards on dimensions and tolerances (see 7.7.1).....	5
2.3 Standards on testing.....	5
3 Terms and definitions.....	6
4 Classification and designation.....	6
4.1 Classification.....	6
4.2 Designation.....	6
5 Information to be supplied by the purchaser.....	7
5.1 Mandatory information.....	7
5.2 Options.....	7
6 Manufacturing process.....	7
6.1 Steel making process.....	7
6.2 Grain structure.....	8
6.3 Delivery conditions.....	8
7 Requirements.....	8
7.1 General.....	8
7.2 Chemical composition.....	8
7.3 Mechanical properties.....	8
7.4 Technological properties.....	9
7.5 Surface properties.....	11
7.6 Internal soundness.....	11
7.7 Dimensions, tolerances on dimensions and shape, mass.....	11
8 Inspection.....	12
8.1 General.....	12
8.2 Type of inspection and inspection document.....	12
8.3 Frequency of testing.....	12
8.4 Tests to be carried out.....	13
9 Preparation of samples and test pieces.....	13
9.1 Selection and preparation of samples for chemical analysis.....	13
9.2 Location and orientation of samples and test pieces for mechanical tests.....	13
9.3 Identification of samples and test pieces.....	14
10 Test methods.....	14
10.1 Chemical analysis.....	14
10.2 Mechanical tests.....	14
10.3 Ultrasonic testing.....	14
10.4 Retests.....	14
11 Marking, labelling, packaging.....	14
12 Complaints.....	15
13 Options (see 5.2).....	15
Bibliography.....	22

Foreword

This document (prEN 10025-4:2014) has been prepared by Technical Committee ECISS/TC 103 “Structural steels other than reinforcements”, the secretariat of which is held by DIN.

This document is currently submitted to the COCOR Vote.

This document will supersede EN 10025-4:2004.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

The titles of the other parts of this document are:

Part 1: General;

Part 2: Technical delivery conditions for non-alloy structural steels;

Part 3: Technical delivery conditions for normalized/normalized rolled weldable fine grain structural steels;

Part 5: Technical delivery conditions for structural steels with improved atmospheric corrosion resistance;

Part 6: Technical delivery conditions for flat products of high yield strength structural steels in the quenched and tempered condition.

Preview

prEN 10025-4:2014 (E)**1 Scope**

Part 4 of this document, in addition to Part 1, specifies technical delivery conditions for flat and long products of hot rolled weldable fine grain structural steels in the thermomechanical rolled condition in the grades and qualities given in Tables 1 to 3 (chemical composition) and Tables 4 to 6 (mechanical properties) in thickness ≤ 120 mm for flat products and in thickness ≤ 150 mm for long products.

In addition to prEN 10025-1:2014 the steels specified in this document are especially intended for use in heavily loaded parts of welded structures such as, bridges, flood gates, storage tanks, water supply tanks, etc., for service at ambient and low temperatures.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

2.1 General standards

EN 1011-2, *Welding – Recommendations for welding of metallic materials - Part 2: Arc welding of ferritic steels.*

EN 10020:2000, *Definition and classification of grades of steel.*

EN 10021, *General technical delivery conditions for steel products*

prEN 10025-1:2014, *Hot rolled products of structural steels - Part 1: General*

EN 10027-1, *Designation systems for steels - Part 1: Steel names*

EN 10027-2, *Designation systems for steels - Part 2: Numerical system*

EN 10079:2007, *Definition of steel products*

EN 10163-1, *Delivery requirements for surface condition of hot-rolled steel plates, wide flats and sections – Part 1: General requirements*

EN 10163-2, *Delivery requirements for surface condition of hot-rolled steel plates, wide flats and sections – Part 2: Plates and wide flats*

EN 10163-3, *Delivery requirements for surface condition of hot-rolled steel plates, wide flats and sections – Part 3: Sections*

EN 10164, *Steel products with improved deformation properties perpendicular to the surface of the product - Technical delivery conditions*

EN 10168, *Steel products – Inspection documents – List of information and description*

EN 10204, *Metallic products – Types of inspection documents*

EN 10221, *Surface quality classes for hot-rolled round bars and rods - Technical delivery conditions*

EN ISO 14713-2:2009, *Guidelines and recommendations for the protection against corrosion of iron and steel structures – Zinc coating – Part 2: Hot dip galvanizing (ISO 14713-2:2009)*

CEN/TR 10347, *Guidance for forming of structural steels in processing*

2.2 Standards on dimensions and tolerances (see 7.7.1)

EN 10017, *Non-alloy steel rod for drawing and/or cold rolling – Dimensions and tolerances*

EN 10024, *Hot rolled taper flange I sections - Tolerances on shape and dimensions*

EN 10029, *Hot rolled steel plates 3 mm thick or above - Tolerances on dimensions and shape*

EN 10034, *Structural steel I and H sections - Tolerances on shape and dimensions*

EN 10048, *Hot rolled narrow steel strip - Tolerances on dimensions and shape*

EN 10051, *Continuously hot-rolled uncoated plate, sheet and strip of non-alloy and alloy steels - Tolerances on dimensions and shape*

EN 10055, *Hot-rolled steel equal flange tees with radiused root and toes - Dimensions and tolerances on shape and dimensions*

EN 10056-1, *Structural steel equal and unequal leg angles - Part 1: Dimensions*

EN 10056-2, *Structural steel equal and unequal leg angles - Part 2: Tolerances on shape and dimensions*

EN 10058, *Hot rolled flat steel bars for general purposes - Dimensions and tolerances on shape and dimensions*

EN 10059, *Hot rolled square steel bars - Dimensions and tolerances on shape and dimensions*

EN 10060, *Hot rolled round steel bars - Dimensions and tolerances on shape and dimensions*

EN 10061, *Hot rolled hexagon steel bars - Dimensions and tolerances on shape and dimensions*

EN 10067, *Hot rolled bulb flats - Dimensions and tolerances on shape, dimensions and mass*

EN 10279, *Hot rolled steel channels - Tolerances on shape, dimensions and mass*

2.3 Standards on testing

EN 10160, *Ultrasonic testing of steel flat product of thickness equal to or greater than 6 mm (reflection method)*

EN 10306, *Iron and steel - Ultrasonic testing of H beams with parallel flanges and IPE beams*

EN 10308, *Non-destructive testing - Ultrasonic testing of steel bars*

EN ISO 148-1, *Metallic materials – Charpy pendulum impact test – Part 1: Test method (ISO 148-1:2009)*

EN ISO 643, *Steels – Micrographic determination of the apparent grain size (ISO 643:2003)*

EN ISO 6892-1, *Metallic materials – Tensile testing – Part 1: Method of test at room temperature (ISO 6892-1:2009)*

EN ISO 14284, *Steel and iron – Sampling and preparation of samples for the determination of chemical composition (ISO 14284:1996)*

prEN 10025-4:2014 (E)**3 Terms and definitions**

For the purposes of this document, the terms and definitions given in prEN 10025-1:2014 and the following apply.

3.1 thermomechanical rolling

rolling process in which the final deformation is carried out in a certain temperature range leading to a material condition with certain properties which cannot be achieved or repeated by heat treatment alone

Note 1 to entry Hot forming or post weld heat treatment at a temperature above 580 °C may lower the strength values and should not be performed. Flame straightening can be applied in accordance with CEN/TR 10347.

Note 2 to entry Thermomechanical rolling can include processes with an increasing cooling rate with or without tempering including self-tempering but excluding direct quenching and quenching and tempering.

Note 3 to entry In some publications the word TMCP (Thermomechanical Control Process) is also used.

3.2 fine grained steels

steels with fine grain structure with an equivalent index of ferritic grain size ≥ 6

Note 1 to entry For the determination of grain sizes see EN ISO 643.

4 Classification and designation**4.1 Classification****4.1.1 Main quality classes**

All steel grades specified in this document shall be classified as alloy special steels according to EN 10020 except grade S275 which is a non-alloy quality steel.

4.1.2 Grades and qualities

This document specifies five steel grades S275, S355, S420, S460 and S500. All steel grades may be supplied in the following qualities as specified at the time of the order:

- with specified minimum values of impact energy at temperatures not lower than -20 °C, designated as M;
- with specified minimum values of impact energy at temperatures not lower than -50 °C, designated as ML.

4.2 Designation

4.2.1 The designation shall be in accordance with prEN 10025-1.

4.2.2 The designation shall consist of:

- number of this document (prEN 10025-4);
- steel name or the steel number; the steel name consisting of:
 - symbol S (for structural steel);

- indication of the minimum specified yield strength for thickness ≤ 16 mm expressed in MPa¹⁾;
- delivery condition M;
- capital letter L for the quality with specified minimum values of impact energy at temperatures not lower than -50 °C.

EXAMPLE Thermomechanical rolled structural steel (S) with a specified minimum yield strength at room temperature of 355 MPa¹⁾ and with a specified minimum value of impact energy at -50 °C:

Steel prEN 10025-4 - S355ML

or

Steel prEN 10025-4 - 1.8834

5 Information to be supplied by the purchaser

5.1 Mandatory information

The following information shall be supplied by the purchaser at the time of the order:

- a) quantity to be delivered;
- b) product form;
- c) number of the relevant part of this document;
- d) steel name or the steel number (see 4.2.2);
- e) nominal dimensions and tolerances on dimensions and shape (see 7.7.1);
- f) additional requirements of inspection and testing as specified in prEN 10025-4;
- g) type of inspection document according to EN 10204 (see 8.2);
- h) all required options (see 5.2).

5.2 Options

A number of options are specified in Clause 13. In the event that the purchaser does not indicate his wish to implement any of these options, the supplier shall supply in accordance with the basic specification (see 5.1 a) to g).

6 Manufacturing process

6.1 Steel making process

The steel making process is at the discretion of the manufacturer with the exclusion of the open hearth (Siemens-Martin) process.

See option 1.

¹⁾ 1 MPa = 1 N/mm².

1) 1 MPa = 1 N/mm²

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 10025-4:2014 2e Ontw. en Warmgewalste producten van constructiestaal - Deel 4: Technische leveringsvoorwaarden voor thermomechanisch gewalst lasbaar fijnkorrelig constructiestaal € 23.85

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling _____

T.a.v. _____ O M O V

E-mail _____

Klantnummer NEN _____

Uw ordernummer _____ BTW nummer _____

Postbus / Adres _____

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres _____

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.