



Nederlandse norm

NEN-ISO/IEC 29794-6

(en)

Information technology - Biometric sample
quality - Part 6: Iris image data (ISO/IEC 29794-
6:2015, IDT)

ICS 35.040
juli 2015

Als Nederlandse norm is aanvaard:

- ISO/IEC 29794-6:2015, IDT

Normcommissie 381037 "Biomedische"



THIS PUBLICATION IS COPYRIGHT PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Preview

**Information technology — Biometric
sample quality —**
**Part 6:
Iris image data**

*Technologies de l'information — Qualité d'échantillon biométrique —
Partie 6. Image d'iris*

Copyright
Preview



COPYRIGHT PROTECTED DOCUMENT

© ISO/IEC 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	v
Introduction	vi
1 Scope	1
2 Conformance	1
3 Normative references	2
4 Terms and definitions	2
5 Acronyms and abbreviated terms	3
6 Iris image quality metrics	3
6.1 General.....	3
6.2 Required iris image quality metrics computed from a single image.....	4
6.2.1 Usable iris area.....	4
6.2.2 Iris-sclera contrast.....	5
6.2.3 Iris-pupil contrast.....	6
6.2.4 Pupil boundary circularity.....	7
6.2.5 Grey scale utilisation.....	8
6.2.6 Iris radius.....	8
6.2.7 Pupil dilation.....	9
6.2.8 Iris pupil concentricity.....	9
6.2.9 Margin adequacy.....	10
6.2.10 Sharpness.....	12
6.3 Recommended iris image quality metrics computed from a single image.....	13
6.3.1 Frontal gaze-elevation.....	13
6.3.2 Frontal gaze-azimuth.....	13
6.3.3 Motion blur.....	15
6.4 Iris image quality metrics computed from two images.....	15
6.4.1 Common usable iris area.....	15
6.4.2 Dilation constancy.....	15
6.4.3 Illumination similarity.....	16
6.5 Unified (overall) quality score.....	16
6.5.1 General.....	16
6.5.2 Computational method.....	16
7 Iris acquisition quality	17
7.1 General.....	17
7.2 Dedicated illumination.....	17
7.2.1 Description.....	17
7.2.2 Units of measure.....	17
7.2.3 Computational method.....	18
7.2.4 Value range/threshold.....	18
7.3 Modulation transfer function.....	18
7.3.1 Description.....	18
7.3.2 Units of measure.....	18
7.3.3 Computational method.....	18
7.3.4 Value range/threshold.....	18
7.4 Spatial sampling rate.....	18
7.4.1 Description.....	18
7.4.2 Units of measure.....	19
7.4.3 Computational method.....	19
7.4.4 Value range/threshold.....	19
7.5 Optical distortion.....	19
7.6 Pixel aspect ratio.....	19
7.6.1 Description.....	19
7.6.2 Units of measure.....	19

ISO/IEC 29794-6:2015(E)

7.6.3	Computational method.....	19
7.6.4	Value range/threshold.....	19
7.7	Sensor signal-to-noise ratio.....	19
7.7.1	Description.....	19
7.7.2	Units of measure.....	19
7.7.3	Computational method.....	20
7.7.4	Value range/threshold.....	20
8	Iris image quality data record.....	20
8.1	Binary encoding.....	20
8.2	XML encoding.....	22
Annex A	(normative) Conformance test assertions.....	24
Annex B	(informative) Iris image quality.....	25
Bibliography	29

Oorbereid
 Preview

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/IEC JTC 1, *Information technology, SC 37, Biometrics*.

ISO/IEC 29794 consists of the following parts, under the general title *Information technology — Biometric sample quality*:

- *Part 1: Framework*
- *Part 4: Finger image data*
- *Part 5: Face image data (Technical Report)*
- *Part 6: Iris image data*

ISO/IEC 29794 will be prepared to accommodate new, additional parts that address other modalities specified by ISO/IEC 19794, with part numbers and titles aligning appropriately.

Introduction

The assessment of biometric sample quality through the calculation of quality metrics can be used to predict the resulting identification accuracy in the framework of a given biometric system. With proper use, quality metrics can enhance the functionality of a biometric system. For example they can provide feedback regarding the integrity of collected biometric data during the enrolment or identification process.

The purpose of this part of ISO/IEC 29794 is to define terms and quantitative methodologies relevant to characterizing the quality of iris images and to assess their potential for high confidence biometric match decisions.

ISO/IEC 19784-1 and ISO/IEC 19785-1 standards allocate a quality field and specify a quality score range applicable to iris images with a qualitative foundation. ISO/IEC 19794-6 includes an informative annex covering the subject of iris image capture and provides image quality guidelines. However, these International Standards do not contain specific content to guide the quantitative formation of iris image quality metrics or the interpretations of such metrics. This part of ISO/IEC 29794 establishes required ranges of covariate values where definitive empirical data exists to justify such ranges. In other cases, ranges of covariate values are specified as non-normative recommendations.

This part of ISO/IEC 29794 is structured as follows. The first five Clauses state Scope, Conformance, Normative references, Terms and definitions, and Acronyms. [Clause 6](#) specifies a set of quality metrics for assessing the quality of iris images. Some of the metrics are declared as normative, as their impacts on recognition rates have been quantified, while others are only informative, allowing their use as they may provide valuable information for further stages in the biometric system. Some of the metrics in [Clause 6](#) are applicable to the analysis of single images, while others are applicable to assessing the utility of a given pair of images for mutual comparison.

[Clause 7](#) is dedicated to provide guidance to acquisition device manufacturers by defining quality parameters that shall be considered for generating conformant iris images.

[Clause 8](#) establishes encoding of the iris image quality data record.

Information technology — Biometric sample quality —

Part 6: Iris image data

1 Scope

This part of ISO/IEC 29794 establishes

- methods used to quantify the quality of iris images,
- normative requirements on software and hardware producing iris images,
- normative requirements on software and hardware measuring the utility of iris images,
- terms and definitions for quantifying iris image quality, and
- standardized encoding of iris image quality.

Outside the scope is

- performance evaluation of specific iris quality assessment algorithms.

2 Conformance

An iris image shall be of sufficient utility if the measurements required by 6.2.X.3 satisfy the valid range/thresholds specified in 6.2.X.4.

A pair of images of an iris shall be of sufficient utility if the pair conforms to the requirements of 6.4. Specifically, they shall satisfy valid range/thresholds specified in 6.4.X.4 using computation method specified in 6.4.X.3.

An iris image quality record shall conform to this part of ISO/IEC 29794 if its structure and data values conform to the formatting requirements of [Clause 8](#) (Iris image quality data record) and its quality values are computed using the methods specified in 6.2.X.3. Conformance to the normative requirements of [Clause 8](#) fulfils Level 1 and Level 2 conformance as specified in ISO/IEC 29794-1:2011, Annex A. Conformance to the normative requirements of [Clause 6.2.X.3](#) is Level 3 conformance as specified in ISO/IEC 29794-1:2011, Annex A.

An iris acquisition device shall conform to this part of ISO/IEC 29794 if it conforms to the normative requirements of [Clause 7](#).

Computation of the utility of an iris image shall conform to the requirements of 6.2, specifically the computation methods described in 6.2.X.3. Computation of the utility of the pair of images shall be assessed per normative requirements of 6.4, specifically the computation methods described in 6.4.X.3.

If an implementation of the metrics in this part of ISO/IEC 29794 reports an unacceptable (low) quality value for one or more quality metrics, another image of the subject should be re-captured. This should be repeated until

- a fully conformant image has been acquired, or
- it is determined that repeated acquisitions will not yield a sufficient quality (e.g., correct enrolment) within the application time constraint. In this case, one unacceptable image is chosen and retained as the best possible candidate.

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-ISO/IEC 29794-6:2015 en

€ 124.99

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.