
**Intelligent transport systems —
Cooperative ITS —**

**Part 6:
'Core system' risk
assessment methodology**

*Systemes intelligents de transport — Systemes intelligents de
transport cooperatifs —*

Partie 6: Methodologie d'évaluation du risque 'd'un système principal'

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten. This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.

Preview



Reference number
ISO/TR 17427-6:2015(E)

© ISO 2015

Copyright
Preview



COPYRIGHT PROTECTED DOCUMENT

© ISO 2015, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Ch. de Blandonnet 8 • CP 401
CH-1214 Vernier, Geneva, Switzerland
Tel. +41 22 749 01 11
Fax +41 22 749 09 47
copyright@iso.org
www.iso.org

Contents

Page

Foreword	iv
Introduction	vi
1 Scope	1
2 Terms and definitions	1
3 Abbreviated terms	2
4 How to use this Technical Report	2
4.1 Acknowledgements.....	2
4.2 C-ITS 'Core System' risks.....	3
4.3 'Core System' overview.....	5
4.4 Non 'Core System' risks.....	6
5 Tools to assess risk	7
5.1 General.....	7
5.1.1 Technology risk.....	7
5.1.2 Technical risk.....	7
5.1.3 Financial risk.....	7
5.1.4 Liability.....	7
5.2 Operational phases of risk assessment.....	7
5.3 Risk evaluation explanation.....	8
5.4 Categorization of risk.....	10
6 Risks for the core system	11
6.1 Risks associated with an individual 'Core System'.....	11
6.1.1 Timely deployment.....	11
6.1.2 Relationships between 'Core Systems' and external enterprises.....	12
6.1.3 Adequate operations and maintenance personnel.....	13
6.2 Risks associated with multiple 'Core Systems'.....	13
6.2.1 Role and makeup of the 'Core Certification Authority'.....	14
6.2.2 External support system (ESS) for security.....	16
6.2.3 Operations and maintenance (O&M) of the security 'External Support System' (ESS).....	17
6.2.4 Security management.....	18
6.2.5 System performance management.....	19
6.2.6 Privacy.....	20
6.2.7 Device certification.....	21
6.3 Consideration of other risks.....	21
Bibliography	23

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the WTO principles in the Technical Barriers to Trade (TBT) see the following URL: [Foreword - Supplementary information](#)

The committee responsible for this document is ISO/TC 204, *Intelligent transport systems*.

ISO 17427 consists of the following parts under the general title, *Intelligent transport systems — Cooperative ITS*:

- *Part 2: Framework overview* [Technical Report]
- *Part 3: Concept of operations (ConOps) for 'Core' systems* [Technical Report]
- *Part 4: Minimum system requirements and behaviour for core systems* [Technical Report]
- *Part 6: 'Core System' risk assessment methodology* [Technical Report]
- *Part 7: Privacy aspects* [Technical Report]
- *Part 8: Liability aspects* [Technical Report]
- *Part 9: Compliance and enforcement aspects* [Technical Report]
- *Part 10: Driver distraction and information display* [Technical Report]

The following ITS parts are under preparation:

- *Part 1: Roles and responsibilities in the context of co-operative ITS architecture(s)*
- *Part 5: Common approaches to security* [Technical Report]
- *Part 11: Compliance and enforcement aspects* [Technical Report]
- *Part 12: Release processes* [Technical Report]
- *Part 13: Use case test cases* [Technical Report]
- *Part 14: Maintenance requirements and processes* [Technical Report]

This Technical Report provides an informative 'C-ITS Core System Risk Assessment Methodology' for Cooperative Intelligent Transport Systems (C-ITS). It should be studied alongside ISO 17427-1, ISO/TR 17465-1, and other parts of the ISO/TR 17465 series and ISO 21217. Detailed specifications for the application context will be provided by other ISO, CEN and SAE deliverables, and communications specifications will be provided by ISO, IEEE and ETSI.

Forbiede
Preview

Introduction

Intelligent transport systems (ITS) are transport systems in which advanced information, communication, sensor and control technologies, including the Internet, are applied to increase safety, sustainability, efficiency, and comfort.

A distinguishing feature of '*ITS*' is its communication with outside entities.

Some *ITS* systems operate autonomously, for example, 'adaptive cruise control' uses radar/lidar/and/or video to characterize the behaviour of the vehicle in front and adjust its vehicle speed accordingly. Some *ITS* systems are informative, for example, 'Variable Message Signs' at the roadside, or transmitted into the vehicle, provide information and advice to the driver. Some *ITS* systems are semi-autonomous, in that, they are largely autonomous, but rely on 'static' or 'broadcast' data, for example, *GNSS* based 'SatNav' systems operate autonomously within a vehicle but are dependent on receiving data broadcast from satellites in order to calculate the location of the vehicle.

Cooperative *Intelligent transport systems (C-ITS)* are a group of *ITS* technologies where service provision is enabled by, or enhanced by, the use of 'live', present situation related, dynamic data/information from other entities of similar functionality [for example, from one vehicle to other vehicle(s)], and/or between different elements of the transport network, including vehicles and infrastructure [for example, from the vehicle to an infrastructure managed system or from an infrastructure managed system to vehicle(s)]. Effectively, these systems allow vehicles to 'talk' to each other and to the infrastructure. These systems have significant potential to improve the transport network.

A distinguishing feature of '*C-ITS*', is that, data is used across *application/service* boundaries.

It is important to understand that *C-ITS* is not an end in itself, but a combination of techniques, protocols, systems and sub-systems to enable 'cooperative'/collaborative service provision.

The purpose of this '*C-ITS* Risk Assessment Methodology' Technical Report is to identify critical technical and cost risks that can impact *C-ITS* vehicle and highway systems service provision deployment, and to provide means to evaluate such risks. Risk varies according to the complexity, size, commercial paradigm, and political paradigm present in each jurisdiction where *C-ITS* are supported.

While the principle causes of risks, both technical and cost risks, will be generally similar in each jurisdiction which encourages and supports *C-ITS* vehicle and highway systems, the quantifiable or assessable risk will vary to some extent in each case, and each jurisdiction, the *core system* operator, and *application service* provider, will need to make their own risk assessment. This Technical Report, therefore, does not provide a calculated 'global' risk assessment for *C-ITS* but identifies the principal causes of risk, and provides a consistent way for a jurisdiction, *core system* operator, or *application service* provider, to assess the risks that they face.

Some see the evolution of *C-ITS* as possible on a V2V basis, without the need for 'Core Systems' and such casual encounter *C-ITS* is indeed possible and the technology proven. The subject of risks associated with *In-vehicle systems* is outside of the scope of this Technical Report, which is focused on risk assessment for *core system* deployments.

The principle environment that this 'Risk Assessment Technical Report' is designed to embrace are *C-ITS* vehicle and highway systems where there is some institutional involvement and support, by the direct or indirect provision of *core system* support, and it is the risks associated with the deployment of 'Core Systems' that provide the focus of this Technical Report.

This Technical Report is a 'living document', and as our experience with *C-ITS* develops, it is intended that it will be updated from time to time, as and when we see opportunities to improve this Technical Report.

Intelligent transport systems — Cooperative ITS

Part 6:

'Core system' risk assessment methodology

1 Scope

The scope of this Technical Report is to identify critical technical and financial risks that can impact the *core system* deployment supporting *C-ITS* vehicle and highway systems service provision and to provide means to evaluate such risks.

This Technical Report is designed to embrace *C-ITS* vehicle and highway systems where there is some institutional involvement and support, by the direct or indirect provision of *core system* support, and it is the risks associated with the deployment of 'Core Systems' that provide the focus of this Technical Report.

This Technical Report does not provide a calculated 'global' risk assessment for *C-ITS*, but identifies the principal causes of risk, and provides a consistent methodology for a jurisdiction, *core system* operator, or *application service* provider, to assess the risks that they face. The objective of this Technical Report is to raise awareness of and consideration of such issues and to give pointers, where appropriate, to standards deliverables existing that provide specifications for all or some of these aspects. This Technical Report does not provide specifications for solutions of these issues.

2 Terms and definitions

2.1

application

software application

2.2

application service

service provided by a service provider accessing data from the IVS vehicle in the case of *C-ITS*, through a wireless communications network, or provided on board the vehicle as the result of software (and potentially also hardware and firmware) installed by a service provider or to a service provider's instruction

2.3

cooperative ITS

C-ITS

group of *ITS* technologies where service provision is enabled, or enhanced by, the use of 'live', present situation related, data/information from other entities of similar functionality [for example, from one vehicle to other vehicle(s)], and/or between different elements of the transport network, including vehicles and infrastructure (for example, from the vehicle to an infrastructure managed system or from an infrastructure managed system to vehicle(s))

2.4

'core' system

combination of enabling technologies and services that provides the foundation for the support of a distributed, diverse set of *applications* (2.1)/*application* transactions which works in conjunction with 'external support systems' such as 'Certificate Authorities'

Note 1 to entry: The system boundary for the core system is not defined in terms of devices or agencies or vendors, but by the open, standardized interface specifications that govern the behaviour of all interactions between core system users.

2.5
global navigation satellite system
GNSS

several networks of satellites that transmit radio signals containing time and distance data that can be picked up by a receiver, allowing the user to identify the location of its receiver anywhere around the globe

2.6
in-vehicle system

hardware, firmware and software on board a vehicle that provides a platform to support *C-ITS* service provision, including that of the ITS-station (ISO 21217), the facilities layer, data pantry and on-board 'apps'

2.7
intelligent transport systems
ITS

transport systems in which advanced information, communication, sensor and control technologies, including the Internet, are applied to increase safety, sustainability, efficiency, and comfort

2.8
ITS-station
ITS-S

entity in a communication network [comprised of *application* (2.1), facilities, networking and access layer components] that is capable of executing ITS-S *application* processes, comprised of an ITS-S facilities layer, ITS-S networking & transport layer, ITS-S access layer, ITS-S management entity and ITS-S security entity, which adheres to a minimum set of security principles and procedures so as to establish a level of trust between itself and other similar ITS stations with which it communicates

3 Abbreviated terms

CA	Certificate Authority
CCA	Core Certification Authority
C-ITS	cooperative intelligent transport systems, cooperative ITS
CRL	Certificate Revocation List
ESS	External System Support
ITS	intelligent transport systems (2.7)
IVS	in-vehicle system (2.6)
RA	Registration Authority
V2I	vehicle to/from infrastructure
V2V	vehicle to vehicle

4 How to use this Technical Report

4.1 Acknowledgements

The contribution of the following sources are acknowledged as the prime sources of material for this Technical Report, and thanked for their contribution:

<http://www.cvisproject.org/>

www.its.dot.gov/research/systems_engineering.htm

Cooperative ITS Regulatory Policy Issues and Cooperative Intelligent Transport Systems Policy Paper, National Transport Commission, Australia.

4.2 C-ITS 'Core System' risks

The purpose of this Technical Report is to identify critical technical and cost risks that can impact a 'Core System' for *C-ITS* vehicle and highway systems service provision deployment, and to provide means to evaluate such risks.

The risks that are faced by any jurisdiction or deployer of a *C-ITS* vehicle and highway system varies according to a number of factors:

- the predominant political paradigm of the jurisdiction in which the deployment is instantiated;
- the predominant commercial paradigm within the jurisdiction in which the deployment is instantiated;
- the size of the transport network covered by the deployment;
- the complexity of the transport network covered by the deployment;
- the extent of service provision covered by the instantiation.

The political paradigm probably has the greatest impact. Some jurisdictions are very centralized, while others are, in some way or the other decentralized and/or federated. Some countries organize as a single monolithic jurisdiction, others are organized as a federation of jurisdictions (states), others somewhere in-between. Some countries are associated into political groups of countries where the member states are the paramount jurisdictions and the central jurisdiction is controlled by the will of unanimity or majority, sometimes both.

The practical effect of this on the management of the transport network is significant. A monolithic jurisdiction (for example Great Britain, France, China), while they may have regional Departments of Transport (DoT), have a centralized controlling DoT which determines policy and strategy. In some jurisdictions, this may be one of centralized control with management of all core strategic policies, including transport, managed by the central government [for example, China which has one 'super' 'Ministry of Transportation of the People's Republic of China' including the former 'Ministry of Communications', 'Civil Aviation Administration', 'State Post Bureau', 'China Maritime Safety Administration' and (since 2013) the 'Ministry of Railways']. Federated states (for example, USA, Australia) that have their own DoTs and central policy, in some cases, may be determined centrally and imposed locally [by a combination of regulations for consistency across the country, and by control of the allotment of financial resources to implement central policies/strategies (for example, USA)], or may be determined locally and brought to the central DoT for agreement by consensus where achievable (for example, Australia, Switzerland).

In combination with the constraints and opportunities of the political paradigm is the commercial paradigm that it fosters. In nearly all countries, the transport environment, and especially the road network, is 'state' funded and controlled. Highways may be totally state funded from taxation, or outsourced to commercial or pseudo-commercial organizations to fund the development of autoroutes/highways/and infrastructures such as tunnels and bridges, increasingly a combination of both, but the paradigm is almost globally managed by the 'jurisdiction'. However, whether this is the local jurisdictional 'state' or the National DoT varies considerably, and in cases such as Europe, while there may be a European "Directorate General" MOVE (Mobility and Transport), it is the National Member States whose DoTs are paramount, and whose policies vary from one member state to another. Some jurisdictions are sympathetic to the provision of commercial services (including *C-ITS* service provisions), while others are hostile and consider commercialisation to be potentially a safety risk. Most will live with some compromise that suits the local community, but those compromises will vary from jurisdiction to jurisdiction.

The other factors that are most important in shaping the shape of *C-ITS* deployment are the size and complexity of the transport network, and in particular, the road network. In countries such as USA,

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. ISO/TR 17427-6:2015 en Intelligent transport systems - Cooperative ITS - Part 6: 'Core system' risk assessment methodology € 98.05

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.