

norm**NEN-EN 15651-4**

Voegkitten voor niet-constructieve toepassing in gebouwen en voor beloopbare oppervlakken - Deel 4: Voegkitten voor beloopbare oppervlakken

Publicatie uitsluitend voor commentaar

Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 4: Sealants for pedestrian walkways

september 2016
ICS 91.100.50

Commentaar vóór 2016-10-23

Zal vervangen NEN-EN 15651-4:2012

Als Europees normontwerp is gepubliceerd: FprEN 15651-4:2016, IDT

Definitief vastgestelde normen zullen als Nederlandse norm gelden. Daarom wordt dit normontwerp in Nederland voor commentaar gepubliceerd. Op het ontwerp ingebracht commentaar zal aan de bevoegde normcommissie worden voorgelegd die hiermee rekening zal houden bij de bepaling van de Nederlandse stem. Indien er geen bezwaar bij NEN wordt gebracht, kan dat leiden tot ongewijzigde definitieve vaststelling van het ontwerp als norm.

Van Europese normen bestaan drie officiële versies: Engels, Frans en Duits. Voor Nederland zal de Engelse versie gelden. Daarnaast kan er gekozen worden voor een andere geautoriseerde versie in het Nederlands.

Normcommissie 353087 "Voegkitten voor in de bouw"



THIS PUBLICATION IS COPYRIGHT PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden veelevoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veelevoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Voorbeeld
Preview

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

FINAL DRAFT
FprEN 15651-4

September 2016

ICS 91.100.50

Will supersede EN 15651-4:2012

English Version

Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 4: Sealants for pedestrian walkways

Mastics pour joints pour des usages non structuraux dans les constructions immobilières et pour chemins piétonniers - Partie 4 : Mastics pour chemins piétonniers

Fugendichtstoffe für nicht tragende Anwendungen in Gebäuden und Fußgängerwegen - Teil 4: Fugendichtstoffe für Fußgängerwege

This draft European Standard is submitted to CEN members for unique acceptance procedure. It has been drawn up by the Technical Committee CEN/TC 349.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Avenue Marnix 17, B-1000 Brussels

Contents

Page

European foreword	4
1 Scope	5
2 Normative references	5
3 Terms and definitions	6
4 Requirements	6
4.1 Identification requirements	6
4.1.1 Short description of the sealant	6
4.1.2 Thermogravimetric test	7
4.1.3 Density	7
4.1.4 Indentation hardness (Shore hardness)	7
4.2 Conditioning, test procedure and substrates	7
4.2.1 General	7
4.2.2 Classification	7
4.2.3 Test procedure	9
4.3 Performance requirements and test methods for non-structural sealants for pedestrian walkways	10
4.3.1 General	10
4.3.2 Sealants in pedestrian walkways used in cold climates	10
4.3.3 Resistance to flow for non-sagging sealants	11
4.3.4 Sealants with self-levelling properties	11
4.3.5 Tear resistance	11
4.4 Additional performance requirements for exterior applications	13
4.4.1 General	13
4.4.2 Artificial weathering by UV radiation	13
4.5 Release of dangerous substances	14
4.6 Reaction to fire	14
4.6.1 General	14
4.6.2 Mounting and fixing conditions for test samples	14
5 Durability	16
6 Sampling	16
7 Assessment and verification of constancy of performance	16
7.1 General	16
7.2 Product type determination	16
7.3 Factory production control	16
8 Marking and labelling	16
Annex A (informative) Example on the frequency of tests for factory production control	17
Annex B (normative) Determination of the change of volume of self-levelling cold applied joint sealants	18
B.1 Principle	18
B.2 Apparatus and materials	18
B.3 Preparation of test specimens	18
B.4 Test procedure	18

B.5	Calculation and expression of results	19
B.5.1	Change in mass	19
B.5.2	Change in volume.....	19
Annex ZA (informative) Relationship of this European Standard with Regulation (EU)		
	No.305/2011	20
ZA.1	Scope and relevant characteristics	20
ZA.2	System of Assessment and Verification of Constancy of Performance (AVCP)	21
ZA.3	Assignment of AVCP tasks	21
	Bibliography	24

Orbis
 Preview

FprEN 15651-4:2016 (E)**European foreword**

This document (FprEN 15651-4:2016) has been prepared by Technical Committee CEN/TC 349 “Sealants for joints in building construction”, the secretariat of which is held by AFNOR.

This document is currently submitted to the Unique Acceptance Procedure.

This document supersedes EN 15651-4:2012.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports basic work requirements of EU Regulation.

For relationship with EU Regulation, see informative Annex ZA, which is an integral part of this document.

This document is one of the product European Standards within the framework series of EN 15651 on *Sealants for non-structural use in joints in buildings and pedestrian walkways*, as follows:

- *Part 1: Sealants for facade elements,*
- *Part 2: Sealants for glazing,*
- *Part 3: Sealants for sanitary joints,*
- *Part 4: Sealants for pedestrian walkways (this document),*
- *Part 5: Assessment and verification of constancy of performance, marking and labelling.*

The following significant technical changes have been implemented in this new edition:

- Clause 4.1.3 and Clause 5 have been improved;
- Clause 7 and Annex ZA have been changed in accordance with the regulation (EU) No.305/2011.

1 Scope

This European Standard specifies definitions and requirements for cold applied non-structural elastic sealants used for movement joints in floors in building construction for interior and exterior use.

Areas of application are: floor joints designed for pedestrian walkways, public areas, movement joints between concrete slabs, areas with pedestrian load, areas used with trolleys, walkable floors, balconies, terraces, warehouses.

NOTE Provisions on assessment and verification of constancy of performance - AVCP (i.e. Product type determination and Factory Production Control) and marking of these products are given in EN 15651-5.

Chemical containment, cold applied joint sealants for concrete pavements to be used in roads, airfields and sewage treatment plants, perimeter seals and seals in wood floors are excluded.

This European Standard does not apply to non-structural sealants in any of non-paste form, to those used in pedestrian walkways.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 13238, *Reaction to fire tests for building products - Conditioning procedures and general rules for selection of substrates*

EN 13501-1, *Fire classification of construction products and building elements — Part 1: Classification using data from reaction to fire tests*

EN 14187-3, *Cold applied joint sealants - Part 3: Test method for the determination of self-levelling properties*

FprEN 15651-5:2016, *Sealants for non-structural use in joints in buildings and pedestrian walkways - Part 5: Evaluation of conformity and marking*

EN ISO 291, *Plastics - Standard atmospheres for conditioning and testing (ISO 291)*

EN ISO 868, *Plastics and ebonite - Determination of indentation hardness by means of a durometer (Shore hardness) (ISO 868)*

EN ISO 2811-1:2016, *Paints and varnishes - Determination of density - Part 1: Pyknometer method (ISO 2811-1:2016)*

EN ISO 6927, *Buildings and civil engineering works - Sealants - Vocabulary (ISO 6927)*

EN ISO 7389, *Building construction - Jointing products - Determination of elastic recovery of sealants (ISO 7389)*

EN ISO 7390, *Building construction - Jointing products - Determination of resistance to flow of sealants (ISO 7390)*

EN ISO 8339, *Building construction - Sealants - Determination of tensile properties (Extension to break) (ISO 8339)*

EN ISO 8340, *Building construction - Sealants - Determination of tensile properties at maintained extension (ISO 8340)*

FprEN 15651-4:2016 (E)

EN ISO 9047, *Building construction - Jointing products - Determination of adhesion/cohesion properties of sealants at variable temperatures (ISO 9047)*

EN ISO 10563, *Building construction - Sealants - Determination of change in mass and volume (ISO 10563)*

EN ISO 10590, *Building construction - Sealants - Determination of tensile properties of sealants at maintained extension after immersion in water (ISO 10590)*

EN ISO 11358 (all parts), *Plastics — Thermogravimetry (TG) of polymers — General principles (ISO 11358)*

EN ISO 11431, *Building construction - Jointing products - Determination of adhesion/cohesion properties of sealants after exposure to heat, water and artificial light through glass (ISO 11431)*

EN ISO 11600:2003, *Building construction - Jointing products - Classification and requirements for sealants (ISO 11600:2002)*

EN ISO 11925-2, *Reaction to fire tests - Ignitability of products subjected to direct impingement of flame - Part 2: Single-flame source test (ISO 11925-2)*

ISO 13640, *Building construction — Jointing products — Specifications for test substrates*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 6927 and the following apply.

3.1 reactive sealant

mainly curing by chemical reaction with significant increase of the molecular weight of the main polymer

3.2 cure

irreversible transformation of a sealant from a liquid or paste-like state into a hardened or rubber-like solid state

3.3 uncured / wet

state of a sealant prior to the above transformation

4 Requirements

4.1 Identification requirements

4.1.1 Short description of the sealant

The short description of the non-structural sealant for pedestrian walkways shall include brand name, type (general, chemical, family, one or multi-component e.g. one component Polyurethane sealant in different colours, etc.).

The primer shall be stated for the substrate concerned, if relevant (name, chemical type, etc.).

4.1.2 Thermogravimetric test

The test shall be carried out in accordance with EN ISO 11358 on the uncured or wet sealant, between 35 °C and 900 °C, temperature slope 10 °C/min, non-oxidative condition (e.g. nitrogen). A single sample shall be used for this test. A single specimen may be tested and there shall be no significant difference between the reference curve and derivative (profile).

In the case of a multi-component sealant, each component shall be evaluated (if relevant).

4.1.3 Density

4.1.3.1 Principal

A pyknometer is filled with the product under test. The density is calculated from the mass of the product in the pyknometer and the known volume of the pyknometer.

4.1.3.2 Method

A test temperature of $(23,0 \pm 0,5)$ °C shall be used and the test sample and pyknometer shall be conditioned to this temperature, and it shall be ensured that the temperature variation does not exceed 0,5 °C during testing.

The determination of the density shall be in accordance with EN ISO 2811-1:2016 using a suitable 50 cm³ calibrated pyknometer as described in EN ISO 2811-1:2016, 6.1.1. An alternative is the 50 cm³ Hubbard pyknometer as described in ISO 3507.

Measurements should be carried out on the uncured or wet sealant and in the case of a multi-component sealant, each component shall be evaluated. At least three samples shall be tested. The specific pyknometer used and the mean value, recorded to two decimal places, shall be declared. The tolerance of the declared values shall be within $\pm 5\%$.

4.1.4 Indentation hardness (Shore hardness)

The determination of the indentation hardness shall be in accordance with EN ISO 868. The test shall be performed on the cured sealant.

The exact conditions of test shall be defined by the manufacturer (i.e. thickness, cure/drying times and temperature and relative humidity, specific Shore type (A, D...), test time, temperature, etc.).

At least three samples shall be tested and five measurements taken per sample. The mean value and tolerances of all measurements, recorded to the nearest unit, shall be declared.

4.2 Conditioning, test procedure and substrates

4.2.1 General

When determining the classification of a sealant according to the requirements of this standard, the same conditioning procedure shall be used in all relevant test methods (use only Method A or Method B). For each test method, three test specimens for each substrate shall be tested. The same batch of sealant (and primer, if used) shall be used in all tests. The same substrates (material and surface finish) shall be used in all tests.

4.2.2 Classification

4.2.2.1 General

Classes for cold applied elastic sealants for movement joints in floors in building construction are referred to as type:

- PW (= pedestrian walkways);
- EXT (= exterior application) and INT (= interior application);

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft
Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 15651-4:2016 Ontw. en Voegkitten voor niet-constructieve
toepassing in gebouwen en voor beloopbare oppervlakken - Deel 4:
Voegkitten voor beloopbare oppervlakken € 29.20

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop**

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze
e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products
& Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling _____

T.a.v. _____ O M O V

E-mail _____

Klantnummer NEN _____

Uw ordernummer _____ BTW nummer _____

Postbus / Adres _____

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres _____

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.