

---

---

**Information technology — Database  
languages — SQL —**

**Part 9:  
Management of External Data (SQL/  
MED)**

*Technologies de l'information — Langages de base de données —  
SQL —*

*Partie 9: Gestion des données externes (SQL/MED)*

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten. This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.

Preview



Reference number  
ISO/IEC 9075-9:2016(E)

© ISO/IEC 2016

Copyright  
Preview



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2016, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

**Contents**

Page

|   |          |
|---|----------|
| Foreword.....   | xiii     |
| Introduction.....   | xiv      |
| <b>1 Scope.....</b>   | <b>1</b> |
| <b>2 Normative references.....</b>                                | <b>3</b> |
| 2.1 ISO and IEC standards.....                                    | 3        |
| 2.2 Other international standards.....                            | 3        |
| <b>3 Definitions, notations, and conventions.....</b>             | <b>5</b> |
| 3.1 Definitions.....  | 5        |
| 3.1.1 Definitions taken from XML.....                             | 5        |
| 3.1.2 Definitions provided in Part 9.....                         | 5        |
| <b>4 Concepts.....</b>  | <b>7</b> |
| 4.1 Data types.....   | 7        |
| 4.1.1 Naming of predefined types.....                             | 7        |
| 4.1.2 Data type terminology.....                                  | 7        |
| 4.2 Foreign servers.....  | 7        |
| 4.3 Foreign-data wrappers.....                                    | 8        |
| 4.4 User mappings.....  | 9        |
| 4.5 Routine mappings.....   | 9        |
| 4.6 Generic options.....  | 10       |
| 4.7 Capabilities and options information.....                     | 10       |
| 4.8 Datalinks.....  | 11       |
| 4.8.1 Operations involving datalinks.....                         | 15       |
| 4.8.1.1 Operators that operate on datalinks.....                  | 15       |
| 4.8.1.2 Other operators involving datalinks.....                  | 15       |
| 4.9 Columns, fields, and attributes.....                          | 16       |
| 4.10 Tables.....  | 16       |
| 4.10.1 Introduction to tables.....                                | 16       |
| 4.10.2 Base tables.....   | 16       |
| 4.10.2.1 Foreign tables.....                                      | 17       |
| 4.10.3 Unique identification of tables.....                       | 17       |
| 4.10.4 Table descriptors.....                                     | 17       |
| 4.10.5 Syntactic analysis of derived tables and cursors.....      | 17       |
| 4.11 Functional dependencies.....                                 | 17       |
| 4.11.1 Overview of functional dependency rules and notations..... | 18       |
| 4.11.2 Known functional dependencies in a foreign table.....      | 18       |

|          |  |           |
|----------|--|-----------|
| 4.12     | SQL-schemas.....   | 18        |
| 4.13     | SQL-statements.....  | 18        |
| 4.13.1   | SQL-statements classified by function.....                               | 18        |
| 4.13.1.1 | SQL-schema statements.....   | 18        |
| 4.13.1.2 | SQL-session statements.....  | 19        |
| 4.14     | Basic security model.....  | 19        |
| 4.14.1   | Privileges.....  | 19        |
| 4.15     | SQL-transactions.....  | 20        |
| 4.15.1   | Properties of SQL-transactions.....                                      | 20        |
| 4.16     | SQL-sessions.....  | 20        |
| 4.16.1   | SQL-session properties.....  | 20        |
| 4.17     | Foreign-data wrapper interface.....                                      | 21        |
| 4.17.1   | Handles.....   | 21        |
| 4.17.2   | Foreign server sessions.....   | 23        |
| 4.17.3   | Foreign-data wrapper interface routines.....                             | 23        |
| 4.17.3.1 | Handle routines.....   | 23        |
| 4.17.3.2 | Initialization routines.....   | 27        |
| 4.17.3.3 | Access routines.....   | 28        |
| 4.17.3.4 | Termination routines.....  | 29        |
| 4.17.3.5 | Decomposition and pass-through modes.....                                | 29        |
| 4.17.3.6 | Sequence of actions during the execution of foreign server requests..... | 29        |
| 4.17.4   | Return codes.....  | 41        |
| 4.17.5   | Foreign-data wrapper diagnostics areas.....                              | 42        |
| 4.17.6   | Null pointers.....   | 44        |
| 4.17.7   | Foreign-data wrapper descriptor areas.....                               | 44        |
| 4.18     | Introduction to SQL/CLI.....   | 47        |
| <b>5</b> | <b>Lexical elements.....</b>   | <b>49</b> |
| 5.1      | <token> and <separator>.....   | 49        |
| 5.2      | Names and identifiers.....   | 51        |
| <b>6</b> | <b>Scalar expressions.....</b>   | <b>53</b> |
| 6.1      | <data type>.....   | 53        |
| 6.2      | <cast specification>.....  | 56        |
| 6.3      | <value expression>.....  | 58        |
| 6.4      | <string value function>.....   | 59        |
| 6.5      | <datalink value expression>.....   | 63        |
| 6.6      | <datalink value function>.....   | 64        |
| <b>7</b> | <b>Query expressions.....</b>  | <b>67</b> |
| 7.1      | <table reference>.....   | 67        |
| <b>8</b> | <b>URLs.....</b>   | <b>77</b> |
| 8.1      | URL format.....  | 77        |
| <b>9</b> | <b>Additional common rules.....</b>                                      | <b>81</b> |
| 9.1      | Retrieval assignment.....  | 81        |

|           |  |            |
|-----------|--|------------|
| 9.2       | Store assignment.....                          | 82         |
| 9.3       | Result of data type combinations.....          | 83         |
| 9.4       | Type precedence list determination.....        | 84         |
| 9.5       | Determination of identical values.....         | 85         |
| 9.6       | Equality operations.....                       | 86         |
| 9.7       | Grouping operations.....                       | 87         |
| 9.8       | Multiset element grouping operations.....      | 88         |
| 9.9       | Ordering operations.....                       | 89         |
| <b>10</b> | <b>Additional common elements.....</b>         | <b>91</b>  |
| 10.1      | <generic options>.....                         | 91         |
| 10.2      | <alter generic options>.....                   | 93         |
| <b>11</b> | <b>Schema definition and manipulation.....</b> | <b>95</b>  |
| 11.1      | <schema definition>.....                       | 95         |
| 11.2      | <drop schema statement>.....                   | 96         |
| 11.3      | <table definition>.....                        | 97         |
| 11.4      | <unique constraint definition>.....            | 98         |
| 11.5      | <check constraint definition>.....             | 99         |
| 11.6      | <alter column data type clause>.....           | 100        |
| 11.7      | <drop column definition>.....                  | 101        |
| 11.8      | <domain definition>.....                       | 102        |
| 11.9      | <assertion definition>.....                    | 103        |
| 11.10     | <user-defined type definition>.....            | 104        |
| 11.11     | <SQL-invoked routine>.....                     | 105        |
| 11.12     | <drop routine statement>.....                  | 106        |
| 11.13     | <user-defined cast definition>.....            | 107        |
| 11.14     | <user-defined ordering definition>.....        | 108        |
| 11.15     | <foreign table definition>.....                | 109        |
| 11.16     | <alter foreign table statement>.....           | 112        |
| 11.17     | <add basic column definition>.....             | 114        |
| 11.18     | <alter basic column definition>.....           | 116        |
| 11.19     | <drop basic column definition>.....            | 117        |
| 11.20     | <drop foreign table statement>.....            | 119        |
| <b>12</b> | <b>Catalog manipulation.....</b>               | <b>121</b> |
| 12.1      | <foreign server definition>.....               | 121        |
| 12.2      | <alter foreign server statement>.....          | 123        |
| 12.3      | <drop foreign server statement>.....           | 124        |
| 12.4      | <foreign-data wrapper definition>.....         | 126        |
| 12.5      | <alter foreign-data wrapper statement>.....    | 128        |
| 12.6      | <drop foreign-data wrapper statement>.....     | 129        |
| 12.7      | <import foreign schema statement>.....         | 130        |
| 12.8      | <routine mapping definition>.....              | 132        |
| 12.9      | <alter routine mapping statement>.....         | 134        |
| 12.10     | <drop routine mapping statement>.....          | 135        |

|           |   |            |
|-----------|---|------------|
| <b>13</b> | <b>Access control</b> .....                       | <b>137</b> |
| 13.1      | <privileges>.....                                 | 137        |
| 13.2      | <revoke statement>.....                           | 138        |
| 13.3      | <user mapping definition>.....                    | 139        |
| 13.4      | <alter user mapping statement>.....               | 141        |
| 13.5      | <drop user mapping statement>.....                | 142        |
| <b>14</b> | <b>SQL-client modules</b> .....                   | <b>143</b> |
| 14.1      | <SQL-client module definition>.....               | 143        |
| 14.2      | <externally-invoked procedure>.....               | 145        |
| 14.3      | <SQL procedure statement>.....                    | 148        |
| 14.4      | Data type correspondences.....                    | 150        |
| <b>15</b> | <b>Additional data manipulation rules</b> .....   | <b>153</b> |
| 15.1      | Effect of deleting rows from base tables.....     | 153        |
| 15.2      | Effect of inserting tables into base tables.....  | 155        |
| 15.3      | Effect of replacing rows in base tables.....      | 157        |
| <b>16</b> | <b>Session management</b> .....                   | <b>159</b> |
| 16.1      | <set passthrough statement>.....                  | 159        |
| <b>17</b> | <b>Dynamic SQL</b> .....                          | <b>161</b> |
| 17.1      | Description of SQL descriptor areas.....          | 161        |
| 17.2      | <prepare statement>.....                          | 163        |
| 17.3      | <deallocate prepared statement>.....              | 165        |
| 17.4      | <describe statement>.....                         | 166        |
| 17.5      | <input using clause>.....                         | 168        |
| 17.6      | <output using clause>.....                        | 172        |
| 17.7      | <execute statement>.....                          | 176        |
| 17.8      | <dynamic declare cursor>.....                     | 177        |
| 17.9      | <allocate extended dynamic cursor statement>..... | 178        |
| 17.10     | <allocate received cursor statement>.....         | 179        |
| 17.11     | <dynamic open statement>.....                     | 180        |
| 17.12     | <dynamic fetch statement>.....                    | 181        |
| 17.13     | <dynamic close statement>.....                    | 182        |
| <b>18</b> | <b>Embedded SQL</b> .....                         | <b>183</b> |
| 18.1      | <embedded SQL Ada program>.....                   | 183        |
| 18.2      | <embedded SQL C program>.....                     | 185        |
| 18.3      | <embedded SQL COBOL program>.....                 | 186        |
| 18.4      | <embedded SQL Fortran program>.....               | 187        |
| 18.5      | <embedded SQL MUMPS program>.....                 | 188        |
| 18.6      | <embedded SQL Pascal program>.....                | 189        |
| 18.7      | <embedded SQL PL/I program>.....                  | 190        |
| <b>19</b> | <b>Call-Level Interface specifications</b> .....  | <b>191</b> |
| 19.1      | <CLI routine>.....                                | 191        |
| 19.2      | Implicit DESCRIBE USING clause.....               | 192        |

|           |   |            |
|-----------|---|------------|
| 19.3      | Description of CLI item descriptor areas. ....                  | 192        |
| 19.4      | Other tables associated with CLI. ....                          | 193        |
| 19.5      | SQL/CLI data type correspondences. ....                         | 196        |
| <b>20</b> | <b>SQL/CLI routines. ....</b>                                   | <b>199</b> |
| 20.1      | BuildDataLink. ....   | 199        |
| 20.2      | GetDataLinkAttr. ....   | 201        |
| 20.3      | GetInfo. ....   | 203        |
| <b>21</b> | <b>SQL/MED common specifications. ....</b>                      | <b>205</b> |
| 21.1      | Description of foreign-data wrapper item descriptor areas. .... | 205        |
| 21.2      | Implicit foreign-data wrapper cursor. ....                      | 209        |
| 21.3      | Implicit DESCRIBE INPUT USING clause. ....                      | 211        |
| 21.4      | Implicit DESCRIBE OUTPUT USING clause. ....                     | 214        |
| 21.5      | Implicit EXECUTE USING and OPEN USING clauses. ....             | 217        |
| 21.6      | Implicit FETCH USING clause. ....                               | 220        |
| 21.7      | Character string retrieval. ....                                | 224        |
| 21.8      | Binary string retrieval. ....                                   | 225        |
| 21.9      | Tables used with SQL/MED. ....                                  | 226        |
| <b>22</b> | <b>Foreign-data wrapper interface routines. ....</b>            | <b>239</b> |
| 22.1      | <foreign-data wrapper interface routine>. ....                  | 239        |
| 22.2      | <foreign-data wrapper interface routine> invocation. ....       | 244        |
| 22.3      | Foreign-data wrapper interface wrapper routines. ....           | 246        |
| 22.3.1    | AdvanceInitRequest. ....  | 246        |
| 22.3.2    | AllocQueryContext. ....   | 248        |
| 22.3.3    | AllocWrapperEnv. ....   | 249        |
| 22.3.4    | Close. ....   | 251        |
| 22.3.5    | ConnectServer. ....   | 252        |
| 22.3.6    | FreeExecutionHandle. ....                                       | 254        |
| 22.3.7    | FreeFSConnection. ....  | 256        |
| 22.3.8    | FreeQueryContext. ....  | 257        |
| 22.3.9    | FreeReplyHandle. ....   | 258        |
| 22.3.10   | FreeWrapperEnv. ....  | 259        |
| 22.3.11   | GetNextReply. ....  | 260        |
| 22.3.12   | GetNumReplyBoolVE. ....   | 261        |
| 22.3.13   | GetNumReplyOrderBy. ....  | 262        |
| 22.3.14   | GetNumReplySelectElems. ....                                    | 263        |
| 22.3.15   | GetNumReplyTableRefs. ....                                      | 264        |
| 22.3.16   | GetOpts. ....   | 265        |
| 22.3.17   | GetReplyBoolVE. ....  | 267        |
| 22.3.18   | GetReplyCardinality. ....                                       | 268        |
| 22.3.19   | GetReplyDistinct. ....  | 269        |
| 22.3.20   | GetReplyExecCost. ....  | 270        |
| 22.3.21   | GetReplyFirstCost. ....   | 271        |
| 22.3.22   | GetReplyOrderElem. ....   | 272        |

|         |  |     |
|---------|--|-----|
| 22.3.23 | GetReplyReExecCost                                 | 273 |
| 22.3.24 | GetReplySelectElem                                 | 274 |
| 22.3.25 | GetReplyTableRef                                   | 275 |
| 22.3.26 | GetSPDHandle                                       | 276 |
| 22.3.27 | GetSRDHandle                                       | 277 |
| 22.3.28 | GetStatistics                                      | 278 |
| 22.3.29 | GetWPDHandle                                       | 280 |
| 22.3.30 | GetWRDHandle                                       | 281 |
| 22.3.31 | InitRequest  | 282 |
| 22.3.32 | Iterate  | 286 |
| 22.3.33 | Open   | 288 |
| 22.3.34 | ReOpen   | 292 |
| 22.3.35 | TransmitRequest                                    | 293 |
| 22.4    | Foreign-data wrapper interface SQL-server routines | 296 |
| 22.4.1  | AllocDescriptor                                    | 296 |
| 22.4.2  | FreeDescriptor                                     | 297 |
| 22.4.3  | GetAuthorizationId                                 | 298 |
| 22.4.4  | GetBoolVE  | 299 |
| 22.4.5  | GetDescriptor                                      | 300 |
| 22.4.6  | GetDistinct  | 302 |
| 22.4.7  | GetNumBoolVE                                       | 303 |
| 22.4.8  | GetNumChildren                                     | 304 |
| 22.4.9  | GetNumOrderByElem                                  | 305 |
| 22.4.10 | GetNumRoutMapOpts                                  | 306 |
| 22.4.11 | GetNumSelectElems                                  | 307 |
| 22.4.12 | GetNumServerOpts                                   | 308 |
| 22.4.13 | GetNumTableColOpts                                 | 309 |
| 22.4.14 | GetNumTableOpts                                    | 311 |
| 22.4.15 | GetNumTableRefElems                                | 312 |
| 22.4.16 | GetNumUserOpts                                     | 313 |
| 22.4.17 | GetNumWrapperOpts                                  | 314 |
| 22.4.18 | GetOrderByElem                                     | 315 |
| 22.4.19 | GetRoutMapOpt                                      | 316 |
| 22.4.20 | GetRoutMapOptName                                  | 318 |
| 22.4.21 | GetRoutineMapping                                  | 320 |
| 22.4.22 | GetSelectElem                                      | 321 |
| 22.4.23 | GetSelectElemType                                  | 322 |
| 22.4.24 | GetServerName                                      | 323 |
| 22.4.25 | GetServerOpt                                       | 324 |
| 22.4.26 | GetServerOptByName                                 | 326 |
| 22.4.27 | GetServerType                                      | 328 |
| 22.4.28 | GetServerVersion                                   | 329 |
| 22.4.29 | GetSQLString                                       | 330 |
| 22.4.30 | GetTableColOpt                                     | 331 |



|           |  |            |
|-----------|--|------------|
| 22.4.31   | GetTableColOptByName.....                            | 333        |
| 22.4.32   | GetTableOpt.....                                     | 335        |
| 22.4.33   | GetTableOptByName.....                               | 337        |
| 22.4.34   | GetTableRefElem.....                                 | 339        |
| 22.4.35   | GetTableRefElemType.....                             | 340        |
| 22.4.36   | GetTableRefTableName.....                            | 341        |
| 22.4.37   | GetTableServerName.....                              | 342        |
| 22.4.38   | GetTRDHandle.....                                    | 343        |
| 22.4.39   | GetUserOpt.....                                      | 344        |
| 22.4.40   | GetUserOptByName.....                                | 346        |
| 22.4.41   | GetValExprColName.....                               | 348        |
| 22.4.42   | GetValueExpDesc.....                                 | 349        |
| 22.4.43   | GetValueExpKind.....                                 | 350        |
| 22.4.44   | GetValueExpName.....                                 | 351        |
| 22.4.45   | GetValueExpTable.....                                | 352        |
| 22.4.46   | GetVEChild.....                                      | 353        |
| 22.4.47   | GetWrapperLibraryName.....                           | 354        |
| 22.4.48   | GetWrapperName.....                                  | 355        |
| 22.4.49   | GetWrapperOpt.....                                   | 356        |
| 22.4.50   | GetWrapperOptByName.....                             | 358        |
| 22.4.51   | SetDescriptor.....                                   | 360        |
| 22.5      | Foreign-data wrapper interface general routines..... | 365        |
| 22.5.1    | GetDiagnostics.....                                  | 365        |
| <b>23</b> | <b>Diagnostics management.....</b>                   | <b>369</b> |
| 23.1      | <get diagnostics statement.....                      | 369        |
| <b>24</b> | <b>Information Schema.....</b>                       | <b>371</b> |
| 24.1      | ATTRIBUTES view.....                                 | 371        |
| 24.2      | COLUMN_OPTIONS view.....                             | 372        |
| 24.3      | COLUMNS view.....                                    | 373        |
| 24.4      | FOREIGN_DATA_WRAPPER_OPTIONS view.....               | 374        |
| 24.5      | FOREIGN_DATA_WRAPPERS view.....                      | 375        |
| 24.6      | FOREIGN_SERVER_OPTIONS view.....                     | 376        |
| 24.7      | FOREIGN_SERVERS view.....                            | 377        |
| 24.8      | FOREIGN_TABLE_OPTIONS view.....                      | 378        |
| 24.9      | FOREIGN_TABLES view.....                             | 379        |
| 24.10     | ROUTINE_MAPPING_OPTIONS view.....                    | 380        |
| 24.11     | ROUTINE_MAPPINGS view.....                           | 381        |
| 24.12     | USER_MAPPING_OPTIONS view.....                       | 382        |
| 24.13     | USER_MAPPINGS view.....                              | 383        |
| 24.14     | Short name views.....                                | 384        |
| <b>25</b> | <b>Definition Schema.....</b>                        | <b>389</b> |
| 25.1      | COLUMN_OPTIONS base table.....                       | 389        |
| 25.2      | DATA_TYPE_DESCRIPTOR base table.....                 | 390        |


|                   |   |            |
|-------------------|---|------------|
| 25.3              | FOREIGN_DATA_WRAPPER_OPTIONS base table.....  | 394        |
| 25.4              | FOREIGN_DATA_WRAPPERS base table.....   | 395        |
| 25.5              | FOREIGN_SERVER_OPTIONS base table.....  | 396        |
| 25.6              | FOREIGN_SERVERS base table.....   | 397        |
| 25.7              | FOREIGN_TABLE_OPTIONS base table.....   | 398        |
| 25.8              | FOREIGN_TABLES base table.....  | 399        |
| 25.9              | ROUTINE_MAPPING_OPTIONS base table.....   | 400        |
| 25.10             | ROUTINE_MAPPINGS base table.....  | 401        |
| 25.11             | SQL_CONFORMANCE base table.....   | 401        |
| 25.12             | SQL_SIZING base table.....  | 403        |
| 25.13             | TABLES base table.....  | 404        |
| 25.14             | USAGE_PRIVILEGES base table.....  | 405        |
| 25.15             | USER_MAPPING_OPTIONS base table.....  | 406        |
| 25.16             | USER_MAPPINGS base table.....   | 407        |
| <b>26</b>         | <b>Status codes.....</b>  | <b>409</b> |
| 26.1              | SQLSTATE.....   | 409        |
| <b>27</b>         | <b>Conformance.....</b>   | <b>413</b> |
| 27.1              | Claims of conformance to SQL/MED.....   | 413        |
| 27.2              | Additional conformance requirements for SQL/MED.....  | 413        |
| <b>Annex A</b>    | <b>(informative) SQL Conformance Summary.....</b>   | <b>417</b> |
| <b>Annex B</b>    | <b>(informative) Implementation-defined elements.....</b>   | <b>437</b> |
| <b>Annex C</b>    | <b>(informative) Implementation-dependent elements.....</b>   | <b>445</b> |
| <b>Annex D</b>    | <b>(informative) Deprecated features.....</b>   | <b>449</b> |
| <b>Annex E</b>    | <b>(informative) Incompatibilities with ISO/IEC 9075:2008.....</b>                                    | <b>451</b> |
| <b>Annex F</b>    | <b>(informative) SQL feature taxonomy.....</b>  | <b>453</b> |
| <b>Annex G</b>    | <b>(informative) Defect reports not addressed in this edition of this part of ISO/IEC 9075... 455</b> | <b>455</b> |
| <b>Annex H</b>    | <b>(informative) Typical header files.....</b>  | <b>457</b> |
| H.1               | C Header File SQLCLI.H.....   | 457        |
| H.2               | COBOL Library Item SQLCLI.....  | 457        |
| <b>Annex I</b>    | <b>(informative) SQL/MED model.....</b>   | <b>459</b> |
| <b>Index.....</b> |   | <b>463</b> |

## Tables

| <b>Table</b>   | <b>Page</b> |
|--|-------------|
| 1 Valid datalink file control options. ....  | 14          |
| 2 Sequence of actions during the execution of foreign server requests. ....              | 30          |
| 3 Fields used in foreign-data wrapper diagnostics areas. ....                            | 43          |
| 4 Fields in foreign-data wrapper descriptor areas. ....                                  | 45          |
| 5 Data type correspondences for Ada. ....  | 150         |
| 6 Data type correspondences for C. ....  | 150         |
| 7 Data type correspondences for COBOL. ....  | 151         |
| 8 Data type correspondences for Fortran. ....  | 151         |
| 9 Data type correspondences for M. ....  | 151         |
| 10 Data type correspondences for Pascal. ....  | 152         |
| 11 Data type correspondences for PL/I. ....  | 152         |
| 12 Codes used for SQL data types in Dynamic SQL. ....                                    | 161         |
| 13 Abbreviated SQL/CLI generic names. ....   | 191         |
| 14 Codes used for implementation data types in SQL/CLI. ....                             | 193         |
| 15 Codes used for application data types in SQL/CLI. ....                                | 193         |
| 16 Codes used to identify SQL/CLI routines. ....   | 193         |
| 17 Codes and data types for implementation information. ....                             | 194         |
| 18 Codes used for datalink attributes. ....  | 194         |
| 19 Data types of attributes. ....  | 194         |
| 20 SQL/CLI data type correspondences for Ada. ....                                       | 196         |
| 21 SQL/CLI data type correspondences for C. ....   | 196         |
| 22 SQL/CLI data type correspondences for COBOL. ....                                     | 196         |
| 23 SQL/CLI data type correspondences for Fortran. ....                                   | 197         |
| 24 SQL/CLI data type correspondences for M. ....   | 197         |
| 25 SQL/CLI data type correspondences for Pascal. ....                                    | 197         |
| 26 SQL/CLI data type correspondences for PL/I. ....                                      | 198         |
| 27 Codes used for <table reference> types. ....  | 226         |
| 28 Codes used for <value expression> kinds. ....   | 226         |
| 29 Codes used for foreign-data wrapper diagnostic fields. ....                           | 226         |
| 30 Codes used for foreign-data wrapper descriptor fields. ....                           | 227         |
| 31 Codes used for foreign-data wrapper handle types. ....                                | 229         |
| 32 Ability to retrieve foreign-data wrapper descriptor fields. ....                      | 230         |
| 33 Ability to set foreign-data wrapper descriptor fields. ....                           | 232         |
| 34 Foreign-data wrapper descriptor field default values. ....                            | 234         |
| 35 Codes used for the format of the character string transmitted by GetSQLString(). .... | 236         |
| 36 SQL-statement codes. ....   | 369         |
| 37 SQLSTATE class and subclass codes. ....   | 409         |
| 38 Implied feature relationships of SQL/MED. ....  | 415         |
| 39 Feature taxonomy for optional features. ....  | 453         |
| 40 Legend for SQL/MED interfaces. ....   | 459         |
| 41 Legend for SQL/MED information flow. ....   | 461         |

## Figures

| Figure                          | Page |
|---------------------------------|------|
| 1 SQL/MED interfaces.....       | 459  |
| 2 SQL/MED information flow..... | 460  |



## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

The committee responsible for this document is ISO/IEC JTC 1, *Information technology*, SC 32, *Data management and interchange*.

This fourth edition of ISO/IEC 9075-9 cancels and replaces the third edition (ISO/IEC 9075-9:2008), which has been technically revised. It also incorporates Technical Corrigendum ISO/IEC 9075-9:2008/Cor.1:2010.

A list of all parts in the ISO/IEC 9075 series, published under the general title *Information technology — Database languages — SQL*, can be found on the ISO website.

**NOTE** The individual parts of multi-part standards are not necessarily published together. New editions of one or more parts can be published without publication of new editions of other parts.

## Introduction

The organization of this part of ISO/IEC 9075 is as follows:

- 1) Clause 1, “Scope”, specifies the scope of this part of ISO/IEC 9075.
- 2) Clause 2, “Normative references”, identifies additional standards that, through reference in this part of ISO/IEC 9075, constitute provisions of this part of ISO/IEC 9075.
- 3) Clause 3, “Definitions, notations, and conventions”, defines the notations and conventions used in this part of ISO/IEC 9075.
- 4) Clause 4, “Concepts”, presents concepts related to this part of ISO/IEC 9075.
- 5) Clause 5, “Lexical elements”, defines the lexical elements of the language specified in this part of ISO/IEC 9075.
- 6) Clause 6, “Scalar expressions”, defines the elements of the language that produce scalar values.
- 7) Clause 7, “Query expressions”, defines the elements of the language that produce rows and tables of data.
- 8) Clause 8, “URLs”, specifies the format of URLs used in this part of ISO/IEC 9075.
- 9) Clause 9, “Additional common rules”, specifies the rules for assignments that retrieve data from or store data into SQL-data, and formation rules for set operations.
- 10) Clause 10, “Additional common elements”, defines additional common elements used in the definition of foreign tables, foreign servers, and foreign-data wrappers.
- 11) Clause 11, “Schema definition and manipulation”, defines facilities related to foreign tables and datalink type support for creating and managing a schema.
- 12) Clause 12, “Catalog manipulation”, defines facilities for creating, altering, and dropping foreign servers and foreign-data wrappers.
- 13) Clause 13, “Access control”, defines facilities for controlling access to SQL-data.
- 14) Clause 14, “SQL-client modules”, defines SQL-client modules and externally-invoked procedures.
- 15) Clause 15, “Additional data manipulation rules”, defines additional rules for data manipulation.
- 16) Clause 16, “Session management”, defines the SQL-session management statements.
- 17) Clause 17, “Dynamic SQL”, defines the dynamic SQL statements.
- 18) Clause 18, “Embedded SQL”, defines the embedded SQL statements.
- 19) Clause 19, “Call-Level Interface specifications”, defines facilities for using SQL through a Call-Level Interface.
- 20) Clause 20, “SQL/CLI routines”, defines each of the routines that comprise the Call-Level Interface.
- 21) Clause 21, “SQL/MED common specifications”, specifies common facilities used by SQL/MED.
- 22) Clause 22, “Foreign-data wrapper interface routines”, specifies the interaction between an SQL-server and a foreign-data wrapper.

- 23) **Clause 23, “Diagnostics management”**, defines the diagnostics management facilities.
- 24) **Clause 24, “Information Schema”**, defines viewed tables that contain schema information.
- 25) **Clause 25, “Definition Schema”**, defines base tables on which the viewed tables containing schema information depend.
- 26) **Clause 26, “Status codes”**, defines values that identify the status of the execution of SQL-statements and the mechanisms by which those values are returned.
- 27) **Clause 27, “Conformance”**, specifies the way in which conformance to this part of ISO/IEC 9075 may be claimed.
- 28) **Annex A, “SQL Conformance Summary”**, is an informative Annex. It summarizes the conformance requirements of the SQL language.
- 29) **Annex B, “Implementation-defined elements”**, is an informative Annex. It lists those features for which the body of this part of ISO/IEC 9075 states that the syntax, the meaning, the returned results, the effect on SQL-data and/or schemas, or any other behavior is partly or wholly implementation-defined.
- 30) **Annex C, “Implementation-dependent elements”**, is an informative Annex. It lists those features for which the body of this part of ISO/IEC 9075 states that the syntax, the meaning, the returned results, the effect on SQL-data and/or schemas, or any other behavior is partly or wholly implementation-dependent.
- 31) **Annex D, “Deprecated features”**, is an informative Annex. It lists features that the responsible Technical Committee intend will not appear in a future revised version of this part of ISO/IEC 9075.
- 32) **Annex E, “Incompatibilities with ISO/IEC 9075:2008”**, is an informative Annex. It lists incompatibilities with the previous version of this part of ISO/IEC 9075.
- 33) **Annex F, “SQL feature taxonomy”**, is an informative Annex. It identifies features of the SQL language specified in this part of ISO/IEC 9075 by an identifier and a short descriptive name. This taxonomy is used to specify conformance.
- 34) **Annex G, “Defect reports not addressed in this edition of this part of ISO/IEC 9075”**, is an informative Annex. It describes the Defect Reports that were known at the time of publication of this part of this International Standard. Each of these problems is a problem carried forward from the previous edition of ISO/IEC 9075. No new problems have been created in the drafting of this edition of this International Standard.
- 35) **Annex H, “Typical header files”**, is an informative Annex. It provides examples of typical definition files for application programs using the SQL Call-Level Interface.
- 36) **Annex I, “SQL/MED model”**, is an informative Annex. It uses annotated diagrams to illustrate the more important concepts of the model of SQL/MED, including the relationships between the SQL-server, foreign-data wrappers, and foreign servers.

In the text of this part of ISO/IEC 9075, Clauses and Annexes begin new odd-numbered pages, and in **Clause 5, “Lexical elements”**, through **Clause 27, “Conformance”**, Subclauses begin new pages. Any resulting blank space is not significant.

# Bestelformulier

## Stuur naar:

NEN Standards Products & Services  
t.a.v. afdeling Klantenservice  
Antwoordnummer 10214  
2600 WB Delft



**NEN** Standards Products & Services

Postbus 5059  
2600 GB Delft

Vlinderweg 6  
2623 AX Delft

T (015) 2 690 390  
F (015) 2 690 271

[www.nen.nl/normshop](http://www.nen.nl/normshop)

## Ja, ik bestel

\_\_ ex. ISO/IEC 9075-9:2016 en Information technology - Database languages € 166.18  
- SQL - Part 9: Management of External Data (SQL/MED)

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via [www.nen.nl/normshop](http://www.nen.nl/normshop)**

### Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. [www.nen.nl/nieuwsbrieven](http://www.nen.nl/nieuwsbrieven)

## Gegevens

Bedrijf / Instelling

T.a.v.  O M O V

E-mail

Klantnummer NEN

Uw ordernummer  BTW nummer

Postbus / Adres

Postcode  Plaats

Telefoon  Fax

**Factuuradres** (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode  Plaats

Datum  Handtekening

### Retourneren

Fax: 015 2 690 271

E-mail: [klantenservice@nen.nl](mailto:klantenservice@nen.nl)

Post: NEN Standards Products & Services,

t.a.v. afdeling Klantenservice  
Antwoordnummer 10214,  
2600 WB Delft

(geen postzegel nodig).

### Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: [www.nen.nl/leveringsvoorwaarden](http://www.nen.nl/leveringsvoorwaarden).