



Nederlandse norm

# NEN-ISO/IEC 26558

(en)

Software and systems engineering - Methods and tools for variability modelling in software and systems product line (ISO/IEC 26558:2017, IDT)

ICS 35.080  
september 2017

Als Nederlandse norm is aanvaard:

- ISO/IEC 26558:2017, DT

Normcommissie 381007 "Software and systems engineering"



**THIS PUBLICATION IS COPYRIGHT/PROTECTED**

**DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD**

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.



©2017 Koninklijk Nederlands Normalisatie-instituut  
Postbus 5059, 2600 GB Delft  
Telefoon (015) 2 690 390, Fax (015) 2 690 190

---

---

**Software and systems engineering —  
Methods and tools for variability  
modelling in software and systems  
product line**

*Ingénierie des systèmes et du logiciel — Méthodes et outils pour  
modéliser la variabilité dans les gammes de produits des logiciels et  
systèmes*

Preview



Reference number  
ISO/IEC 26558:2017(E)

© ISO/IEC 2017

Copyright  
Preview



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2017, Published in Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Ch. de Blandonnet 8 • CP 401  
CH-1214 Vernier, Geneva, Switzerland  
Tel. +41 22 749 01 11  
Fax +41 22 749 09 47  
copyright@iso.org  
www.iso.org

# Contents

Page

<b>Foreword</b> .....	<b>v</b>
<b>Introduction</b> .....	<b>vi</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Variability modelling in software and systems product line</b> .....	<b>2</b>
4.1 Overview.....	2
4.2 Reference model for variability modelling in software and systems product line.....	4
<b>5 Variability model management</b> .....	<b>6</b>
5.1 General.....	6
5.2 Variability model planning.....	7
5.2.1 Purpose of variability model planning.....	7
5.2.2 Design variability modelling strategy.....	7
5.2.3 Define quality assurance measures for variability modelling.....	8
5.2.4 Assign responsibility for variability modelling.....	8
5.2.5 Record variability model plan.....	8
5.3 Variability model enabling.....	9
5.3.1 Purpose of variability model enabling.....	9
5.3.2 Provide guidance for variability modelling.....	10
5.3.3 Mobilize roles and responsibilities for variability modelling.....	10
5.3.4 Enable variability model-centric variability management.....	10
5.3.5 Enable variability modelling operations.....	11
5.3.6 Enable quality assurance measurement for variability modelling.....	11
5.4 Variability model managing.....	11
5.4.1 Purpose of variability model managing.....	11
5.4.2 Review the plan versus actual of variability modelling.....	12
5.4.3 Control issues on domain/application variability modelling.....	13
5.4.4 Control issues on variability model-centred variability management.....	13
5.4.5 Control issues on variability model support.....	13
5.4.6 Support corrective actions for variability modelling.....	14
5.4.7 Make improvement actions for variability modelling.....	14
<b>6 Variability modelling</b> .....	<b>14</b>
6.1 General.....	14
6.2 Domain variability modelling.....	15
6.2.1 Purpose of domain variability modelling.....	15
6.2.2 Construct domain variability model.....	15
6.2.3 Annotate domain variability model.....	16
6.2.4 Verify domain variability model.....	16
6.2.5 Optimize domain variability model.....	17
6.3 Application variability modelling.....	17
6.3.1 Purpose of application variability modelling.....	17
6.3.2 Construct application variability model.....	18
6.3.3 Annotate application variability model.....	18
6.3.4 Verify application variability model.....	18
6.3.5 Optimize application variability model.....	19
6.4 Relating variability model to artefacts.....	19
6.4.1 Purpose of relating variability model to artefacts.....	19
6.4.2 Retrieve variation points and variants in relevant artefacts.....	20
6.4.3 Relate domain variability model to domain artefacts.....	20
6.4.4 Relate application variability model to application artefacts.....	20
6.5 Relating domain variability model to application variability model.....	21
6.5.1 Purpose of domain variability model to application variability model.....	21

**ISO/IEC 26558:2017(E)**

6.5.2	Trace binding decisions made in an application .....	22
6.5.3	Establish relations between domain and application variability models .....	22
6.5.4	Add decision-related annotations to relations .....	22
6.5.5	Verify relations between domain and application variability models .....	23
<b>7</b>	<b>Variability model support .....</b>	<b>23</b>
7.1	General .....	23
7.2	Relating variability model to variability mechanism .....	23
7.2.1	Purpose of relating variability model to variability mechanism .....	23
7.2.2	Identify variability including variability mechanism constraints .....	24
7.2.3	Establish relations from variability model to variability mechanism .....	24
7.2.4	Add variability mechanism constraint annotations into variability model .....	25
7.3	Quality assurance for variability model .....	25
7.3.1	Purpose of quality assurance for variability model .....	25
7.3.2	Objectively evaluate variability modelling activities .....	26
7.3.3	Objectively evaluate variability model work products .....	26
7.3.4	Communicate and resolve noncompliance issues .....	27
7.3.5	Establish records of variability modelling quality assurance activities .....	27
7.4	Binding decision support .....	28
7.4.1	Purpose of binding decision support .....	28
7.4.2	Establish full of references to binding decision tables .....	28
7.4.3	Verify binding decisions from variability models view .....	29
7.5	Application configuration support .....	29
7.5.1	Purpose of application configuration support .....	29
7.5.2	Relate variability models to binding decision tables .....	30
7.5.3	Provide different views of variability models by binding stages .....	30
7.5.4	Support full of traces from variability model to artefacts .....	30
<b>Annex A</b>	<b>(informative) Variability meta model .....</b>	<b>32</b>
<b>Annex B</b>	<b>(informative) Orthogonal variability model .....</b>	<b>33</b>
<b>Annex C</b>	<b>(informative) Formal descriptions for variability relationships .....</b>	<b>34</b>
<b>Annex D</b>	<b>(informative) Orthogonal variability decision table .....</b>	<b>35</b>
<b>Annex E</b>	<b>(informative) Orthogonal variability model validation .....</b>	<b>36</b>
<b>Bibliography</b>	<b>.....</b>	<b>38</b>

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and systems engineering*.

## Introduction

Software and Systems Product Line (SSPL) engineering and management creates, exploits and manages a common platform to develop a family of products (e.g. software products, systems architectures) at lower cost, reduced time to market and with better quality. As a result, it has gained increasing global attention since the 1990s.

Variability, which differentiates a member product from other products within a product line, plays an important role in SSPL; and hundreds of variabilities are introduced throughout the whole SSPL domain engineering stages. Those variabilities are defined, refined, newly added as domain engineering stages go forward. Variabilities thus are modelled carefully so as to manage and control them in a systematic way. This document deals with methods and tools capability for supporting variability modelling using consistent notations and for managing and/or utilizing variability models in domain and application engineering lifecycle processes.

This document can be used in the following modes:

- by the users of this document: to benefit people who want to adopt SSPL for producing their products by guiding how to model variabilities among member products;
- by a product line organization: to provide guidance in the evaluation and selection for methods and tools for variability modelling;
- by providers of tools and methods: to provide guidance in implementing or developing methods and tools by providing a comprehensive set of methods and tools capabilities for supporting variability modelling.

The ISO/IEC 26550 family of standards addresses both engineering and management processes and capabilities of methods and tools in terms of the key characteristics of product line development. This document provides processes and capabilities of methods and tools for variability modelling in product lines. Other ISO/IEC 26550 family standards are as follows:

- processes and capabilities of methods and tools for domain requirements engineering and application requirements engineering are provided in ISO/IEC 26551;
- processes and capabilities of methods and tools for domain design and application design are provided in ISO/IEC 26552;
- processes and capabilities of methods and tools for domain realization and application realization are provided in ISO/IEC 26553 (International Standard under development);
- processes and capabilities of methods and tools for domain testing and application testing are provided in ISO/IEC 26554;
- processes and capabilities of methods and tools for technical management are provided in ISO/IEC 26555;
- processes and capabilities of methods and tools for organizational management are provided in ISO/IEC 26556;
- processes and capabilities of methods and tools for variability mechanisms are provided in ISO/IEC 26557;
- processes and capabilities of methods and tools for variability traceability are provided in ISO/IEC 26559;
- processes and capabilities of methods and tools for product management are provided in ISO/IEC 26560;
- processes and capabilities of methods and tools for technical probe are provided in ISO/IEC 26561;



- processes and capabilities of methods and tools for transition management are provided in ISO/IEC 26562;
- processes and capabilities of methods and tools for configuration management of asset are provided in ISO/IEC 26563;
- others (ISO/IEC 26564 to ISO/IEC 26599): to be developed.

ISO/IEC 26550, ISO/IEC 26551 and ISO/IEC 26555 are published. ISO/IEC 26557 and ISO/IEC 26559 are to be published. ISO/IEC 26552, ISO/IEC 26553, ISO/IEC 26554, ISO/IEC 26556, ISO/IEC 26560, ISO/IEC 26561, ISO/IEC 26562, ISO/IEC 26563 are planned International Standards.

Forbiede  
Preview

Voorbeld  
Preview

# Software and systems engineering — Methods and tools for variability modelling in software and systems product line

## 1 Scope

This document, within the context of methods and tools for supporting explicit and/or separate variability modelling, variability model management and variability model support in software and systems product lines:

- provides the terms and definitions specific to variability modelling for software and systems product line;
- defines processes for variability modelling, variability model management and variability model support throughout the product line lifecycle. Those processes are described in terms of purpose, inputs, tasks and outcomes;
- defines method capabilities to support the defined tasks of each process;
- defines tool capabilities that automate or semi-automate tasks and methods.

This document does not concern processes and capabilities of tools and methods for a single system but rather deals with those for a family of products.

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

### 3.1

#### **application configuration**

composition results of an application by both binding variability and adding application specific variability

### 3.2

#### **application variability model**

variability model for a particular application including variability binding results, application specifically modified variability and application specifically added variability

### 3.3

#### **aspect**

special consideration within product line engineering process groups and tasks to which we can associate specialized methods and tools

### 3.4

#### **domain variability model**

explicit definition of product line variability

**ISO/IEC 26558:2017(E)****3.5****constraints dependency**

relationship between *variation points* (3.12), between *variants* (3.11) and between a variation point and a variant

Note 1 to entry: Two types of constraints are possible: “excludes” which means a variant or a variation point forbids another variant or variation point and “requires” which means a variant or a variation point demands (an-)other variant or variation point.

**3.6****texture****architectural texture**

collection of common development rules and constraints for realizing the applications of a product line

**3.7****variability dependency**

association from a *variation point* (3.12) to a *variant* (3.11) or variants

**3.8****variability modelling**

explicit definition for product line variability

**3.9****variability modelling plan**

documentation that includes schedules, defined roles and responsibilities, and defined quality assurance measures that will be applied to *variability modelling* (3.8)

**3.10****variability modelling strategy**

*variability modelling* (3.8) methodology, strictness degree of variability model validation, rules, constraints, other details for supporting the role of variability model in the whole variability management

**3.11****variant**

instance or a value of a *variation point* (3.12)

**3.12****variation point**

indication of product differentiation based on particular variable characteristics of products, domain assets, and application assets in the context of a product line

**4 Variability modelling in software and systems product line****4.1 Overview**

Variability is a key differentiator between single-system engineering and management and product line engineering and management. Product line engineering and management has to take explicitly into account the variations within and between multiple products. The product line variabilities are introduced and defined during product management, domain engineering and application engineering processes defined in ISO/IEC 26550. Their abstraction levels at each lifecycle stage can differ and much variability are refined or newly added as the development progresses. Variability should be defined, modelled, implemented, versioned, verified and validated. Variability model supports abstractions and explicit expressions of the defined variabilities. Variability modelling means the operation for creating, maintaining and supporting variability models using variability together with variability-relevant information defined from product management, domain engineering to application engineering of ISO/IEC 26550. This document supports variability modelling using consistent notations and provides management and required supports for managing and/or utilizing variability models in domain and application engineering.

# Bestelformulier

## Stuur naar:

NEN Standards Products & Services  
t.a.v. afdeling Klantenservice  
Antwoordnummer 10214  
2600 WB Delft



**NEN** Standards Products & Services

Postbus 5059  
2600 GB Delft

Vlinderweg 6  
2623 AX Delft

T (015) 2 690 390  
F (015) 2 690 271

[www.nen.nl/normshop](http://www.nen.nl/normshop)

## Ja, ik bestel

\_\_ ex. NEN-ISO/IEC 26558:2017 en Software and systems engineering -  
Methods and tools for variability modelling in software and systems product  
line

€ 143.10

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via  
[www.nen.nl/normshop](http://www.nen.nl/normshop)**

### Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,  
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze  
e-mailnieuwsbrieven. [www.nen.nl/nieuwsbrieven](http://www.nen.nl/nieuwsbrieven)

## Gegevens

Bedrijf / Instelling

T.a.v.  O M O V

E-mail

Klantnummer NEN

Uw ordernummer  BTW nummer

Postbus / Adres

Postcode  Plaats

Telefoon  Fax

**Factuuradres** (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode  Plaats

Datum  Handtekening

### Retourneren

Fax: 015 2 690 271

E-mail: [klantenservice@nen.nl](mailto:klantenservice@nen.nl)

Post: NEN Standards Products  
& Services,

t.a.v. afdeling Klantenservice  
Antwoordnummer 10214,  
2600 WB Delft

(geen postzegel nodig).

### Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: [www.nen.nl/leveringsvoorwaarden](http://www.nen.nl/leveringsvoorwaarden).