

Nederlandse norm

NEN-EN 13207

(en)

Kunststoffen - Thermoplastische buizen en foliën
voor kuilvoeder voor toepassing in de landbouw

Plastics - Thermoplastic silage films and tubes for
use in agriculture

Vervangt NEN-EN 13207:2001;
NEN-EN 13207:2017 Ontw.

ICS 65.040.20; 83.140.10
maart 2018

Als Nederlandse norm is aanvaard:
- EN 13207:2018,IDT

Normcommissie 342061 'Kunststoffen'



THIS PUBLICATION IS COPYRIGHT PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.

EUROPEAN STANDARD

EN 13207

NORME EUROPÉENNE

EUROPÄISCHE NORM

February 2018

ICS 83.140.10

Supersedes EN 13207:2001

English Version

Plastics - Thermoplastic silage films and tubes for use in agriculture

Plastiques - Films d'ensilage thermoplastiques et gaines pour utilisation en agriculture

Kunststoffe - Thermoplastische Silofolien und -schläuche für den Einsatz in der Landwirtschaft

This European Standard was approved by CEN on 10 December 2017.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

	Page
European foreword.....	3
1 Scope.....	4
2 Normative references.....	4
3 Terms and definitions.....	5
4 Types and use.....	6
5 Material.....	6
6 Durability.....	7
7 Requirements.....	7
7.1 General requirements.....	7
7.2 Requirements for appearance.....	8
8 Test methods.....	9
8.1 Determination of thickness.....	9
8.2 Determination of width and length of the film.....	9
8.3 Determination of tensile characteristics.....	9
8.4 Determination of impact resistance.....	9
8.4.1 General.....	9
8.4.2 Flat area.....	9
8.4.3 Fold area.....	9
8.5 Resistance to artificial weathering.....	10
8.5.1 Principle.....	10
8.5.2 Exposure to xenon-arc lamps.....	10
8.5.3 Procedure.....	11
8.5.4 Calculation and expression of results.....	11
8.6 Determination of the oxygen transmission rate.....	11
9 Film acceptance, storage and handling.....	11
9.1 Delivery control.....	11
9.2 Storage and handling of rolls.....	11
10 Designation.....	11
11 Marking.....	12
12 Instructions for use of silage films.....	12
13 Instructions for disposal of silage films and end-of-life.....	12
Annex A (informative) Exposure to other light sources.....	13
A.1 Medium pressure mercury vapour lamps.....	13
A.2 Fluorescent UV lamps.....	15
Annex B (informative) Guidance for use and disposal of silage films.....	17
B.1 Installation instructions.....	17
B.2 Use conditions.....	17
B.3 Factor affecting the lifetime of silage films.....	18
B.4 Removal instructions.....	18
Bibliography.....	20

European foreword

This document (EN 13207:2018) has been prepared by Technical Committee CEN/TC 249 "Plastics", the secretariat of which is held by NBN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by August 2018 and conflicting national standards shall be withdrawn at the latest by August 2018.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes EN 13207:2001.

The following technical changes have been made in comparison to EN 13207:2001:

- the scope is extended to installation and removal conditions and the intended use for the applications is specified in extended way;
- Clause 4 Types and use, has been added;
- in Clause 5 Material, the barrier polymer, has been added;
- a new Clause 6 Durability, has been drafted on the basis of the old Clause 5 Duration of the silage film;
- the Clause for requirements, test methods, acceptance, storage and handling have been drafted in a new frame;
- the Clauses on instructions, disposal of silage films and end-of-life, have been added.

According to the CEN-CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

EN 13207:2018 (E)**1 Scope**

This European Standard specifies the requirements related to dimensional, mechanical and optical characteristics of thermoplastic films and tubes used during the manufacture of silage and designed to last at least one year for protecting fodder.

It specifies a classification for the durability of silage films and the test methods referred to in this standard.

This European Standard is applicable to transparent, black, white or coloured (e.g. black/white) thermoplastic silage films based on polyethylene, ethylene copolymer, EVOH and polyamide.

These films are intended for covering bunker silos, silage tubes or silage clamps for preserving forage. They protect the forage and preserve it from rain and air. These films are not intended to cover bales piles (e.g. straw bales and hay bales).

Silage films obtained by sealing two or more films in machine direction are out of the scope of this document.

This European Standard also defines installation, use and removal conditions of silage films. It defines the conventional useful lifetime, as well as rules that allow evaluating the remaining use potential in the event of a failure before the normal end-of-use date.

NOTE These rules allow estimating the residual value of the films. These provisions only apply to the film itself and the damage it has undergone. Any other problem falls within the scope of professional practices and the general terms and conditions of sale.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN ISO 527-1, *Plastics - Determination of tensile properties - Part 1: General principles (ISO 527-1)*

EN ISO 527-3:1995, *Plastics - Determination of tensile properties - Part 3: Test conditions for films and sheets (ISO 527-3:1995)*

EN ISO 4892-2, *Plastics - Methods of exposure to laboratory light sources - Part 2: Xenon-arc lamps (ISO 4892-2)*

EN ISO 7765-1, *Plastics film and sheeting - Determination of impact resistance by the free-falling dart method - Part 1: Staircase methods (ISO 7765-1)*

ISO 4592, *Plastics - Film and sheeting - Determination of length and width*

ISO 4593, *Plastics - Film and sheeting - Determination of thickness by mechanical scanning*

ISO 15105-2:2003, *Plastics - Film and sheeting - Determination of gas-transmission rate - Part 2: Equal-pressure method*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

width

overall width of the film when laid flat

Note 1 to entry: It is expressed in millimetres (mm).

3.2

nominal width

width of the film, as declared by the manufacturer/supplier

Note 1 to entry: It is expressed in millimetres (mm).

3.3

nominal thickness

thickness of a film, as declared by the manufacturer/supplier

Note 1 to entry: It is expressed in micrometres (μm).

3.4

roll length

largest dimension of a film corresponding to the length of the unwinded roll

Note 1 to entry: It is expressed in metres (m).

3.5

nominal length

length of a film roll or a sheet, as declared by the manufacturer/supplier

Note 1 to entry: It is expressed in metres (m).

3.6

nominal mass

mass of a roll or a sheet, as declared by the manufacturer/supplier

Note 1 to entry: It is expressed in kilograms (kg).

3.7

longitudinal direction

MD

direction parallel to the roll length, corresponding to the extrusion direction

3.8

transverse direction

TD

direction parallel to the width (at right angle to the length)

EN 13207:2018 (E)

3.9 conventional expected lifetime
 expected lifetime defined by agreement between the manufacturer/supplier and the customer or, by default, minimum twelve months

Note 1 to entry: It is expressed in years or months.

3.10 radiant exposure H
 time integral of irradiance

Note 1 to entry: It is measured in joules per square metre ($J \cdot m^{-2}$).

[SOURCE: ISO 9370:2017, 3.27 [1]]

4 Types and use

The different types of silage films are given in Table 1.

Table 1 — Types of films

Type	Characteristics
SA	Film or tube with a nominal thickness $\geq 90 \mu m$ suitable for food contact
SB	Film or tube with a nominal thickness $\geq 100 \mu m$ not suitable for food contact
SC	Film with a nominal thickness $\geq 35 \mu m$ used as lining in combination addition to a type A or B silage film
SD	Film or tube with a thickness $\geq 90 \mu m$ having at least one coextruded layer made from a gas barrier polymer (e.g. EVOH or polyamide)
SE	Film with a nominal thickness $\geq 35 \mu m$ having at least one coextruded layer made from a gas barrier polymer used as lining in combination addition to a type A or B silage film

5 Material

Silage films in accordance with this standard are usually manufactured from:

- low density polyethylene (PE-LD), linear low density polyethylene (PE-LLD) and their blends;
- ethylene vinyl acetate copolymers (EVAC) and their blends with PE-LD or PE-LLD;
- ethylene butyl acrylate copolymers (EBAK) and their blends with PE-LD or PE-LLD;
- gas barrier polymer, e.g. EVOH or polyamide.

6 Durability

The durability of silage films is characterized by the class C0, C1 or C2. This classification, given in Table 2, is depending on the duration of exposure of the film to an artificial weathering using xenon-arc lamps according to 8.5, which induces a decrease of the value of tensile strain at break equal or less than 50 % of the initial value.

The class of durability shall be declared by the manufacturer/supplier.

Table 2 — Resistance to weathering classification

Class	Minimum duration of exposure h
C0 ^a	140
C1	1 400
C2	2 100
^a For Type SC and SE film, only.	

For C1, corresponding to a duration of natural exposure of 12 months for a film used in a climatic zone ≤ 130 kly/year¹⁾

For C2 corresponding to a duration of natural exposure of 12 months for a film used in a climatic zone between 131 kly/year and 160 kly/year and of 18 months for a film used in a climatic zone ≤ 130 kly/year¹⁾.

Other light sources may be used provided that a correlation between the test results obtained with these light sources and those obtained after a natural exposure can be demonstrated. This may be useful when the duration of the exposure to xenon-arc lamps as defined in Table 2 are too long. Details of these methods are given in Annex A (informative).

In case of dispute, the exposure to xenon-arc lamps according to 8.5 and the classification according to Table 2 shall be used.

7 Requirements

7.1 General requirements

Silage films shall fulfil the requirements of Table 3.

1) 1 kly = 0,041 84 GJ/m².

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 13207:2018 en Kunststoffen - Thermoplastische buizen en
foliën voor kuilvoeder voor toepassing in de landbouw € 50.00

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop**

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze
e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling _____

T.a.v. _____ O M O V

E-mail _____

Klantnummer NEN _____

Uw ordernummer _____ BTW nummer _____

Postbus / Adres _____

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres _____

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products
& Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.