

Nederlandse norm

# NEN-ISO/IEC 7811-1

(en)

Identification cards - Recording technique - Part  
1: Embossing (ISO/IEC 7811-1:2018, IDT)

Vervangt NEN-ISO/IEC 7811-1:2014

ICS 35.240.15  
augustus 2018

Als Nederlandse norm is aanvaard:

- ISO/IEC 7811-1:2018, IDT

Preview

Normcommissie 381017 'Identificatie kaarten en persoonlijke identificatie'



**THIS PUBLICATION IS COPYRIGHT/PROTECTED**

**DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD**

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.



©2018 Koninklijk Nederlands Normalisatie-instituut  
Postbus 5059, 2600 GB Delft  
Telefoon (015) 2 690 390, Fax (015) 2 690 190

Preview

---

---

**Identification cards — Recording  
technique —**  
**Part 1:  
Embossing**

*Cartes d'identification — Technique d'enregistrement —  
Partie 1. Estampage*



Copyright  
Preview



**COPYRIGHT PROTECTED DOCUMENT**

© ISO/IEC 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>2</b>
<b>4 Conformance</b> .....	<b>2</b>
<b>5 Card characteristics</b> .....	<b>2</b>
5.1 General.....	2
5.2 Card warpage.....	3
5.3 Surface distortions.....	3
5.4 Card width and height.....	3
<b>6 Machine readable characters</b> .....	<b>4</b>
6.1 Character set and type font.....	4
6.2 Character spacing.....	4
6.3 Character height.....	4
6.4 Relief height of embossed characters.....	4
<b>7 Visually readable characters</b> .....	<b>4</b>
7.1 Character set and type font.....	4
7.2 Character spacing.....	4
7.3 Relief height of embossed characters.....	4
<b>8 Assigned embossing areas</b> .....	<b>5</b>
8.1 Identification number line.....	6
8.2 Name and address area.....	7
<b>Annex A (informative) Pictorial representation of numeric data</b> .....	<b>8</b>
<b>Annex B (normative) 7 B print specifications</b> .....	<b>9</b>
<b>Annex C (informative) Impact resistance test</b> .....	<b>21</b>
<b>Annex D (normative) Embossing with contactless integrated circuit cards</b> .....	<b>23</b>

## ISO/IEC 7811-1:2018(E)

## Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular the different approval criteria needed for the different types of document should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see the following URL: [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by ISO/IEC JTC 1, *Information technology, SC 17, Cards and personal identification*.

This fifth edition cancels and replaces the fourth edition (ISO/IEC 7811-1:2014), which has been technically revised.

Major changes from the previous edition are as follows:

- [Annex D](#) has been added to define the minimum spacing from embossing and IC components;
- the title of [Clause 6](#) was changed to avoid confusion. Formerly, the title was “Visually and machine readable characters” which could be interpreted to include characters in the following clause. The reference in [Table 1](#) was also changed.

Notes in this document are only used for giving additional information intended to assist in the understanding or use of the document. They do not contain provisions or requirements to which it is necessary to conform in order to be able to claim compliance to this document.

A list of all the parts in the ISO/IEC 7811 series, can be found on the ISO website.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

# Identification cards — Recording technique —

## Part 1: Embossing

### 1 Scope

This document is one of a series of International Standards describing the parameters for identification cards as defined in the terms and definitions clause and the use of such cards for international interchange.

This document specifies requirements for embossed characters on identification cards. The embossed characters are intended for transfer of data either by use of imprinters or by visual or machine reading. It takes into consideration both human and machine aspects and states minimum requirements.

It is the purpose of this document to provide criteria to which cards shall perform. No consideration is given within this document to the amount of use, if any, experienced by the card prior to test. Failure to conform to specified criteria is negotiated between the involved parties.

ISO/IEC 10373-1 specifies the test procedures used to check cards against the parameters specified in this document.

NOTE 1 Numeric values in the SI and/or Imperial measurement system in this document may have been rounded off and are consistent with, but not exactly equal to each other. Using either system is correct but intermixing or reconvertin values can result in errors. The original design was made using the Imperial measurement system.

NOTE 2 Tactile Identifier Mark (TIM) defined by ISO/IEC 7811-9 can be located in the name and address area of this document. The layout of embossed characters in this area is not intended to interfere with TIM.

### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1073-1, *Alphanumeric character sets for optical recognition — Part 1: Character set OCR-A — Shapes and dimensions of the printed image*

ISO 1073-2, *Alphanumeric character sets for optical recognition — Part 2: Character set OCR-B — Shapes and dimensions of the printed image*

ISO 1831, *Printing specifications for optical character recognition*

ISO/IEC 7810, *Identification cards — Physical characteristics*

ISO/IEC 7811-9, *Identification cards — Recording technique — Part 9: Tactile identifier mark*

ISO/IEC 7812-1, *Identification cards — Identification of issuers — Part 1: Numbering system*

ISO/IEC 7812-2, *Identification cards — Identification of issuers — Part 2: Application and registration procedures*

ISO/IEC 10373-1, *Identification cards — Test methods — Part 1: General characteristics*

**ISO/IEC 7811-1:2018(E)**

ISO/IEC 14443-1:2018, *Identification cards — Contactless integrated circuit cards — Proximity cards — Part 1: Physical characteristics*

ISO/IEC 15693-1, *Identification cards — Contactless integrated circuit cards — Vicinity cards — Part 1: Physical characteristics*

**3 Terms and definitions**

For the purposes of this document, the terms and definitions given in ISO/IEC 7810 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

**3.1 embossing**

characters raised in relief from the front surface of the card

**3.2 unused card**

card which has been embossed with all the characters required for its intended purpose but has not been issued

**3.3 returned card**

embossed card after it has been issued to the card holder and returned for the purpose of testing

**3.4 identification number**

number that identifies the card holder

**4 Conformance**

A prerequisite for conformance with this document is conformance with ISO/IEC 7810 for the ID-1 size card. An identification card is in conformance with this document if it meets all mandatory requirements specified herein. Default values apply if no others are specified.

**5 Card characteristics****5.1 General**

Special attention shall be paid to the characteristics of the material affecting its suitability for this purpose, particularly in respect to its ability to resist crushing and collapsing of the embossed parts when operating in imprinters.

Cards shall be made of PVC (polyvinyl chloride) and/or PVCA (vinyl chloride/vinyl acetate copolymer) or materials having equal or better performance such as polyesters, polyethylenes and polycarbonates.

**NOTE** Refer to machine manufacturer instructions regarding card construction requirements for achieving embossed character relief heights in compliance with this document. At the time of publication there was no agreed on test method for verifying the suitability of card structures for embossing. See informative [Annex C](#).



### 5.2 Card warpage

When lying convex side up on a flat rigid surface, the maximum distance from the flat surface to any non-embossed portion of the convex side of an embossed card immediately prior to issue shall not be greater than 2,5 mm (0.10 in) including the card thickness.

NOTE The amount of card warpage depends on the card material and the embossing technique used.

### 5.3 Surface distortions

No raised area shall exceed 0,51 mm (0.020 in) on the front of the card in the area A as shown in [Figure 1](#).




Figure 1 — Embossed card dimensions

### 5.4 Card width and height

All points on the edges of the embossed card in the finished state, except for the rounded corners, shall fall between two concentric, similarly aligned rectangles as defined in [Figure 1](#) for maximum height and width, and minimum height and width.

NOTE 1 Card width and height tolerances given here are different than those in ISO/IEC 7810 to account for changes in card size due to embossing.

NOTE 2 All identification card standards use the top edge of the card as the reference edge for dimensions, except for this embossing standard which, for historical reasons, uses the bottom edge of the card as the reference.

# ALTIJD DE ACTUELE NORM IN UW BEZIT HEBBEN?

Nooit meer zoeken in de systemen en uzelf de vraag stellen:  
“Is NEN-ISO/IEC 7811-1:2018 en de laatste versie?”™

Via het digitale platform NEN Connect heeft u altijd toegang tot de meest actuele versie van deze norm. Vervallen versies blijven ook beschikbaar. **U en uw collega's** kunnen de norm via NEN Connect makkelijk raadplagen, online en offline.

Kies voor slimmer werken en bekijk onze mogelijkheden op [www.nenconnect.nl](http://www.nenconnect.nl).

## Heeft u vragen?

Onze Klantenservice is bereikbaar maandag tot en met vrijdag, van 8.30 tot 17.00 uur.

Telefoon: 015 2 690 391

E-mail: [klantenservice@nen.nl](mailto:klantenservice@nen.nl)

