


Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten.
This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.



Nederlandse norm

NEN-ISO 1835

(en)

Round steel short link chains for lifting purposes -
Medium tolerance sling chains - Grade 4, stainless
steel (ISO 1835:2018, IDT)

ICS 53.020.30
september 2018

Als Nederlandse norm is aanvaard:

- ISO 1835:2018, IDT

Normcommissie 345001 'Hijsgereedschappen'



THIS PUBLICATION IS COPYRIGHT/PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Preview

Copyright

**Round steel short link chains for
lifting purposes — Medium tolerance
sling chains — Grade 4, stainless steel**

*Chaînes de levage en acier de section ronde à maillons courts —
Chaînes de élingue de tolérance moyenne — Classe de qualité 4, acier
inoxydable*



Copyright
Preview

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

Page

Foreword	iv
1 Scope	1
2 Normative references	1
3 Terms and definitions	1
4 Dimensions, masses and designation	2
4.1 Dimensions and masses.....	2
4.2 Designation.....	4
5 Requirements	5
5.1 General.....	5
5.2 Material.....	5
5.3 Heat treatment.....	5
5.4 Surface condition.....	5
5.5 Dimensions.....	5
5.5.1 Diameter.....	5
5.5.2 Pitch.....	5
5.5.3 Width.....	5
5.5.4 Weld dimensions.....	5
5.5.5 Length dimensionally affected by welding.....	6
5.6 Working load limit (WLL).....	6
5.7 Mechanical properties.....	6
5.7.1 General.....	6
5.7.2 Manufacturing proof force (MPF).....	7
5.7.3 Breaking force (BF).....	7
5.7.4 Bend deflection.....	7
5.7.5 Total ultimate elongation A.....	7
6 Tests	7
6.1 General.....	7
6.2 Size of lot.....	7
6.3 Sampling.....	7
6.4 Dimension test.....	7
6.5 Tensile test.....	8
6.5.1 Testing machine.....	8
6.5.2 Procedure.....	8
6.6 Bend test.....	8
6.6.1 Testing machine.....	8
6.6.2 Procedure.....	8
7 Marking	9
7.1 Grade marking.....	9
7.2 Manufacturer's marking.....	9
7.3 Traceability marking.....	9
8 Manufacturer's certificate	9
9 Use	10
10 Environmental aspects	10
Annex A (informative) Bases for calculation	11
Annex B (informative) Mass of sling chains	14
Annex C (informative) Force-deflection-diagram	15
Bibliography	17

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 111, *Round steel link chains, chain slings, components and accessories*, Subcommittee SC 1, *Chains and chain slings*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

This second edition cancels and replaces the first edition (ISO 1835:1980), which has been technically revised. The main changes compared to the previous edition are as follows:

- change of material requirements towards stainless steel;
- modernization of the document structure and layout, following the structure already implemented in the latest publications of ISO/TC 111/SC 1;
- consideration of current nominal diameters of chain and requirements;
- environmental aspects have been considered.

Round steel short link chains for lifting purposes — Medium tolerance sling chains — Grade 4, stainless steel

1 Scope

This document specifies the requirements for medium tolerance sling chains of grade 4 from stainless steel for use preferably in chain slings of grade 4 from stainless steel or for other lifting purposes.

The range of nominal diameter, d_n , covered by this document is from 4 mm to 22 mm.

These sling chains are round steel short link chains with a nominal pitch, $p_n = 3 \times d_n$, electrically welded, solution-annealed and tested. They are for use in the temperature range -100 °C to $+400\text{ °C}$. They comply with the general conditions of acceptance of ISO 1834.

NOTE 1 Because sling chains are solution-annealed in the finished condition, they can be used without restrictions with regard to the corrosion resistance of the steels according to 5.2. Higher grades of stainless steel chains are achieved by cold drawing of the wire prior to the chain manufacturing. Therefore, solution annealing is not possible without reduction of strength. The weld seam, in particular, represents a critical area with regard to the corrosion resistance.

NOTE 2 Resistance butt welding and flash welding are listed in ISO 4063.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 1834, *Short link chain for lifting purposes — General conditions of acceptance*

ISO 7500-1, *Metallic materials — Calibration and verification of static uniaxial testing machines — Part 1: Tension/compression testing machines — Calibration and verification of the force-measuring system*

ISO 13385-1, *Geometrical product specifications (GPS) — Dimensional measuring equipment — Part 1: Callipers; Design and metrological characteristics*

ISO 16143-2, *Stainless steels for general purposes — Part 2: Corrosion-resistant semi-finished products, bars, rods and sections*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 1834 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Dimensions, masses and designation

4.1 Dimensions and masses

The bases for calculation of the values for the dimensions listed in [Table 1](#) are given in [Annex A](#).

The bases for calculation of the values for the mass per metre listed in [Table B.1](#) are given in [Annex B](#).


The nominal diameter, d_n , of the sling chain corresponds to the nominal diameter of the steel wire as presented in ISO 16124, or bar as presented in ISO 1035-1, from which the sling chain is made.

Preferred nominal diameters are given in [Table 1](#), column 1. Other nominal diameters may be used, provided the corresponding dimensions and tolerances are calculated in accordance with [Annex A](#).

Table 1 — Dimensions

Dimensions in millimetres

1	2	3	4	5	6	7	8	9
Diameter d		Pitch p		Internal	External	Internal	Weld dimension	
Nominal d_n	Tolerance	Nominal p_n	Tolerance	Type 1 w_1 min.	Types 1 and 2 w_2 max.	Type 2 w_3 min.	Types 1 and 2 $2r$ max.	Type 2 G max.
4	±0,2	12	±0,4	5,2	14,8	5,0	4,4	5,0
6	±0,2	18	±0,4	7,8	22,2	7,5	6,6	7,5
8	±0,3	24	±0,7	10,4	29,6	10,0	8,8	10,0
10	±0,4	30	±0,9	13,0	37,0	12,5	11,0	12,5
13	±0,5	39	±1,2	16,9	48,1	16,3	14,3	16,3
16	±0,6	48	±1,4	20,8	59,2	20,0	17,6	20,0
18	±0,7	54	±1,6	23,4	66,6	22,5	19,8	22,5
20	±0,8	60	±1,8	26,0	74,0	25,0	22,0	25,0
22	±0,9	66	±2,0	28,6	81,4	27,5	24,2	27,5

**Key**

- p pitch
- d diameter (measured opposite to the weld)
- r radius at the weld
- e length affected by welding
- w_1 internal width at the weld
- w_2 external width over the weld

Figure 1 — Chain link — Type 1

ALTIJD DE ACTUELE NORM IN UW BEZIT HEBBEN?

Nooit meer zoeken in de systemen en uzelf de vraag stellen:
"Is NEN-ISO 1835:2018 en de laatste versie?"™

Via het digitale platform NEN Connect heeft u altijd toegang tot de meest actuele versie van deze norm. Vervallen versies blijven ook beschikbaar. **U en uw collega's** kunnen de norm via NEN Connect makkelijk raadplagen, online en offline.

Kies voor slimmer werken en bekijk onze mogelijkheden op www.nenconnect.nl.

Heeft u vragen?

Onze Klantenservice is bereikbaar maandag tot en met vrijdag, van 8.30 tot 17.00 uur.

Telefoon: 015 2 690 391

E-mail: klantenservice@nen.nl

