

norm**NEN-EN 15947-3**

Pyrotechnische artikelen - Vuurwerk,
Categorieën F1, F2 en F3 - Deel 3: Minimale
aanduidingseisen

Publicatie uitsluitend voor commentaar

Pyrotechnic articles - Fireworks, Categories F1, F2, and F3 - Part 3:
Minimum labelling requirements

oktober 2018
ICS 71.100.30

Commentaar vóór 2018-11-13

Zal vervangen NEN-EN 15947-3:2015

Als Europees normontwerp is gepubliceerd: prEN 15947-3:2018, IDT

Definitief vastgestelde normen zullen als Nederlandse norm gelden. Daarom wordt dit normontwerp in Nederland voor commentaar gepubliceerd. Op het ontwerp ingebracht commentaar zal aan de bevoegde normcommissie worden voorgelegd die hiermee rekening zal houden bij de bepaling van de Nederlandse stem. Indien er geen bezwaar bij NEN wordt gebracht, kan dat leiden tot ongewijzigde definitieve vaststelling van het ontwerp als norm.

Van Europese normen bestaan drie officiële versies: Engels, Frans en Duits. Voor Nederland zal de Engelse versie gelden. Daarnaast kan er gekozen worden voor een andere geautoriseerde versie in het Nederlands.

Normcommissie 330041 'Pyrotechnische voorwerpen'



THIS PUBLICATION IS COPYRIGHT PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden veeleenvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veeleenvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Voorbeeld
Preview

EUROPEAN STANDARD
NORME EUROPÉENNE
EUROPÄISCHE NORM

DRAFT
prEN 15947-3

September 2018

ICS 71.100.30

Will supersede EN 15947-3:2015

English Version

Pyrotechnic articles - Fireworks, Categories F1, F2, and F3 - Part 3: Minimum labelling requirements

Articles pyrotechniques - Artifices de divertissement,
Catégories F1, F2 et F3 - Partie 3: Étiquetage minimal

Pyrotechnische Gegenstände - Feuerwerkskörper,
Kategorien F1, F2 und F3 - Teil 3:
Mindestanforderungen an die Kennzeichnung

This draft European Standard is submitted to CEN members for enquiry. It has been drawn up by the Technical Committee CEN/TC 212.

If this draft becomes a European Standard, CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

This draft European Standard was established by CEN in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.

Recipients of this draft are invited to submit, with their comments, notification of any relevant patent rights of which they are aware and to provide supporting documentation.

Warning : This document is not a European Standard. It is distributed for review and comments. It is subject to change without notice and shall not be referred to as a European Standard.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword	3
1 Scope	5
2 Normative references	5
3 Terms and definitions	5
4 Minimum labelling requirements	5
4.1 General and specific labelling requirements	5
4.1.1 General labelling requirements	5
4.1.2 Specific labelling requirements for batteries, batteries requiring external support, combinations and combinations requiring external support	5
4.1.3 Specific labelling requirements for compound fireworks	6
4.2 Name and type of firework, category, CE marking, registration number and product, batch or serial number of the firework	6
4.3 Minimum age limits	6
4.4 Net explosive content	7
4.5 Year of production	7
4.6 Safety information	7
4.7 Details of manufacturer or importer	7
4.8 Printing	7
4.9 Labelling of very small items	7
4.10 Additional information	7
Annex ZA (informative) Relationship between this European Standard and the essential safety requirements of Directive 2013/29/EU aimed to be covered	31
Bibliography	32

European foreword

This document (prEN 15947-3:2018) has been prepared by Technical Committee CEN/TC 212 "Pyrotechnic articles", the secretariat of which is held by NEN.

This document is currently submitted to the CEN Enquiry.

This document will supersede EN 15947-3:2015.

In comparison with the previous edition, the following technical modifications have been made:

- The following new elements shall be included in the label:
 - The name of the firework (4.2).
 - The product, batch or serial number of the firework (4.2).
 - On selection packs, the highest age limit for the content inside the packs (4.3).
 - On selection packs, the total net explosive content of the items inside the packs (4.4).
 - The registered trade name or registered trade mark of the manufacturer and, where the manufacturer is not established in the Union (4.7), the registered trade name or registered trade mark of the importer.
- The minimum type size for printing has been revised to 1,8 mm instead of 2,8 mm or 2,1 mm (4.8).
- Requirement on labelling of very small items has been revised (4.9). The content of the label is dependent on the size of the items.
- Following modifications have been made to "Safety information" in Table 1:
 - Safety information for firework type "report rockets" has been added.
 - Safety information "Do not inhale smoke" has been deleted for all firework types.
 - Safety information for "bangers" and "flash bangers" has been revised.
 - Safety information for "bangers" and "flash bangers" with preliminary effect(s) has been revised.
 - Safety information "ENSURE THAT NO PART OF THE BODY IS POSITIONED ABOVE THE FIREWORK OR IN THE EFFECT DIRECTION (if possible)" is now applicable to all batteries, batteries requiring external support, combinations, combinations requiring external support, compound fireworks, mines, Roman candles and shot tubes.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association, and supports essential safety requirements of EU Directive(s).

For relationship with EU Directive(s), see informative Annex ZA, which is an integral part of this document.

prEN 15947-3:2018 (E)

This European Standard is one of the series of standards as listed below:

- EN 15947-1, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 1: Terminology*
- EN 15947-2, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 2: Categories and types of firework*
- EN 15947-3, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 3: Minimum labelling requirements*
- EN 15947-4, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 4: Test methods*
- EN 15947-5, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 5: Requirements for construction and performance*

Copyright
Preview

1 Scope

This document specifies minimum labelling requirements for the article and primary or selection packaging of fireworks. It is applicable to fireworks in categories F1, F2 and F3 according to prEN 15947-2:2018.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

prEN 15947-1:2018, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 1: Terminology*

prEN 15947-4:2018, *Pyrotechnic articles — Fireworks, Categories F1, F2 and F3 — Part 4: Test methods*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in prEN 15947-1:2018 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

4 Minimum labelling requirements

4.1 General and specific labelling requirements

4.1.1 General labelling requirements

Fireworks shall be labelled in accordance with 4.8 and 4.9, with the information specified in 4.1.2 and 4.1.3 (if applicable) and 4.2 to 4.7.

Primary packs, if any, shall be labelled with the information specified in 4.1.2 to 4.7 and 4.10 and with the printing size as specified in 4.8.

The specified information shall be given in the official language(s) of the country in which the fireworks or primary packs are made available to the consumer. For each language, it shall be presented as a whole and shall not be interrupted by other text. Additional text given in another language shall not conflict with the specified information.

Conformity to these requirements specified in 4.1 to 4.10 shall be verified by visual examination.

Where labelling is not possible or not warranted on account of the nature of the pyrotechnic article, it shall be affixed to the primary pack.

4.1.2 Specific labelling requirements for batteries, batteries requiring external support, combinations and combinations requiring external support

For batteries, batteries requiring external support, combinations and combinations requiring external support equipped with two initial fuses the reserve fuse shall be clearly labelled with the words "RESERVE FUSE".

In addition to the type name, the labelling shall include the type of elements as well; e.g. "Battery (shot tube)", "Combination (shot tube, mine)" or "Combination of shot tube and fountain".

prEN 15947-3:2018 (E)**4.1.3 Specific labelling requirements for compound fireworks**

The compound fireworks shall be labelled on the primary pack according to the requirements of 4.2 to 4.10. The label of the primary pack shall identify all included articles used in the compound fireworks according to 4.2. For compound fireworks with two initial fuses the reserve fuse shall be clearly labelled with the words "RESERVE FUSE".

Fireworks which are assembled in compound fireworks shall not be labelled with the minimum age limits in 4.3 and the safety information in 4.6.

4.2 Name and type of firework, category, CE marking, registration number and product, batch or serial number of the firework

The name of the firework shall be included in the label. The name shall not conflict with the principal effects of the relevant type of firework or with the name of other types of fireworks.

The type of firework shall be labelled, in upper case, in conformity with prEN 15947-2:2018. For Roman candles the number of shots shall be labelled, e.g. "8 SHOT ROMAN CANDLE".

The category shall be labelled, in upper case, as "CATEGORY F2" or "CAT F2", for example.

Selection packs containing one or more categories shall be labelled with the highest category in the pack, e.g. "CAT F3".

The registration number for tracing of products shall be labelled in accordance with the example below:

XXXX YY - ZZZZ...

where XXXX refers to the four-digit identification number of the notified body issuing the certificate, YY refers to the category of firework in abbreviated format (F1, F2, or F3 for category F1, F2, or F3 respectively), and ZZZZ is a processing number used by the notified body.

The CE marking should be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008.

According to Directive 2013/29/EU (Art. 8(2) and 20(3)) CE marking is followed by the identification number of the Notified Body responsible for:

- monitoring the existing quality system (in case of Modules D and E); or
- checking conformity to type according to Module C2.

The product, batch or serial number of the firework shall be included in the label.

4.3 Minimum age limits

The minimum age limits applicable in the country in which the fireworks are made available to the consumer shall be clearly stated on the label. The following minimum age limits apply, if the individual Member State has not raised these age limits according to Directive 2013/29/EU Art. Seven [2].

The following minimum age limits apply:

- Category F1: 12 years;
- Category F2: 16 years;
- Category F3: 18 years.

Selection packs shall be labelled with the highest age limit for the contents inside.

4.4 Net explosive content

The label shall include the net explosive content of the firework.

The total net explosive content of the items in the primary pack and selection packs shall be included on the label.

The abbreviation for the net explosive content (NEC) may be used for the labelling.

4.5 Year of production

For category F3 fireworks the year of production shall be clearly stated on the label by four digits, e.g. "2018".

4.6 Safety information

The labelling shall include at least the safety information specified in Table 1, in a logical sequence, for the relevant type of firework. If necessary, instructions in addition to those specified in Table 1 may be given. The appropriate placing instructions, selected from those specified in Table 1, shall replace

"< placing instructions >"

where indicated.

Safety information shall be emphasized by use of a heading, or bold type, or similar.

4.7 Details of manufacturer or importer

The labelling of the firework shall include the following information about the manufacturer: name, registered trade name or registered trade mark and the postal address at which they can be contacted.

Where the manufacturer is not established in the Union, the labelling shall include the following information about the manufacturer and the importer: name, registered trade name or registered trade mark and the postal address at which they can be contacted.

4.8 Printing

Labelling shall be visible, legible, indelible, clear, understandable and intelligible and on a contrasting background colour. Printing errors which are not misleading are not classified as faults. When measured in accordance with prEN 15947-4:2018, 6.7, the type sizes shall be such that the height of the character "X" (in upper case) is at least 1,8 mm.

4.9 Labelling of very small items

If the firework does not provide enough space for the required information, at least the CE marking according to 4.2, the registration number and the name of the manufacturer or the name of the importer shall be given on the firework.

If the firework is too small to bear all these labelling elements, it shall be labelled with the CE marking according to 4.2.

If the firework is too small for even bearing the CE marking according to 4.2, the firework shall be packed in a primary pack and the primary pack shall be labelled according to 4.1.1.

4.10 Additional information

The primary pack and selection pack shall be labelled with the statement: "Must be sold as packaged". This statement shall appear adjacent to the type name or category. For printing 4.8 applies.

ALTIJD DE ACTUELE NORM IN UW BEZIT HEBBEN?

Nooit meer zoeken in de systemen en uzelf de vraag stellen:
“Is NEN-EN 15947-3:2018 Ontw. en de laatste versie?”™

Via het digitale platform NEN Connect heeft u altijd toegang tot de meest actuele versie van deze norm. Vervallen versies blijven ook beschikbaar. **U en uw collega's** kunnen de norm via NEN Connect makkelijk raadplagen, online en offline.

Kies voor slimmer werken en bekijk onze mogelijkheden op www.nenconnect.nl.

Heeft u vragen?

Onze Klantenservice is bereikbaar maandag tot en met vrijdag, van 8.30 tot 17.00 uur.

Telefoon: 015 2 690 391

E-mail: klantenservice@nen.nl

