



Nederlandse norm

NEN-ISO 19690-2

(en)

Schotelveren - Deel 2: Technische specificaties
(ISO 19690-2:2018,IDT)

Disc springs - Part 2: Technical specifications (ISO
19690-2:2018,IDT)

ICS 21.160
oktober 2018

Als Nederlandse norm is aanvaard:

- ISO 19690-2:2018, IDT

Normcommissie 341013 'Mechanische aandrijfcomponenten'



THIS PUBLICATION IS COPYRIGHT/PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.



©2018 Koninklijk Nederlands Normalisatie-instituut
Postbus 5059, 2600 GB Delft
Telefoon (015) 2 690 390, Fax (015) 2 690 190

Preview

Disc springs —
Part 2:
Technical specifications

Ressorts à disques —
Partie 2: Spécifications techniques



Copyright
Preview



COPYRIGHT PROTECTED DOCUMENT

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
CP 401 • Ch. de Blandonnet 8
CH-1214 Vernier, Geneva
Phone: +41 22 749 01 11
Fax: +41 22 749 09 47
Email: copyright@iso.org
Website: www.iso.org

Published in Switzerland

Contents

	Page
Foreword.....	iv
1 Scope.....	1
2 Normative references.....	1
3 Terms and definitions.....	2
4 Symbols and units.....	2
5 Dimensions and designation.....	3
5.1 General.....	3
5.2 Disc spring groups.....	5
5.3 Dimensional series.....	5
6 Grade A — Basic performance requirements for static applications.....	5
6.1 Material.....	5
6.2 Manufacturing process.....	5
6.3 Permissible stresses.....	6
6.4 Presetting.....	6
6.5 Surface condition and corrosion protection.....	6
6.6 Tolerances.....	7
6.6.1 Thickness.....	7
6.6.2 External-internal diameter and coaxiality.....	7
6.6.3 Free height.....	8
6.6.4 Spring load.....	8
6.7 Clearance between disc spring and guiding element.....	8
6.8 Hardness.....	9
6.9 Appearance.....	9
7 Grade B — Requirements on disc springs for dynamic applications and high-performance static applications.....	9
7.1 Material.....	9
7.2 Manufacturing process.....	9
7.3 Permissible stresses.....	11
7.3.1 Static load.....	11
7.3.2 Dynamic loading.....	11
7.4 Shot peening.....	14
7.5 Presetting.....	14
7.6 Creep and relaxation.....	14
7.7 Surface condition and corrosion protection.....	16
7.8 Tolerances.....	17
7.8.1 Thickness.....	17
7.8.2 External-internal diameter and coaxiality.....	17
7.8.3 Free height.....	18
7.8.4 Spring load.....	18
7.9 Clearance between disc spring and guiding element.....	19
7.10 Hardness.....	19
7.11 Appearance.....	19
Annex A (informative) Spring dimensions.....	20
Annex B (informative) Testing.....	25
Annex C (normative) Representative material grades.....	28
Bibliography.....	29

ISO 19690-2:2018(E)**Foreword**

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see www.iso.org/directives).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see www.iso.org/patents).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation on the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT), see the following URL: www.iso.org/iso/foreword.html.

This document was prepared by Technical Committee ISO/TC 227, *Springs*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at www.iso.org/members.html.

A list of all parts in the ISO 19690 series can be found on the ISO website.

Disc springs —

Part 2: Technical specifications

1 Scope

This document specifies two different grades of disc springs.

Grade A defines basic requirements of disc springs for static applications with low and moderate performance. Springs manufactured according to Grade A are not used for dynamic applications.

Grade B defines requirements on disc springs especially used for dynamic applications and high performance static applications. Disc springs according to Grade B ensure a better quality by higher demands on manufacturing processes and tolerance requirements. Grade B includes graphs showing the guaranteed fatigue life such as a function of stress.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 683-1, *Heat-treatable steels, alloy steels and free-cutting steels — Part 1: Non-alloy steels for quenching and tempering*

ISO 683-2, *Heat-treatable steels, alloy steels and free-cutting steels — Part 2: Alloy steels for quenching and tempering*

ISO 6507 (all parts), *Metallic materials — Vickers hardness test*

ISO 6508 (all parts), *Metallic materials — Rockwell hardness test*

ISO 16249, *Springs — Symbols*

ISO 26909, *Springs — Vocabulary*

EN 1654, *Copper and copper alloys — Strip for springs and connectors*

EN 10083-1, *Quenched and tempered steels — Technical delivery conditions for special steels*

EN 10083-2, *Quenched and tempered steels — Technical delivery conditions for unalloyed quality steels*

EN 10083-3, *Quenched and tempered steels — Technical delivery conditions for boron steels*

EN 10089, *Hot-rolled steels for quenched and tempered springs — Technical delivery conditions*

EN 10132-4, *Cold-rolled narrow steel strip for heat treatment — Technical delivery conditions — Part 4: Spring steels and other applications*

EN 10151, *Stainless steel strip for springs — Technical delivery conditions*

JIS G 3311, *Cold-rolled special steel strip*

JIS G 4801, *Spring steels*

ISO 19690-2:2018(E)

JIS G 4802, *Cold-rolled steel strip for springs*

ASTM A240, *Standard specification for chromium and chromium-nickel stainless steel plate, sheet, and strip for pressure vessels and for general applications*

ASTM A332, *Specification for nickel-chromium-molybdenum steel bars for springs*

ASTM A506, *Standard specification for alloy and structural alloy steel, sheet and strip, hot-rolled and cold-rolled*

ASTM A568, *Standard specification for steel, sheet, carbon, structural, and high-strength, low-alloy, hot-rolled and cold-rolled, General requirements for*

ASTM A666, *Standard specification for annealed or cold-worked austenitic stainless steel sheet, strip, plate, and flat bar*

ASTM A682, *Standard specification for steel, strip, high carbon, cold rolled, General requirements for*

ASTM A684, *Standard specification for steel, strip, high carbon, cold rolled*

ASTM A689, *Standard specification for carbon and alloy steel bars for springs*

ASTM A693, *Standard specification for precipitation-hardening stainless and heat-resistant steel plate, sheet, and strip*

ASTM B103, *Standard specification for phosphor bronze plate, sheet, strip, and rolled bar*

ASTM B194, *Standard specification for copper-beryllium alloy plate, sheet, strip, and rolled bar*

ASTM B196, *Standard specification for copper-beryllium alloy rod and bar*

GB/T 1222, *Spring steels*

BS 970-2, *Specification for wrought steels for mechanical and allied engineering purposes: Requirements for steels for the manufacture of hot-formed springs*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO 26909 apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

4 Symbols and units

For the purposes of this document, the symbols and units given in ISO 16249, [Table 1](#) and [Figure 1](#) apply.

Table 1 — Symbols and units for design calculation

Symbol	Unit	Parameter
b_r	mm	width of scar (see Figure 2)
D	mm	external diameter of spring
D_0	mm	diameter of centre of rotation
d	mm	internal diameter of spring

NOTE 1 N/mm² = 1 MPa.

^a r is not chamfered unless otherwise agreed between customer and supplier.

Table 1 (continued)

Symbol	Unit	Parameter
E	N/mm ²	modulus of elasticity of material (carbon steel and carbon alloy steel: 206 000 N/mm ²)
F	N	spring load
F_c	N	design spring load when spring is in the flattened position
F_G	N	spring load at the time of combining springs
F_t	N	spring test load at H_t
H_t	mm	height of spring when measuring spring test load, $H_t = H_0 - 0,75h_0$
H_0	mm	free height of spring
h_s	mm	clean cut (see Figure 2)
h_0	mm	initial cone height of spring without flat bearings, $h_0 = H_0 - t$
$h_{0,f}$	mm	initial cone height of spring with flat bearings, $h_{0,f} = H_0 - t_f$
i	—	number of springs combined in series
L_0	mm	free height at the time of combining springs
N	—	number of cycles for fatigue life
n	—	number of springs piled in parallel
OM	—	point at upper surface of the spring perpendicular to the centre line at point P
P	—	theoretical centre of rotation of disc cross section
R	N/mm	spring rate
r^a	mm	radius at edge
s	mm	deflection of spring
s_G	mm	deflection of stack
s_1	mm	deflection of spring preloaded
t	mm	thickness of spring
t_f	mm	required thickness of single disc spring with flat bearings
V	mm	length of lever arms
V_f	mm	length of lever arms with flat bearings
ΔF	N	spring load loss
Δh_0	mm	initial cone height loss of spring
ν	—	Poisson's ratio of material
σ_H	N/mm ²	alternative stress, $\sigma_H = \sigma_{\max} - \sigma_{\min}$
σ_{OM}	N/mm ²	stress at position OM
σ_{\max}	N/mm ²	maximum fatigue stress
σ_{\min}	N/mm ²	minimum fatigue stress
σ_I	N/mm ²	stress at position I
σ_{II}	N/mm ²	stress at position II
σ_{III}	N/mm ²	stress at position III
σ_{IV}	N/mm ²	stress at position IV

NOTE 1 N/mm² = 1 MPa.

^a r is not chamfered unless otherwise agreed between customer and supplier.

5 Dimensions and designation

5.1 General

[Figure 1](#) illustrates a single disc spring, including the relevant positions of loading.

ALTIJD DE ACTUELE NORM IN UW BEZIT HEBBEN?

Nooit meer zoeken in de systemen en uzelf de vraag stellen:
“Is NEN-ISO 19690-2:2018 en de laatste versie?”™

Via het digitale platform NEN Connect heeft u altijd toegang tot de meest actuele versie van deze norm. Vervallen versies blijven ook beschikbaar. **U en uw collega's** kunnen de norm via NEN Connect makkelijk raadplagen, online en offline.

Kies voor slimmer werken en bekijk onze mogelijkheden op www.nenconnect.nl.

Heeft u vragen?

Onze Klantenservice is bereikbaar maandag tot en met vrijdag, van 8.30 tot 17.00 uur.

Telefoon: 015 2 690 391

E-mail: klantenservice@nen.nl

