



Nederlandse norm

NEN-EN 14428+A1

(en)

Doucheafscheidingen - Functionele eisen en
beproevingmethoden

Shower enclosures - Functional requirements and
test methods

Vervangt NEN-EN 14428:2015;
NEN-EN 14428:2015/Ontw. A1:2017

ICS 91.140.70
november 2018

Als Nederlandse norm is aanvaard:
 - EN 14428:2015+A1:2018,INT

Normcommissie 349044 'Sanitaire toestellen'



THIS PUBLICATION IS COPYRIGHT PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.

EUROPEAN STANDARD

EN 14428:2015+A1

NORME EUROPÉENNE

EUROPÄISCHE NORM

October 2018

ICS 91.140.70

Supersedes EN 14428:2015

English Version

Shower enclosures - Functional requirements and test methods

Parois de douche - Prescriptions fonctionnelles et méthodes d'essai

Duschabtrennungen - Funktionsanforderungen und Prüfverfahren

This European Standard was approved by CEN on 19 March 2015 and includes Amendment 1 approved by CEN on 17 May 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions.....	5
4 A1 Characteristics A1	6
4.1 General.....	6
4.2 Cleanability.....	6
4.3 Impact resistance/shatter properties.....	6
4.3.1 General.....	6
4.3.2 Thermally toughened safety glass.....	6
4.3.3 Laminated safety glass.....	6
4.3.4 Plastics materials.....	6
4.4 Durability.....	6
4.4.1 General.....	6
4.4.2 Corrosion resistance.....	7
4.4.3 Resistance to chemicals and stains.....	7
4.4.4 Resistance to wet and dry cycling.....	7
4.4.5 Endurance.....	7
4.4.6 Stability.....	7
4.4.7 Water retention.....	7
4.5 Dangerous substances.....	7
5 Test methods.....	8
5.1 Impact resistance/shatter properties.....	8
5.1.1 General.....	8
5.1.2 Test specimens for curved glass.....	8
5.1.3 Procedure.....	8
5.1.4 Assessment of fragmentation.....	9
5.2 Impact behaviour of plastic sheets.....	13
5.2.1 Apparatus.....	13
5.2.2 Procedure.....	14
5.3 Resistance to chemicals and stains.....	21
5.3.1 Reagents.....	21
5.3.2 Apparatus.....	22
5.3.3 Test specimens.....	24
5.3.4 Procedure.....	24
5.3.5 Expression of results.....	24
5.4 Resistance to wet and dry cycling.....	24
5.4.1 Test specimens.....	24
5.4.2 Procedure.....	24
5.4.3 Results.....	25
5.5 Endurance.....	25
5.6 Stability.....	25
5.7 Water retention.....	27
6 Marking.....	31

7	Assessment and verification of constancy of performance - AVCP	32
7.1	General	32
7.2	Type testing	32
7.2.1	General	32
7.2.2	Samples, testing and compliance criteria	33
7.3	Factory production control.....	33
7.3.1	General	33
7.3.2	Equipment.....	33
7.3.3	Raw materials and components	34
7.3.4	Product testing and assessment.....	34
7.3.5	Non-conforming products	34
7.3.6	Corrective action.....	34
Annex ZA (informative) ^(A1) Relationship of this European Standard with Regulation (EU)		
	No. 305/2011 ^(A1)	35
ZA.1	Scope and relevant characteristics	35
ZA.2	System of Assessment and Verification of Constancy of Performance (AVCP)	35
ZA.3	Assignment of AVCP tasks	35
Bibliography		37

Orb
Preview

European foreword

This document (EN 14428:2015+A1:2018) has been prepared by Technical Committee CEN/TC 163 “Sanitary appliances”, the secretariat of which is held by UNI.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by April 2019, and conflicting national standards shall be withdrawn at the latest by July 2020.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document includes Amendment 1 approved by CEN on 2018-05-17.

This document supersedes ^{A1} EN 14428:2015 _{A1}.

The start and finish of text introduced or altered by amendment is indicated in the text by tags ^{A1} _{A1}.

This document has been prepared under a mandate given to CEN by the European Commission and the European Free Trade Association.

For relationship with EU Construction Products Regulation, see informative Annex ZA, which is an integral part of this document.

^{A1} *deleted text* _{A1}

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

1 Scope

This European Standard specifies $\overline{A_1}$ characteristics $\overline{A_1}$ for shower enclosures for domestic purposes which ensure that the product, when installed in accordance with the manufacturer's installation instructions, gives satisfactory performance when used as intended.

This European Standard does not apply to shower cabinets or curtains and does not specify aesthetic and dimensional $\overline{A_1}$ characteristics $\overline{A_1}$.

NOTE For the purposes of this document the term “domestic purposes” includes use in hotels, accommodation for students, hospitals and similar buildings, except when special medical provisions are required.

2 Normative references

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

prEN 12150-1:2013, *Glass in building — Thermally toughened soda lime silicate safety glass — Part 1: Definition and description*

EN 14449, *Glass in building — Laminated glass and laminated safety glass — Evaluation of conformity/Product standard*

EN ISO 2409, *Paints and varnishes — Cross-cut test (ISO 2409:2013)*

EN ISO 7599, *Anodizing of aluminium and its alloys — General specifications for anodic oxidation coatings on aluminium (ISO 7599:2010)*

EN ISO 9227, *Corrosion tests in artificial atmospheres — Salt spray tests (ISO 9227:2012)*

EN ISO 12543-2, *Glass in building — Laminated glass and laminated safety glass — Part 2: Laminated safety glass (ISO 12543-2:2011)*

ISO 7892:1988, *Vertical building elements — Impact resistance tests — Impact bodies and general test procedures*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1

shower enclosure

arrangement of panel(s) and/or door(s) (i.e full or half-height access door(s)) erected on or around a drained shower place, shower tray or bath in conjunction with one or more walls of the main building structure to provide a water retaining area for the purpose of showering

3.2

shower cabinet

prefabricated but not necessarily preassembled unit for the purpose of showering comprising a shower tray or bath and rigid water resistant enclosing wall(s), with or without a roof and with an entry capable of being closed to provide a fully enclosed compartment

EN 14428:2015+A1:2018 (E)**4 A1 Characteristics A1****4.1 General**

A1 With each shower enclosure detailed instructions on installation and use, to include at least the following information shall be provided: A1

- description of installation with special consideration of building construction and necessary tools and sealant;
- instructions for appropriate maintenance and care, including guidance on cleaning.

4.2 Cleanability

When inspected visually, the surfaces of the components of the shower enclosures which are accessible during use and cleaning shall be free from sharp corners, edges and burrs.

When using recommended cleaning agents in accordance with the manufacturer's installation and care instructions, there shall be no reduction in safety or function of the shower enclosure.

4.3 Impact resistance/shatter properties**4.3.1 General**

Shower enclosures may be glazed with various materials. Where glass is used, this shall meet the requirements of 4.3.2 or 4.3.3 and where plastics materials are used, they shall meet the requirements of 4.3.4.

4.3.2 Thermally toughened safety glass**4.3.2.1 Thermally toughened flat safety glass**

Thermally toughened safety glass shall meet the requirements of prEN 12150-1:2013.

4.3.2.2 Thermally toughened curved safety glass

Test in accordance with 5.1 to ensure that under these test conditions the glass has a particle count of 40 or greater and the length of the longest particle shall not exceed 100 mm.

4.3.3 Laminated safety glass

Laminated safety glass shall conform to EN 14449 and EN ISO 12543-2. Laminated safety glass shall not have holes, for example for fixings, hinges, handles or any other fittings.

NOTE Laminated safety glass is susceptible to water penetration from the edges if they are not suitably protected.

4.3.4 Plastics materials

When tested in accordance with 5.2, sheets shall not break or they shall break safely.

4.4 Durability**4.4.1 General**

Products conforming with the requirements of 4.2 and 4.3 and the following are deemed to be durable.

4.4.2 Corrosion resistance

All components shall consist of corrosion-proof materials or shall be corrosion-protected.

All corrosion protection performances shall be evaluated with test methods specified in an appropriate European or International Standard. The standard used and the results of the test shall be recorded.

Examples of minimum requirements:

- the minimum paint adhesion performance for powder-coated or wet-painted surfaces has a cross-cut value ≤ 2 when tested in accordance with EN ISO 2409;
- the minimum average thickness of coating on aluminium is of grade AA5 when tested in accordance with one of the methods given in EN ISO 7599. In no cases is minimum local thickness less than 80 % of the minimum average thickness.
- Compliance with the neutral salt spray (NSS) test e.g. as specified in EN ISO 9227 corrosion test in artificial atmospheres - salt spray tests with a minimum exposure time of 200 h; The defect surface area A is less than or equal to 0,1 % ($A \leq 0,1 \%$). The defects do not exceed a dimension of 0,3 mm.

This list is not exhaustive.

4.4.3 Resistance to chemicals and stains

When tested in accordance with 5.3 the glazing materials shall not show permanent staining or deterioration.

4.4.4 Resistance to wet and dry cycling

When tested in accordance with 5.4, the glazing materials shall not show any cracks, crazing or discoloration. Uncoated and unpainted thermally toughened safety glass is deemed to be resistant to wet and dry cycling and need not be tested.

4.4.5 Endurance

When tested in accordance with 5.5, shower enclosures shall not show any functional deterioration after 20 000 closing-opening cycles.

4.4.6 Stability

When tested in accordance with 5.6, shower enclosures shall withstand an energy representing the impact of a human body on a large impact area (e.g. blow from shoulder, fall) without any functional deterioration which could result in injury to the user.

4.4.7 Water retention

When tested in accordance with 5.7, shower enclosures shall retain water. A few small drops of water on the outside of the water retaining area are acceptable. Where shower enclosures are intended for installation in wet room environments (where watertightness is not required) water may temporarily pass outside the water retaining area as long as it is drained to the water retaining area.

4.5 Dangerous substances

National regulations on dangerous substances may require verification and declaration on release, and sometimes content, when construction products covered by this standard are placed on those markets.

In the absence of European harmonized test methods, verification and declaration on release/content should be done taking into account ~~A1~~ provisions in the place of use.

ALTIJD DE ACTUELE NORM IN UW BEZIT HEBBEN?

Nooit meer zoeken in de systemen en uzelf de vraag stellen:
'Is NEN-EN 14428:2015+A1:2018 en de laatste versie?'

Via het digitale platform NEN Connect heeft u altijd toegang tot de meest actuele versie van deze norm. Vervallen versies blijven ook beschikbaar. **U en uw collega's** kunnen de norm via NEN Connect makkelijk raadplagen, online en offline.

Kies voor slimmer werken en bekijk onze mogelijkheden op www.nenconnect.nl.

Heeft u vragen?

Onze Klantenservice is bereikbaar maandag tot en met vrijdag, van 8.30 tot 17.00 uur.

Telefoon: 015 2 690 391

E-mail: klantenservice@nen.nl

