

Nederlandse norm

NEN-EN 15399

(en)

Gasinfrastructuur - Safety Management Systems
(SMS) voor gasnetwerken met een maximale
bedrijfsdruk tot en met 16 bar

Gas infrastructure - Safety Management System
for Gas Networks with maximum operating
pressure up to and including 16 bar

Vervangt NPR-CEN/TS 15399:2007;
NEN-EN 15399:2016 Ontw.

ICS 03.100.70; 91.140.40
december 2018

Als Nederlandse norm is aanvaard:
 - EN 15399:2018,IDT

Normcommissie 349008 'Gasdriftwattieleidingen'



THIS PUBLICATION IS COPYRIGHT/PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.

EUROPEAN STANDARD

EN 15399

NORME EUROPÉENNE

EUROPÄISCHE NORM

December 2018

ICS 03.100.70; 91.140.40

Supersedes CEN/TS 15399:2007

English Version

Gas infrastructure - Safety Management System for Gas Networks with maximum operating pressure up to and including 16 bar

Infrastructures gazières - Systèmes de management de sécurité pour des réseaux de gaz pour pression maximale de service inférieure ou égale à 16 bar

Gasinfrastruktur - Sicherheits-Management System für Gasnetze mit maximalem Betriebsdruck bis einschließlich 16 bar

This European Standard was approved by CEN on 26 October 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents	Page
European foreword.....	4
Introduction.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	7
4 Context of the organization.....	9
4.1 Understanding the organization and its context.....	9
4.2 Understanding the needs and expectations of interested parties.....	9
4.3 Safety Management System (SMS).....	9
4.3.1 General.....	9
4.3.2 Determining the scope of the SMS.....	9
5 Leadership.....	10
5.1 Leadership and commitment.....	10
5.2 Policy.....	10
5.3 Organizational roles, responsibilities and authorities.....	11
6 Planning of the SMS.....	11
6.1 Actions to address risks and opportunities.....	11
6.1.1 Safety risk management.....	11
6.1.2 Legal and other requirements.....	12
6.2 SMS objectives and planning to achieve them.....	12
7 Support of the SMS.....	13
7.1 Resources.....	13
7.2 Competence.....	13
7.3 Awareness.....	14
7.4 Communication.....	14
7.5 Documented information of the SMS.....	15
7.5.1 General.....	15
7.5.2 Creating and updating.....	15
7.5.3 Control of documented information.....	15
8 Operation of the SMS.....	16
8.1 Operational planning and control of the SMS.....	16
8.1.1 General.....	16
8.1.2 Design of the gas distribution infrastructure.....	16
8.1.3 Construction, commissioning and decommissioning of the gas distribution infrastructure.....	17
8.1.4 Operation of the gas distribution infrastructure.....	18
8.1.5 Maintenance of the gas distribution infrastructure.....	19
8.1.6 Gas infrastructure permanently out of service.....	20
8.1.7 Emergency plans.....	20
8.1.8 Outsourcing and purchasing.....	21
8.1.9 Innovation and improvement.....	22
8.2 Performance evaluation Monitoring, measurement, analysis and evaluation.....	22
8.2.1 Performance evaluation framework.....	22

8.2.2	Evaluation of compliance	23
8.3	Internal Audit	23
8.3.1	Purpose of internal audits	23
8.3.2	Program and implementation of internal audits	23
8.4	Management Review	24
8.5	Documentation	24
9	Improvement of the SMS	24
9.1	Non-conformity and corrective action	24
9.2	Gas network operatorContinual improvement	25
Annex A (informative) Plan-Do-Check-Act (PDCA) methodology		26
Bibliography		27

Voorbeeld
 Preview

European foreword

This document (EN 15399:2018) has been prepared by Technical Committee CEN/TC 234 "Gas infrastructure", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by June 2019, and conflicting national standards shall be withdrawn at the latest by June 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This document supersedes CEN/TS 15399:2007.

There is a complete suite of functional standards prepared by CEN/TC 234 "Gas infrastructure" to cover all parts of the gas infrastructure system from the input of gas to the distribution infrastructure starting at the boundary of the delivery station on the premises of the gas network operator, up to the point of delivery of the customers, whether domestic, commercial or industrial.

In preparing this document, a basic understanding of Management Systems and gas infrastructure by the user has been assumed.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

This document provides guidance on the establishment, implementation and maintenance of a safety management system, all in order to provide an efficient gas distribution infrastructure for the safe and secure distribution of gas; specifically, infrastructure operating at pressures up to and including 16 bar.

The provisions refer to a general organisational scheme in which:

- safety and
- efficiency

of gas distribution activity are addressed.

This European Standard supports a gas network operator in the implementation of a management system following the Plan-Do-Check-Act (PDCA) methodology (see Annex A). It can be used in conjunction with ISO Management Systems and also in case of assessment or certification by a third party.

The main objectives of this document are to provide the necessary requirements:

- to be included in a management system related to safety and efficiency of technical activities (design, construction, testing and commissioning/decommissioning, operation and maintenance, abandonment) for all of the gas network operator's gas distribution assets. In practice, this is expressed on methodologies and organisational features as well as technical aspects;
- in demonstrating the competencies required in the activities mentioned above.

It is at the gas network operator's discretion to include other objects and structures in their own management system.

This European Standard also deals with the required competences for employees and any contractors involved in gas distribution activities.

The structure of this document is based on the ISO High Level Structure of standard on Management Systems (ISO/IEC Directives, Part 1, Consolidated ISO Supplement, 2015, Annex SL (normative) Proposals for management system standards).

The technical contents are in line with EN 12007 (all parts).

EN 15399:2018 (E)**1 Scope**

This document specifies requirements on the development and implementation of a safety management system for operators of a gas network with a maximum operating pressure up to and including 16 bar according to EN 12007 (all parts).

This document refers to all activities and processes related to safety aspects and performed by gas operators of a gas network with a maximum operating pressure up to and including 16 bar, including those activities entrusted to contractors. It includes safety-related provisions on operation of the gas network.

The described safety management system is applicable to infrastructure for the distribution of processed, non-toxic and non-corrosive gas of the 2nd gas family as classified in EN 437, including injected gases from non-conventional sources.

NOTE 1 Gases from non-conventional resources can be bio methane, hydrogen, shale gas, synthetic gases and others.

This document can also apply for gas infrastructure conveying only gases from non-conventional sources, such as bio methane grids or gases of the 3rd family as classified in EN 437.

For safety management and pipeline integrity management systems of gas networks with a maximum operating pressure above 16 bar generally EN 16348 applies.

NOTE 2 If minor sections of the gas network are operated with a maximum operating pressure above 16 bar, these can also be managed by an SMS according to this document. For the pipeline integrity management EN 16348 applies.

NOTE 3 If minor sections of a gas transmission network are operated with a maximum operating pressure up to and including 16 bar, this document or EN 16348 can be applied. In any case, for the pipeline integrity management system EN 16348 applies.

Specific requirements for occupational health and safety are excluded from this document. National legislation and other European and/or international standards, e.g. OHSAS 18001, apply.

This document specifies common basic principles for gas infrastructure. It is important that users of this standard are aware that more detailed national standards and/or code of practice may exist in the CEN member countries. This document is intended to be applied in association with these national standards and/or codes of practice setting out the above-mentioned basic principles.

In the event of conflicts in terms of more restrictive requirements in national legislation/regulation with the requirements of this standard, the national legislation/regulation takes precedence as illustrated in CEN/TR 13737 (all parts).

NOTE 4 CEN/TR 13737 (all parts) contains:

- clarification of relevant legislation/regulations applicable in a country;
- if appropriate, more restrictive national requirements;
- national contact point for the latest information.

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 12007-1, *Gas infrastructure — Pipelines for maximum operating pressure up to and including 16 bar — Part 1: General functional requirements*

EN 12007-2, *Gas infrastructure — Pipelines for maximum operating pressure up to and including 16 bar — Part 2: Specific functional requirements for polyethylene (MOP up to and including 10 bar)*

EN 12007-3, *Gas infrastructure — Pipelines for maximum operating pressure up to and including 16 bar — Part 3: Specific functional requirements for steel*

EN 12007-4, *Gas infrastructure — Pipelines for maximum operating pressure up to and including 16 bar — Part 4: Specific functional requirements for renovation*

EN 12007-5, *Gas infrastructure — Pipelines for maximum operating pressure up to and including 16 bar — Part 5: Service lines — Specific functional requirements*

EN 12186, *Gas infrastructure — Gas pressure regulating stations for transmission and distribution — Functional requirements*

EN 12327, *Gas infrastructure — Pressure testing, commissioning and decommissioning procedures — Functional requirements*

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia, available at <http://www.electropedia.org/>
- ISO Online browsing platform, available at <http://www.iso.org/obp>

3.1

gas network operator

private or public organisation authorised to design, construct and/or operate and maintain the gas infrastructure

Note 1 to entry: Synonyms are: pipeline operator (see EN 1594), grid operator.

[SOURCE: EN 1594:2013, 3.3.1, modified]

3.2

gas infrastructure

pipeline system including pipework and their associated stations or plants for the transmission and distribution of gas

3.3

inspection

process of measuring, examining, testing, gauging or otherwise determining the status of items of the pipeline system or installation and comparing it with the applicable requirements

[SOURCE: EN 1594:2013, 2.18]

ALTIJD DE ACTUELE NORM IN UW BEZIT HEBBEN?

Nooit meer zoeken in de systemen en uzelf de vraag stellen:
“Is NEN-EN 15399:2018 en de laatste versie?”™

Via het digitale platform NEN Connect heeft u altijd toegang tot de meest actuele versie van deze norm. Vervallen versies blijven ook beschikbaar. **U en uw collega's** kunnen de norm via NEN Connect makkelijk raadplagen, online en offline.

Kies voor slimmer werken en bekijk onze mogelijkheden op www.nenconnect.nl.

Heeft u vragen?

Onze Klantenservice is bereikbaar maandag tot en met vrijdag, van 8.30 tot 17.00 uur.

Telefoon: 015 2 690 391

E-mail: klantenservice@nen.nl

