

---

---

**Electronic fee collection —  
Investigation of charging policies  
and technologies for future  
standardization**

*Perception du télépéage — Examen sur les politiques et technologies  
de tarification pour la future normalisation*

Preview

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten. This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.



Reference number  
ISO/TR 21190:2018(E)

© ISO 2018

Copyright  
Preview



**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

	Page
Foreword.....	v
Introduction.....	vi
<b>1 Scope.....</b>	<b>1</b>
<b>2 Normative references.....</b>	<b>1</b>
<b>3 Terms and definitions.....</b>	<b>1</b>
<b>4 Abbreviated terms.....</b>	<b>2</b>
<b>5 Charging policies.....</b>	<b>4</b>
5.1 General description.....	4
5.2 Conventional charging policies.....	4
5.2.1 Financial sources for road construction.....	4
5.2.2 Financial sources for road maintenance.....	4
5.2.3 Reduction for congestion in urban area.....	4
5.2.4 Internalizing external costs.....	5
5.2.5 Summary of conventional charging policies.....	5
5.3 New charging policies.....	5
5.3.1 Financial source for road construction with low cost devices.....	5
5.3.2 Financial source for road maintenance alternative to fuel tax.....	5
5.3.3 Provision of appropriate route or lane.....	6
5.3.4 Integration of C-ITS technology with EFC.....	6
5.3.5 Fair charging rates.....	6
5.3.6 Summary of new charging policies.....	6
5.4 Integrated charging policies.....	7
5.4.1 General.....	7
5.4.2 Financial source for road construction and maintenance.....	7
5.4.3 Traffic management by charging.....	7
5.4.4 Internalizing external costs.....	7
5.4.5 Fair charging rates.....	7
5.4.6 Summary of integrated charging policies.....	7
<b>6 Functional requirements.....</b>	<b>8</b>
6.1 EFC function.....	8
6.1.1 EFC functional model.....	8
6.1.2 Charging.....	9
6.1.3 Enforcement.....	11
6.1.4 Information provision.....	11
6.1.5 Payment.....	12
6.2 Relation between charging policies and EFC functions.....	12
6.3 EFC functional requirements.....	13
6.3.1 Charging.....	13
6.3.2 Enforcement.....	14
6.3.3 Information provision.....	14
6.3.4 Summary of EFC functional requirements.....	14
<b>7 Technology for requirements.....</b>	<b>15</b>
7.1 General.....	15
7.2 Charging.....	15
7.2.1 Distance driven.....	15
7.2.2 Vehicle class.....	16
7.2.3 Time class.....	16
7.2.4 Location class.....	16
7.2.5 Traffic conditions.....	16
7.2.6 Summary.....	16
7.3 Enforcement.....	17
7.3.1 Payment avoidance.....	17

7.3.2	Over loaded.....	18
7.3.3	Summary.....	18
7.4	Information provision.....	18
7.4.1	Tariff information.....	18
7.4.2	Level of services (LOS).....	19
7.4.3	Charge amount.....	19
7.4.4	Summary.....	19
<b>8</b>	<b>Charging technologies.....</b>	<b>20</b>
8.1	General description.....	20
8.1.1	Eliminated EFC technologies or equipment.....	20
8.2	Existing technologies.....	21
8.2.1	DSRC.....	21
8.2.2	Autonomous systems (GNSS/CN).....	21
8.2.3	ANPR.....	22
8.3	Emerging technologies.....	23
8.3.1	Probe data.....	23
8.3.2	Odometer.....	24
8.3.3	Passive RFID.....	24
8.3.4	WAVE.....	25
8.3.5	WIM.....	27
8.3.6	Other technologies.....	28
8.4	Consideration of mutual applicability.....	29
8.4.1	General.....	29
8.4.2	Existing technologies for new charging policies.....	29
8.4.3	Emerging technologies for conventional charging policies.....	29
8.4.4	Emerging technologies for new charging policies.....	29
<b>9</b>	<b>Recommendations.....</b>	<b>30</b>
9.1	General.....	30
9.1.1	Evaluation criteria.....	31
9.2	Evaluations.....	32
9.2.1	Charging assist traffic management.....	32
9.2.2	Passive UHF RFID based EFC.....	32
9.2.3	Odometer-based EFC.....	32
9.2.4	ANPR based EFC.....	32
9.2.5	Toll-by-weight.....	33
9.2.6	WAVE based EFC.....	33
9.2.7	CN-5G for EFC.....	33
9.2.8	A-GNSS for EFC.....	33
9.3	Summary.....	33
	<b>Annex A (informative) Application of technology to EFC systems.....</b>	<b>35</b>
	<b>Annex B (informative) Example of tariffs.....</b>	<b>43</b>
	<b>Annex C (informative) Comparison of communication technologies.....</b>	<b>51</b>
	<b>Annex D (informative) Examples of legislation for charging policy.....</b>	<b>61</b>
	<b>Bibliography.....</b>	<b>63</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations/governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 204, *Intelligent transport systems*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

An electronic fee collection (EFC) system, introduced in many countries around the world, is used for collecting road construction funds or repaying loans for construction of toll roads. Toll roads have enabled large-capacity and high-speed movement of people and goods, and contributed greatly to social and economic development in the introduced countries. As an internalization of external costs for road pavement damage by heavy goods vehicles (HGV), HGV charging has been introduced in member countries widely under the support of the European Commission. EFC is also effectively used for mitigating congestion in urban area as a traffic management measure.

The EFC technology that realizes these charging policies is classified as dedicated short-range communication (DSRC)-based system and autonomous system, and EFC systems developed based on these major standards have been introduced in countries all over the world. In addition to the above charging policies and technologies, several important new charging policies realized by new technologies are planned and trial operations are being carried out.

In Tokyo metropolitan area, road users can use smart route selection from among several optional routes according to their judgment of whether a priority given to reduction of travel time or priority to charge amount. As another new policy, several pilot operations of road usage charging have been introduced in the United States to raise funds for road maintenance as an alternative for the current fuel tax.

These new charging policies can make road users more convenient or road maintenance sustainable in accordance with evolution of technologies. As an another example of new charging policy, there is the managed lane such as high occupancy tolling/high occupancy vehicle (HOT/HOV) lane which is already operated in the United States, where it can be used for free with a certain number of crew members, but paying the fee with existing charging technology enable road users to use it even under a certain number of crew members.

In this document, the relationship between charging policies and EFC technologies are investigated in order to propose future standardization themes.

[Table 1](#) shows the major charging systems realized from charge policy and EFC technology.

**Table 1 — Major charging systems realized from charging policy and EFC technology**

Charging policies EFC technologies	Conventional charging policy	New charging policy
Existing technology	<ul style="list-style-type: none"> <li>— Toll road charging (ETC)</li> <li>— HGV charging</li> <li>— Congestion charging</li> </ul>	<ul style="list-style-type: none"> <li>— Managed lane (HOT/HOV)</li> </ul>
Emerging technology	(Applicable to the above charging systems)	<ul style="list-style-type: none"> <li>— Smart route selection</li> <li>— Road usage charging (RUC)</li> </ul>

# Electronic fee collection — Investigation of charging policies and technologies for future standardization

## 1 Scope

This document investigates the stemming from requirements of charging policies and corresponding charging technologies in order to propose future standardization theme candidates.

This document reports the findings of the investigation of charging policies and technologies in order to:

- Classify the conventional charging policies and the new charging policies and their functional requirements.
- Classify the existing technologies and the emerging technologies to be used for EFC services or other intelligent transport system (ITS) services.
- Conduct a gap analysis between the needs of the new charging policies and the existing standardized technologies for EFC.
- Recommend development of emerging standards or amendments for existing EFC standards according to the results of the gap analysis.

Figure 1 shows the process for preparing this document and the scope.




Figure 1 — Scope and process flow of this document

## 2 Normative references

There are no normative references in this document.

## 3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

**3.1  
level of service  
LOS**

rating of the quality of transportation facilities and services from the user's perspective, which refers to the speed, convenience and comfort to evaluate problems and potential solutions

**3.2  
open payment**

system that uses open interfaces for validating payment

**3.3  
passive RFID**

RFID system, where the OBU is a passive-backscattering device

**3.4  
passive ultra high frequency RFID  
passive UHF RFID**

passive RFID, operating in the 860 MHz to 960 MHz frequency range

Note 1 to entry: Note 1 to entry: Passive UHF RFID as defined in ISO/IEC 18000-63 unless otherwise specifically stated.

**3.5  
transport performance requirement**

needed level of service related to a set of operational goals and performance measures, e.g. speed, travel time, freedom to manoeuvre, travel interruptions, comfort or convenience

**3.6  
radio frequency identification  
RFID**

wireless non-contact system that uses radio-frequency electromagnetic fields to transfer data from an OBU attached to an object, for the purposes of automatic identification and tracking

Note 1 to entry: Adapted from ISO/TS 16791:2014, 3.1.24.

## 4 Abbreviated terms

For the purposes of this document, the following abbreviated terms apply.

A-GNSS	Authenticated GNSS
AES	Advanced Encryption Standard
AET	All Electronic Tolling
ANPR	Automatic Number Plate Recognition
ASTM	American Society for Testing and Materials
CCC	Compliance check communication for autonomous systems (ISO 12813)
C-ITS	Cooperative – ITS
CN	Cellular Network



CN-3G	Cellular Network 3 <sup>rd</sup> Generation
CN-4G	Cellular Network 4 <sup>th</sup> Generation
CN-5G	Cellular Network 5 <sup>th</sup> Generation
COST	European Cooperation in Science and Technology
DOT	Department of Transportation
DSRC	Dedicated Short-Range Communication (ISO 14906)
EPC	Electronic Product Code
FETC	Far Eastern Electronic toll Collection
GNSS	Global Navigation Satellite System
HGV	Heavy Goods Vehicle
HMI	Human Machine Interface
HOT	High Occupancy Tolling
HOV	High Occupancy Vehicle
IAG	Inter-Agency Group
IMT	International Mobile Telecommunication
ITU	International Telecommunication Union
KEC	Korean Expressway Corporation
LAC	Localisation augmentation communication (ISO 13141)
LEZ	Low Emission Zone
LOS	Level Of Services
MLIT	Ministry of Land Infrastructure and Transport
OBD	On-Board Diagnostics
PCU	Passenger Car Unit equivalent
RFID	Radio Frequency Identification
RUC	Road Usage Charging
TANFB	Taiwan Area National Freeway Bureau
UHF	Ultra High Frequency
WAVE	Wireless Access in Vehicular Environments
WIM	Weigh-In-Motion

## 5 Charging policies

### 5.1 General description

Road networks are the most important infrastructure of land transportation to support social economic activities such as, among others, freight transportation, human mobility and emergency transportation activities in disaster relief. While road charging has been applied as a means of raising funds for the construction, the maintenance and the operation for those road networks, it has been also applied to reduce congestion in urban areas as a means of traffic management.

On the other hand, vehicles using the road networks generate external costs such as air pollution caused by running exhaust gas and deterioration of the living environment due to noise. For this reason, policies are being studied to make these external costs associated with road transport be borne by those who cause these factors. For charging to HGV especially in Europe, the policy was enacted by European Directive (2011/76/EU) to allow the charge amount to include external costs in addition to road network construction and maintenance fees.

The legal systems concerning road charging have already been enacted in each country where they are introduced to realize charging policies, and examples of legislation in major regions and countries are shown in [Annex D](#).

It has to be noted that, although in general a policy is technology agnostic, in some cases a policy addresses one specific technology for reasons that are not of an engineering nature, as for example when technology is mandated due to economic reasons. This is reflected in some cases later on.

### 5.2 Conventional charging policies

#### 5.2.1 Financial sources for road construction

Construction of road networks requires a great deal of funds, therefore road operators construct them by borrowing funds from financial institutions that should be repaid by collecting tolls from the road users during a predetermined fixed period of time. Even if the loan repayment is completed, the toll charging will be continued in order to pay for road maintenance and facility management in some cases.

The so called “shadow tolling”, i.e. using general tax revenues to repay for road construction and maintenance with no explicit road toll collected road users, is outside the scope of this document.

#### 5.2.2 Financial sources for road maintenance

HGVs registered in other countries drive on the highways or the general roads of the home country, so that the road damage caused by these HGVs has caused serious problems in European countries. These situations made it possible to charge even for the vehicle of other nationalities that carry out the international road transport by European Directive (1999/62/EC).

Based on this European Directive, HGV charging aiming for environmental protection started in Switzerland in 2001. Since then, HGV charging operations started in Austria in 2004, in Germany in 2005, and in the Czech Republic in 2007. Fee revenues in these countries using mainly the financial resources for road maintenance, have been also been used for some rail network maintenance and waterway maintenance.

#### 5.2.3 Reduction for congestion in urban area

Economic losses caused by traffic congestion in urban areas is a serious problem, therefore it has been shown theoretically that the traffic volume can be reduced by introducing charging in the selected areas. The theory has been demonstrated in an actual operation in Singapore since 1998, followed by London in 2003, and Stockholm in 2006, where environmental improvements were reported along with reduction in traffic volume. The fee revenues are used for both road construction and improvement of public transportation.

In Singapore, traffic volume has been controlled by varying the charging rates to keep traveling speed within the pre-defined range based on the measurement of the traffic situation every three months.

#### 5.2.4 Internalizing external costs

Internalisation of external costs is based on the principle that the users of the road network pay the costs that each road user imposes on the society and the other road users. These costs are related to accidents, congestion, noise, environment and road wear. In a theoretically correct road use charging system, any road user should pay the costs imposed on the society. This is difficult to implement completely and some simplified variants have been implemented for many years.

The above mentioned congestion charging and some part of HGV charging may be included in this item theoretically, but this clause describes from the viewpoint of environmental protection. Low emission zones (LEZ) focus on the environment and the main objective of LEZ is to reduce the pollution caused by vehicles using fossil energy by means of EFC where the tariffs reflect the vehicle pollution characteristics.

LEZ has been introduced in many cities in Europe and its effects have been confirmed. Taking into account the impact on citizens' health from the traffic noise, comprehensive countermeasures are considered by European Directive (2002/49/EC) such as Q-Zone in the city centres where only electric vehicles will be allowed to circulate.

The environmental impact caused in Switzerland by truck traffic between Germany and Italy was determined as a serious problem, therefore a toll schema for HGV weighing 3,5 t or more was introduced in 2001. The charge revenue was used to the construction funds for a new tunnel that enables goods transportation to be diverted from trucks to railways.

#### 5.2.5 Summary of conventional charging policies

The charging policies discussed above are categorized based on their objectives as shown in [Table 2](#).

Table 2 — Conventional charging policies

Charging policy	Method
1. Financial source for road construction	To charge for all vehicles with tolls depending on the impact of vehicles on the road.
2. Financial source for road maintenance	To raise funds for road maintenance or reconstruction by charging for HGV in use.
3. Reduction for congestion in urban areas	To charge for all vehicles circulating in the area.
4. Internalizing external costs	To charge for all vehicles with tolls depending on the impact of vehicles on the environment.

### 5.3 New charging policies

#### 5.3.1 Financial source for road construction with low cost devices

In developing countries, the need for repayment of road construction costs by EFC is hindered by the cost of EFC equipment, especially the OBE. A new charging policy is to charge all vehicles using low-cost, high-performance devices such as passive (UHF) RFID, which have been developing in recent years.

#### 5.3.2 Financial source for road maintenance alternative to fuel tax

While many countries have been reliant on the fuel tax to finance road maintenance, fuel tax revenues are in a downward trend due to the recent spread of high fuel efficiency cars and electric vehicles. In the USA road usage charging to substitute the fuel tax has been studied for the past 10 years, and the field

operation test of road usage charging to use odometer and other methods has been carried out since July 2016. A new policy is to replace the fuel tax by road usage charging based on the travelled distance.

**5.3.3 Provision of appropriate route or lane**

In Tokyo metropolitan area, while construction of a road network composed of plural radial roads and plural ring roads has been progressed, a dynamic charging scheme depending on the degree of congestion has been studied for selecting an appropriate route to destination for avoiding traffic jams in the central Tokyo area. As for measurement of traffic flow, probe data from the global navigation satellite system (GNSS) receiver equipped in-vehicle unit is expected to carry out vehicle tracking in addition to the conventional vehicle detectors.

In the United States as a return of charging to a specific lane of the inter-urban roads, a minimum traveling speed and travelling time to destination are guaranteed to some extent. For this reason, charging rate is determined based on the traffic volume measured by every predetermined time interval (for example, 5 min). This specific lane is called a managed lane or HOT lane and also serves as an HOV lane where cars with a certain number or more of occupants are allowed to pass through free of charge. A new policy is thus to manage traffic flows by modulating tolls.

**5.3.4 Integration of C-ITS technology with EFC**

C-ITS stations have been introduced in vehicles for safety applications, but could also be used for tolling applications. While this has not been done so far, in the near future a new policy that requires using the same communication media for all vehicle applications including tolling can be expected.

**5.3.5 Fair charging rates**

As vehicle caused damage to road pavement is said to be proportional to the fourth or fifth power of the axle load, the charging rates adopted for toll roads in the world are generally proportional to the number of vehicle axles. While it could be acceptable for full loaded vehicles to be charged based on the number of axles, a fairness problem arises in the case of empty vehicles which are charged at the same charge rate as when they are full loaded.

A new policy that regulates the toll rate based on the actual gross vehicle weight would overcome this problem of fairness.

**5.3.6 Summary of new charging policies**

New charging policies are categorized based on their objectives, as shown in [Table 3](#).

**Table 3 — New charging policies**

Charging policy	Method
1. Financial source for road construction with low cost devices	To repay the road construction and the maintenance costs by charging all vehicles with low cost devices.
2. Financial source for road maintenance alternative to fuel tax	To charge for all vehicles using public roads based on vehicle miles travelled as an alternative to the fuel tax.
3. Provision of appropriate route or lane	To induce the appropriate route in metropolitan areas or appropriate lane in inter-urban roads by varying toll tariffs based on the road traffic and notifying the road user.
4. Integration of C-ITS technology with EFC	To bring all in-vehicle applications including road charging, to use the same hardware and communication media.
5. Fair charging rates	To define charge rate based on the gross vehicle weight.

# ALTIJD DE ACTUELE NORM IN UW BEZIT HEBBEN?

Nooit meer zoeken in de systemen en uzelf de vraag stellen:  
“Is ISO/TR 21190:2018 en de laatste versie?”™

Via het digitale platform NEN Connect heeft u altijd toegang tot de meest actuele versie van deze norm. Vervallen versies blijven ook beschikbaar. **U en uw collega's** kunnen de norm via NEN Connect makkelijk raadplagen, online en offline.

Kies voor slimmer werken en bekijk onze mogelijkheden op [www.nenconnect.nl](http://www.nenconnect.nl).

## Heeft u vragen?

Onze Klantenservice is bereikbaar maandag tot en met vrijdag, van 8.30 tot 17.00 uur.

Telefoon: 015 2 690 391

E-mail: [klantenservice@nen.nl](mailto:klantenservice@nen.nl)

