



Nederlandse norm

# NEN-ISO 21400

(en)

Pulp - Determination of cellulose nanocrystal sulfur and sulfate half-ester content (ISO 21400:2018,IDT)

ICS 85.040  
januari 2019

Als Nederlandse norm is aanvaard:

- ISO 21400:2018, IDT

Normcommissie 341020 'Grafische technologie'



**THIS PUBLICATION IS COPYRIGHT/PROTECTED**

**DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD**

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.



©2018 Koninklijk Nederlands Normalisatie-instituut  
Postbus 5059, 2600 GB Delft  
Telefoon (015) 2 690 390, Fax (015) 2 690 190

Preview

Copyright

---

---

**Pulp — Determination of cellulose  
nanocrystal sulfur and sulfate half-  
ester content**

*Pâte — Détermination de la teneur en soufre et en demi-ester de  
sulfate des nanocristaux de cellulose*



Copyright  
Preview

**COPYRIGHT PROTECTED DOCUMENT**

© ISO 2018

All rights reserved. Unless otherwise specified, or required in the context of its implementation, no part of this publication may be reproduced or utilized otherwise in any form or by any means, electronic or mechanical, including photocopying, or posting on the internet or an intranet, without prior written permission. Permission can be requested from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
CP 401 • Ch. de Blandonnet 8  
CH-1214 Vernier, Geneva  
Phone: +41 22 749 01 11  
Fax: +41 22 749 09 47  
Email: [copyright@iso.org](mailto:copyright@iso.org)  
Website: [www.iso.org](http://www.iso.org)

Published in Switzerland

# Contents

Page

<b>Foreword</b> .....	<b>iv</b>
<b>Introduction</b> .....	<b>v</b>
<b>1 Scope</b> .....	<b>1</b>
<b>2 Normative references</b> .....	<b>1</b>
<b>3 Terms and definitions</b> .....	<b>1</b>
<b>4 Symbols and abbreviated terms</b> .....	<b>3</b>
<b>5 Total elemental sulfur content — ICP-OES method</b> .....	<b>4</b>
5.1 Principle.....	4
5.2 Reagents and apparatus.....	5
5.3 Sample purification by dialysis.....	6
5.4 Microwave-assisted sample digestion and sample preparation.....	8
5.5 Preparation of calibration solutions and blanks.....	10
5.6 Analysis of standards and samples by ICP-OES.....	11
5.7 Calculation of dry CNC total elemental sulfur content and CNC surface charge.....	12
5.8 Test report.....	13
<b>6 Sulfate half-ester content — Conductometric titration method</b> .....	<b>13</b>
6.1 Principle.....	13
6.2 Reagents and apparatus.....	14
6.3 Sample purification by dialysis.....	15
6.4 Sample protonation by ion exchange.....	16
6.5 Sample analysis by conductometric titration.....	17
6.6 Calculation of dry CNC sulfate half-ester content and CNC surface charge.....	19
6.7 Test report.....	20
<b>Annex A (normative) Sample digestion by wet ashing</b> .....	<b>21</b>
<b>Annex B (normative) Sample protonation by batch treatment with ion exchange resin</b> .....	<b>23</b>
<b>Annex C (informative) Precision</b> .....	<b>24</b>
<b>Bibliography</b> .....	<b>26</b>

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

The procedures used to develop this document and those intended for its further maintenance are described in the ISO/IEC Directives, Part 1. In particular, the different approval criteria needed for the different types of ISO documents should be noted. This document was drafted in accordance with the editorial rules of the ISO/IEC Directives, Part 2 (see [www.iso.org/directives](http://www.iso.org/directives)).

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights. Details of any patent rights identified during the development of the document will be in the Introduction and/or on the ISO list of patent declarations received (see [www.iso.org/patents](http://www.iso.org/patents)).

Any trade name used in this document is information given for the convenience of users and does not constitute an endorsement.

For an explanation of the voluntary nature of standards, the meaning of ISO specific terms and expressions related to conformity assessment, as well as information about ISO's adherence to the World Trade Organization (WTO) principles in the Technical Barriers to Trade (TBT) see [www.iso.org/iso/foreword.html](http://www.iso.org/iso/foreword.html).

This document was prepared by Technical Committee ISO/TC 6, *Paper, board and pulps*.

Any feedback or questions on this document should be directed to the user's national standards body. A complete listing of these bodies can be found at [www.iso.org/members.html](http://www.iso.org/members.html).

## Introduction

This document, which establishes testing methodologies for measuring the total elemental sulfur and sulfate half-ester group contents of cellulose nanocrystals (CNCs), was developed in response to a need for a simple and rapid method for indirect quantification of CNC surface charge.

The main purpose of the two methods covered (inductively coupled plasma-optical emission spectroscopy (ICP-OES) and conductometric titration) in this document is to measure the surface charge of sulfated CNCs. Sulfate half-ester groups ( $R-OSO_3H$ ) covalently bound at the nanocrystal surface are introduced during concentrated sulfuric acid hydrolysis by partial esterification of the cellulose hydroxy groups<sup>[1]</sup>. The anionic sulfate half-ester groups are strong acids, such that at neutral and basic pH values, the protons dissociate and the CNC surface is negatively charged ( $R-OSO_3^-$ ). The pKa of the sulfate half-ester groups on CNCs is approximately 2,5 (as determined by potentiometric titration), implying that at very low pH the surface groups are protonated and CNCs have a net neutral charge<sup>[2]</sup>. This surface charge controls many important properties of CNC suspensions, including the colloidal stability, self-assembly and rheological behaviour, both in the pure state and in the presence of salts and other additives. As such, the CNC surface charge is a very important factor in the processing and development of commercial products containing CNCs. The sulfate half-ester (sulfur) content will also be a key entry on material specifications sheets which will accompany the commercial product, enabling different product grades to be distinguished from each other and from other companies' products.

ICP-OES and conductometric titration are both included in this document as they provide different but complementary ways of measuring the surface charge. ICP-OES measures elemental sulfur which is present in a 1:1 ratio with the charged sulfate half-ester groups, and does not depend on the nature of the counterion. Conductometric titration, on the other hand, measures only protons associated with the anionic  $R-OSO_3^-$ , but is much less complicated to carry out. The two analysis methods should yield equivalent results (see [4](#) and [6.1](#)), or within 5 % to 10 % owing to sources of uncertainty/error such as transfer losses and slight differences in the purification and protonation steps. CNCs derived from different cellulose sources have shown different levels of agreement between the results from the two methods<sup>[3]</sup>. The objective of this document is to use this information in quantifying the CNC surface charge arising from the easily ionized sulfate half-ester moieties introduced during hydrolysis or post-sulfation.

The tests contained herein are based on literature methods and were developed over several years by a group of industry experts, and were identified as being those which can yield reproducible and accurate results. The tests are anticipated to be performed in a laboratory setting.

As with any laboratory procedure requiring the use of potentially hazardous chemicals, the user is expected to have received proper knowledge and training in the use and disposal of these chemicals.

This document contains footnotes giving examples of apparatus, reagents and sometimes the supplier(s) of those materials that are available commercially. This information is given for the convenience of users of this document and does not constitute an endorsement by ISO of the products named. Equivalent products may be used if they can be shown to lead to the same results.

[Annex A](#) provides an alternative method of sample digestion for ICP-OES by wet ashing. [Annex B](#) provides an alternative method of sample protonation for conductometric titration by treatment with batches of ion exchange resin.

Voorbereid  
Preview



# Pulp — Determination of cellulose nanocrystal sulfur and sulfate half-ester content

## 1 Scope

This document specifies procedures for the laboratory determination of the total elemental sulfur and the sulfate half-ester content of cellulose nanocrystals (CNCs) by inductively coupled plasma-optical emission spectroscopy and conductometric titration, respectively, including sample preparation, measurement methods and data analysis.

This document is applicable to the characterization of CNCs:

- a) with all monovalent counterions (particularly hydronium and sodium cations);
- b) which are either in the never-dried state in aqueous suspension, or have been redispersed from a dried form, and
- c) which have been extracted from any naturally occurring cellulose source using a range of sulfuric acid hydrolysis conditions, or have been sulfated post-hydrolysis using sulfuric acid.

## 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO 3696, *Water for analytical laboratory use — Specification and test methods*

ISO 14644-1, *Cleanrooms and associated controlled environments — Part 1: Classification of air cleanliness by particle concentration*

ISO/TS 80004-1, *Nanotechnologies — Vocabulary — Part 1: Core terms*

ISO/TS 80004-2, *Nanotechnologies — Vocabulary — Part 2: Nano-objects*

ISO/TS 80004-6, *Nanotechnologies — Vocabulary — Part 6: Nano-object characterization*

## 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ISO/TS 80004-1, ISO/TS 80004-2, ISO/TS 80004-6 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- ISO Online browsing platform: available at <https://www.iso.org/obp>
- IEC Electropedia: available at <http://www.electropedia.org/>

### 3.1

#### nanoscale

length range approximately from 1 nm to 100 nm

Note 1 to entry: Properties that are not extrapolations from larger sizes are predominantly exhibited in this length range.

[SOURCE: ISO/TS 80004-1:2015, 2.1]

# ALTIJD DE ACTUELE NORM IN UW BEZIT HEBBEN?

Nooit meer zoeken in de systemen en uzelf de vraag stellen:  
“Is NEN-ISO 21400:2019 en de laatste versie?”™

Via het digitale platform NEN Connect heeft u altijd toegang tot de meest actuele versie van deze norm. Vervallen versies blijven ook beschikbaar. **U en uw collega's** kunnen de norm via NEN Connect makkelijk raadplagen, online en offline.

Kies voor slimmer werken en bekijk onze mogelijkheden op [www.nenconnect.nl](http://www.nenconnect.nl).

## Heeft u vragen?

Onze Klantenservice is bereikbaar maandag tot en met vrijdag, van 8.30 tot 17.00 uur.

Telefoon: 015 2 690 391

E-mail: [klantenservice@nen.nl](mailto:klantenservice@nen.nl)

