

Nederlandse norm

NEN-EN 17218

(en)

Water - Richtlijn voor de monsterneming van mesozooplankton in zeewater en brakwater met gebruik van netten

Water quality - Guidance on sampling of mesozooplankton from marine and brackish water using mesh

Vervangt NEN-EN 17218:2018 Ontw.

ICS 13.060.70

mei 2019

Als Nederlandse norm is aanvaard:
 - EN 17218:2019,IDT

Voorbeeld
 Preview

Normcommissie 390020 'Milieuwaliteit'



THIS PUBLICATION IS COPYRIGHT/PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.



©2019 Koninklijk Nederlands Normalisatie-instituut
 Postbus 5059, 2600 GB Delft
 Telefoon (015) 2 690 390, Fax (015) 2 690 190

EUROPEAN STANDARD

EN 17218

NORME EUROPÉENNE

EUROPÄISCHE NORM

May 2019

ICS 13.060.70

English Version

Water quality - Guidance on sampling of mesozooplankton from marine and brackish water using mesh

Qualité de l'eau - Document d'orientation pour
l'échantillonnage du mésozooplancton dans les eaux de
mer ou saumâtres à l'aide de filets

Wasserbeschaffenheit - Anleitung zur Probenahme von
Mesozooplankton aus marinen und
Übergangsgewässern mittels Netzen

This European Standard was approved by CEN on 15 March 2019.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

European foreword.....	4
Introduction.....	5
1 Scope.....	6
2 Normative references.....	6
3 Terms and definitions.....	6
4 Principle.....	7
5 Sampling device.....	8
5.1 General.....	8
5.2 Nets.....	8
5.3 Other field equipment.....	10
5.4 Preserving solutions and other chemicals.....	11
6 Prearrangements of sampling.....	12
6.1 Documentation of strategies and methods.....	12
6.2 Preparation of sampling equipment.....	12
6.3 Safety instructions.....	12
7 Sampling procedure.....	12
7.1 Investigation programme.....	12
7.2 Number and location of sampling sites.....	13
7.2.1 General.....	13
7.3 Diurnal sampling period.....	14
7.3.1 General.....	14
7.3.2 Sample size.....	14
7.3.3 Geographical localization of sampling sites.....	14
7.4 Operating the sampling device.....	15
7.4.1 Vertical net hauls.....	15
7.4.2 Horizontal tows/hauls.....	15
7.4.3 Filling and labelling of sample bottles.....	16
7.4.4 Preservation and storage of samples.....	17
7.5 Field data recording.....	18
8 Quality assurance.....	18
Annex A (informative) Examples of sampling devices.....	19
A.1 Bongo nets.....	19
A.2 Continuous plankton recorder.....	19
A.3 WP2 net.....	20
A.4 Multinets.....	20
A.5 Gulf VII sampler.....	21
Annex B (informative) Preservation.....	22
B.1 Preservation.....	22
B.2 Formaldehyde (formalin).....	22

B.2.1	General	22
B.2.2	Advantages of formaldehyde	22
B.2.3	Disadvantages of formaldehyde	23
B.3	Lugol's Iodine	23
B.3.1	General	23
B.3.2	Advantages of Lugol's Iodine (over formaldehyde)	23
B.3.3	Disadvantages of Lugol's Iodine	23
B.4	Ethanol	24
B.4.1	Advantages of ethanol	24
B.4.2	Disadvantages of ethanol	24
Annex C (informative)	Corrections of depth from wire angle [1]	25
Annex D (informative)	Example of a field data sheet	26
Annex E (informative)	Ribbon-sampling devices	27
E.1	Continuous plankton recorder (CPR)	27
E.2	Longhurst Hardy plankton recorder (LHPR)	27
Bibliography	28

Copyright
Preview

European foreword

This document (EN 17218:2019) has been prepared by Technical Committee CEN/TC 230 "Water analysis", the secretariat of which is held by DIN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by November 2019, and conflicting national standards shall be withdrawn at the latest by November 2019.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom..

Orb
Preview
EEN
nl

Introduction

The Zooplankton community is an important part of the pelagic food web, since it forms the link between primary producers and higher trophic levels. Changes in phytoplankton biomass and species/size composition change mesozooplankton community structure and productivity. Such changes potentially influence fish stock recruitment and sedimentation (i.e. indirectly affecting oxygen concentration in the bottom water) [1].

Surveys of zooplankton have provided valuable information for the environmental monitoring of marine and brackish waters, because this group includes species which:

- occur in a wide range of marine and brackish waters over a large geographical area and at the same time have specific environmental requirements,
- are relatively well known with regard to their geographical distribution and environmental requirements, and
- have a generally high capacity for dispersal enabling them to respond rapidly to remedial actions,

while sampling requires only a modest expenditure of time and equipment.

A procedure for analysing zooplankton (identification, counting and biomass determination) in marine and brackish waters is given in EN 17204 [2]. This procedure comprises how to identify and enumerate zooplankton collected in nets which is utilized to estimate quantitative information on diversity, abundance and biomass with regard to spatial distribution and long-term temporal trends for a given body of water.

WARNING — Persons using this document should be familiar with normal laboratory practice. This document does not purport to address all of the safety problems, if any, associated with its use. It is the responsibility of the user to establish appropriate safety and health practices.

EN 17218:2019 (E)**1 Scope**

This document specifies procedures for sampling of mesozooplankton using nets and continuous ribbon-sampling devices in marine and brackish waters for the purpose of water quality assessment and determination of ecological status of ecosystems.

Guidance on sampling procedures and the subsequent steps of preservation and storage are given. The sampling procedures allow estimates of species occurrence and their abundance (relative or absolute), including spatial distribution and seasonal and long-term temporal trends, for a given body of water.

The described methods are restricted to the sampling of mesozooplankton that inhabit marine and brackish waters and exclude the shallow littoral zones which require a different type of sampling (e.g. zooplankton in salt marshes).

2 Normative references

There are no normative references in this document.

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1 pelagic zone

free body of water beyond the bottom

3.2 thermocline

layer in a thermally stratified body of water in which the temperature gradient is at a maximum

[SOURCE: ISO 6107-1:2004, 75]

3.3 habitat

area of the environment in which a particular organism lives, including its characteristic assemblages of plants and animals

Note 1 to entry: It can be either the geographical area over which it extends, or the particular station in which a specimen is found.

[SOURCE: EN ISO 10870:2012, 2.6, modified – Note 1 to entry has been added]

3.4 biomass concentration

total mass of living organic matter, measured as wet weight, dry weight or ash free dry weight

Note 1 to entry: Unit: g l^{-3} , g ml^{-3} , or g m^{-3} of carbon.

3.5

plankton

organisms drifting or suspended in water, consisting chiefly of minute plants or animals, but including larger forms having only weak powers of locomotion

[SOURCE: ISO 6107-5:2004, 41]

3.6

zooplankton

animals present in plankton

[SOURCE: ISO 6107-5:2004, 49]

3.7

mesozooplankton

zooplankton of 0,2 mm to 20 mm size

3.8

sampling site

general area within a body of water from which samples are taken

Note 1 to entry: A site is defined in terms of its location (geographical position, depth) and invariant conditions (e.g. type of bottom in shallow-water areas) and is delimited on the basis of the accuracy with which these are given. In cases of doubt when sampling sites have to be re-identified, most weight should be placed on depth and type of bottom.

[SOURCE: EN ISO 5667-6:2016, 3.10, modified – “or location” is replaced by “within a body of water” and note 1 to entry has been added]

3.9

sampling station

precise location where samples are collected

Note 1 to entry: A sampling station is defined by its geographical position (latitude, longitude), its depth (relative to chart datum and normalized to mean low water as given in tide tables) and any other invariant or physical conditions. The station is delineated using the given level of precision. In cases of doubt, when revisiting sampling stations, emphasis should be placed on landmarks and water depth.

[SOURCE: EN ISO 16665:2013, 2.2.5]

3.10

trend monitoring

study intended to reveal any changes in variables such as diversity and in the ecological status of a body of water over time

3.11

preservation

protection from (bio)chemical degradation of organic matter

4 Principle

The sampling strategy determines which information on the current status of the zooplankton community can be achieved. The selection of sampling sites (numbers and location), sampling depth, time and frequency of sampling, number of replicates and type of sampling gear is of great importance for the evaluation of the data collected. As a general guidance EN ISO 5667-1 should be consulted.

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 17218:2019 en Water - Richtlijn voor de monsterneming van mesozooplankton in zeewater en brakwater met gebruik van netten € 62.00

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling _____

T.a.v. _____ O M O V

E-mail _____

Klantnummer NEN _____

Uw ordernummer _____ BTW nummer _____

Postbus / Adres _____

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres _____

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products & Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.