

Nederlandse norm

NEN-EN 17152-1

(en)

Plastics piping systems for non-pressure underground conveyance and storage of non-potable water - Boxes used for infiltration, attenuation and storage systems - Part 1: Specifications for storm water boxes made of PP and PVC-U

Vervangt NEN-EN 17152-1:2017 Ontw.

ICS 23.040.01
september 2019

Als Nederlandse norm is aanvaard:
 - EN 17152-1:2019, IDT

Normcommissie 349070 'Kunststofleidingssystemen'



THIS PUBLICATION IS COPYRIGHT PROTECTED

DEZE PUBLICATIE IS AUTEURSRECHTELIJK BESCHERMD

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Royal Netherlands Standardization Institute.

The Royal Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Koninklijk Nederlands Normalisatie-instituut niets uit deze uitgave worden verveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Koninklijk Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor verveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Royal Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Royal Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Koninklijk Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Koninklijk Nederlands Normalisatie-instituut gepubliceerde uitgaven.



©2019 Koninklijk Nederlands Normalisatie-instituut
 Postbus 5059, 2600 GB Delft
 Telefoon (015) 2 690 390, www.nen.nl

EUROPEAN STANDARD

EN 17152-1

NORME EUROPÉENNE

EUROPÄISCHE NORM

August 2019

ICS 23.040.01

English Version

Plastics piping systems for non-pressure underground conveyance and storage of non-potable water - Boxes used for infiltration, attenuation and storage systems - Part 1: Specifications for storm water boxes made of PP and PVC-U

Systèmes de canalisations en plastique pour le transport et le stockage souterrains sans pression de l'eau non potable - Structures alvéolaires ultra-légères pour les systèmes d'infiltration, de rétention et de stockage - Partie 1 : Spécifications relatives aux structures alvéolaires ultra-légères pour eaux pluviales fabriquées à partir de PP et de PVC-U

Kunststoff-Rohrleitungssysteme für die drucklose unterirdische Entwässerung für Nicht-Trinkwasser - Versickerungsblöcke zur Verwendung in Infiltrations-, Zwischenspeicher- und Speichersystemen - Teil 1: Festlegungen für Regenwasserabfluss-Versickerungsblöcke aus PP und PVC-U

This European Standard was approved by CEN on 19 October 2018.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Republic of North Macedonia, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

CEN-CENELEC Management Centre: Rue de la Science 23, B-1040 Brussels

Contents

Page

| | |
|--|----|
| European foreword..... | 3 |
| Introduction | 4 |
| 1 Scope..... | 5 |
| 2 Normative references..... | 5 |
| 3 Terms and definitions | 6 |
| 4 Symbols and abbreviations | 8 |
| 5 Material..... | 8 |
| 5.1 General..... | 8 |
| 5.2 Polypropylene (PP) material | 8 |
| 5.2.1 General..... | 8 |
| 5.2.2 Polypropylene (PP) virgin material | 8 |
| 5.2.3 Polypropylene (PP) modified material..... | 9 |
| 5.2.4 Polypropylene (PP) non-virgin material..... | 9 |
| 5.3 Unplasticized polyvinylchloride (PVC-U) material..... | 9 |
| 5.3.1 General..... | 9 |
| 5.3.2 Unplasticized polyvinylchloride (PVC-U) virgin material..... | 9 |
| 5.3.3 Unplasticized polyvinylchloride (PVC-U) non-virgin material..... | 9 |
| 5.4 Box and integral components material characteristics | 9 |
| 6 General characteristics..... | 10 |
| 6.1 Appearance..... | 10 |
| 6.2 Colour | 10 |
| 7 Geometrical characteristics..... | 11 |
| 7.1 Dimensions..... | 11 |
| 7.2 Weight | 11 |
| 7.3 Void ratio..... | 11 |
| 8 Mechanical characteristics of boxes and integral components..... | 11 |
| 9 Physical characteristics of injection moulded boxes..... | 13 |
| 10 Marking..... | 13 |
| 10.1 General..... | 13 |
| 10.2 Minimum required marking of infiltration, storage and attenuation boxes..... | 14 |
| Annex A (normative) Characteristics of materials used in boxes and integral components for PP and PVC-U..... | 15 |
| A.1 Material characteristics..... | 15 |
| A.2 Agreed specification between the manufacturer and the supplier of PP and PVC-U materials | 16 |
| Annex B (normative) Test method to check the sensitivity to non-rigid loading..... | 18 |
| B.1 General..... | 18 |
| B.2 Apparatus and test setup..... | 18 |
| Bibliography..... | 20 |

European foreword

This document (EN 17152-1:2019) has been prepared by Technical Committee CEN/TC 155 “Plastics piping systems and ducting systems”, the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by February 2020, and conflicting national standards shall be withdrawn at the latest by February 2021.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CEN shall not be held responsible for identifying any or all such patent rights.

This standard is supported by separate standards on test methods to which normative references are made.

EN 17152 consists of the following parts under the general title *Plastics piping systems for non-pressure underground conveyance and storage of non-potable water - Boxes used for infiltration, attenuation and storage systems*:

- *Part 1: Specifications for storm water boxes made of PP and PVC-U* [this document];
- *Part 2: Specifications for systems of storm water boxes made of PP and PVC-U* [under development];
- *Part 3: Assessment of conformity (CEN/TS)* [under development].

Recommended practices for installation are described in CEN/TR 17179 [1].

National standards for pipes and fittings for the transport of surface water are not considered to be conflicting with this standard and can thus be allowed to coexist.

According to the CEN-CENELEC Internal Regulations, the national standards organisations of the following countries are bound to implement this European Standard: Austria, Belgium, Bulgaria, Croatia, Cyprus, Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

Introduction

The products covered by this standard are part of storm water management system.

This standard is intended to reflect the current state of knowledge of determining and predicting the long-term lifetime of product groups mentioned in the scope while maintaining reasonable testing times for producers and developers of these systems.

Forbiede
Preview

1 Scope

This document gives the definitions and specifies the minimum requirements for injection moulded, extruded and thermoformed thermoplastics cuboid shaped boxes, including integral components, used in underground systems for infiltration, attenuation and storage of non-potable water (e.g. storm water) and manufactured from polypropylene (PP) or unplasticized polyvinylchloride (PVC-U).

NOTE 1 Specifications and design rules for systems will be described in part 2 of EN 17152.

Product properties are determined by a combination of material specifications, design and manufacturing process.

These boxes are intended for buried underground use, e.g. in landscape, pedestrian or vehicular traffic areas.

A box can either be factory assembled or site assembled from different components.

These boxes are intended to be used as elements in a modular system where the manufacturer has clearly stated in the documentation how the components are assembled to create a complete infiltration, attenuation or storage system.

NOTE 2 Non load bearing component(s) can be manufactured by various methods e.g. extrusion, injection moulding, rotational moulding, thermoforming and low-pressure injection moulding

2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

EN 17150:2018, *Plastics piping systems for non-pressure underground conveyance and storage of non-potable water - Test method for determination of short-term compression strength of boxes*

EN 17151:2018, *Plastics piping systems for non-pressure underground conveyance and storage of non-potable water - Test method for determination of long-term compression strength of boxes*

EN ISO 179-1, *Plastics - Determination of Charpy impact properties - Part 1: Non-instrumented impact test (ISO 179-1)*

EN ISO 306, *Plastics - Thermoplastic materials - Determination of Vicat softening temperature (VST) (ISO 306)*

EN ISO 472:2013, *Plastics - Vocabulary (ISO 472)*

EN ISO 527-1, *Plastics - Determination of tensile properties - Part 1: General principles (ISO 527-1)*

EN ISO 527-2, *Plastics - Determination of tensile properties - Part 2: Test conditions for moulding and extrusion plastics (ISO 527-2)*

EN ISO 527-3, *Plastics - Determination of tensile properties - Part 3: Test conditions for films and sheets (ISO 527-3)*

EN ISO 580:2005, *Plastics piping and ducting systems - Injection-moulded thermoplastics fittings - Methods for visually assessing the effects of heating (ISO 580:2005)*

EN ISO 899-1, *Plastics - Determination of creep behaviour - Part 1: Tensile creep (ISO 899-1)*

EN 17152-1:2019 (E)

EN ISO 899-2, *Plastics - Determination of creep behaviour - Part 2: Flexural creep by three-point loading (ISO 899-2)*

EN ISO 1043-1:2011, *Plastics - Symbols and abbreviated terms - Part 1: Basic polymers and their special characteristics (ISO 1043-1)*

EN ISO 1133-1, *Plastics - Determination of the melt mass-flow rate (MFR) and melt volume-flow rate (MVR) of thermoplastics - Part 1: Standard method (ISO 1133-1)*

EN ISO 1167-1, *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids - Determination of the resistance to internal pressure - Part 1: General method (ISO 1167-1)*

EN ISO 1167-2, *Thermoplastics pipes, fittings and assemblies for the conveyance of fluids - Determination of the resistance to internal pressure - Part 2: Preparation of pipe test pieces (ISO 1167-2)*

EN ISO 1183-1, *Plastics - Methods for determining the density of non-cellular plastics - Part 1: Immersion method, liquid pycnometer method and titration method (ISO 1183-1)*

EN ISO 3126, *Plastics piping systems - Plastics components - Determination of dimensions (ISO 3126)*

EN ISO 3451-1, *Plastics - Determination of ash - Part 1: General methods (ISO 3451-1)*

EN ISO 3451-5, *Plastics - Determination of ash - Part 5: Poly(vinyl chloride) (ISO 3451-5)*

EN ISO 11357-6, *Plastics - Differential scanning calorimetry (DSC) - Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT) (ISO 11357-6)*

EN ISO 11358-1, *Plastics - Thermogravimetry (TG) of polymers - Part 1: General principles (ISO 11358-1)*

EN ISO 13229, *Thermoplastics piping systems for non-pressure applications - Unplasticized poly(vinyl chloride) (PVC-U) pipes and fittings - Determination of the viscosity number and K-value (ISO 13229)*

3 Terms and definitions

For the purposes of this document, the terms and definitions given in EN ISO 472:2013, EN ISO 1043-1:2011 and the following apply.

ISO and IEC maintain terminological databases for use in standardization at the following addresses:

- IEC Electropedia: available at <http://www.electropedia.org/>
- ISO Online browsing platform: available at <http://www.iso.org/obp>

3.1

box

thermoplastic cuboid shaped element, with or without sidewalls, used to create a modular system

3.2

integral component

load bearing component contributing to the overall strength of the box

3.3

modular system

system made of repeating boxes

3.4**attenuation system**

modular system designed to reduce the peak flow from a given site by providing a temporary underground storm water storage facility

3.5**infiltration system**

modular system designed to provide a temporary underground storage facility from which storm water soaks into the surrounding ground

3.6**storage system**

modular system designed to provide an underground storage facility for storm water

3.7**porosity**

total available volume for water storage divided by the total envelope cuboid volume for a box

3.8**long-term compression strength**

maximum applied stress for which the box will survive without creep rupture for 50 years determined as the lower 95 % confidence limit (LCL) for the stress leading to a failure at the extrapolated lifetime, in kN/m²

3.9**material**

material specified for a particular component in a box

Note 1 to entry: Boxes consisting of components of different materials are possible.

3.10**virgin material**

material in the form such as granules or powder that have not been subjected to use or processing other than that required for their manufacture and to which no reprocessed or recycled material has been added

3.11**mineral modified material**

material to which minerals have been added during specific processing operation(s) which during such processing is distributed in the material

3.12**own reprocessed material**

material prepared from rejected unused boxes and/or integral components, including trimmings from the production of boxes, that will be reprocessed in a manufacturer's plant after having been previously processed by the same manufacturer by a process such as moulding, extrusion or thermoforming, and for which the complete formulation is the same

3.13**non-virgin material**

material from used or unused infiltration, attenuation and storage boxes which have been cleaned and crushed or ground, or material from used or unused PP or PVC-U products other than infiltration, attenuation and storage boxes, regardless of where they are manufactured

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 17152-1:2019 en

€ 50.00

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products & Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.