

INTERNATIONAL STANDARD

ISO
14397-1

First edition
2002-03-15

Earth-moving machinery — Loaders and backhoe loaders —

Part 1: Calculation of rated operating capacity and test method for verifying calculated tipping load

Engins de terrassement — Chargeuses et chargeuses-pelleteuses —

*Partie 1: Calcul de la charge utile nominale et méthode d'essai pour vérifier
la charge de basculement calculée*



Reference number
ISO 14397-1:2002(E)

© ISO 2002

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright
Preview

© ISO 2002

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.ch
Web www.iso.ch

Printed in Switzerland

Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 3.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this part of ISO 14397 may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 14397-1 was prepared by Technical Committee ISO/TC 127, *Earth-moving machinery*, Subcommittee SC 1, *Test methods relating to machine performance*.

ISO 14397 consists of the following parts, under the general title *Earth-moving machinery — Loaders and backhoe loaders*:

- *Part 1: Calculation of rated operating capacity and test method for verifying calculated tipping load*
- *Part 2: Test method for measuring breakout forces and lift capacity to maximum lift height*

Earth-moving machinery — Loaders and backhoe loaders —

Part 1:

Calculation of rated operating capacity and test method for verifying calculated tipping load

1 Scope

This part of ISO 14397 specifies the means for determining the rated operating capacity of wheel and crawler loaders and of the loader portion of backhoe loaders, as these machine types are defined in ISO 6165, including standard methods for calculation and test verification of the tipping load.

2 Normative references

The following normative documents contain provisions which, through reference in this text, constitute provisions of this part of ISO 14397. For dated references, subsequent amendments to, or revisions of, any of these publications do not apply. However, parties to agreements based on this part of ISO 14397 are encouraged to investigate the possibility of applying the most recent editions of the normative documents indicated below. For undated references, the latest edition of the normative document referred to applies. Members of ISO and IEC maintain registers of currently valid International Standards.

ISO 6016:1998, *Earth-moving machinery — Methods of measuring the masses of whole machines, their equipment and components*

ISO 6165:2001, *Earth-moving machinery — Basic types — Vocabulary*

ISO 6746-1:1987, *Earth-moving machinery — Definitions of dimensions and symbols — Part 1: Base machine*

ISO 7546:1983, *Earth-moving machinery — Loader and front loading excavator buckets — Volumetric ratings*

ISO 9248:1992, *Earth-moving machinery — Units for dimensions, performance and capacities, and their measurement accuracies*

ISO 14397-2, *Earth-moving machinery — Loaders and backhoe loaders — Part 2: Test method for measuring breakout forces and lift capacity to maximum lift height*

3 Terms, definitions and symbols

For the purposes of this part of ISO 14397, the terms, definitions and symbols given in ISO 6165 and ISO 6746-1 and the following apply.

3.1 Terms and definitions

3.1.1 rated operating capacity

N
calculated value, in kilograms, representing normal loading under typical operating conditions

3.1.2 minimum calculated tipping load

m_{tip}
minimum mass, in kilograms, which, when placed in the loader bucket, will cause the loader to achieve the tipping limit condition in its least stable configuration, with the loader placed on a hard, level surface and the resultant force acting vertically through the centroid of the rated bucket volume as specified in ISO 7546

3.1.3 lift capacity to maximum height

m_{lift}
mass, in kilograms, which can be lifted from the ground to maximum height using the lift cylinder or cylinders at hydraulic circuit working pressure, with the bucket positioned to hold the maximum load and the resultant force acting vertically through the centroid of the rated bucket volume as specified in ISO 7546

3.1.4 maximum moment arm

n
maximum horizontal distance between the load centre of gravity and the tipping line when the bucket is retracted to achieve a horizontal strike plane

NOTE The maximum moment arm, n , of each type of loader is shown in Figures 1 to 6.

3.1.5 tipping limit condition

(wheel loaders) condition in which at least one of the wheels farthest from the tipping line no longer touches the ground

3.1.6 tipping limit condition

(crawlers) condition in which the rear track roller or rollers no longer touch the track rail link surface

NOTE For other types of suspension, the tipping limiting condition is that specified by the manufacturer.

3.1.7 tipping line

line about which the loader tips

NOTE See Figures 1 to 6.

3.1.8 operating mass

mass of the base machine with equipment and empty attachment as specified by the manufacturer, and with the operator (75 kg), full fuel tank and all fluid systems at the levels specified by the manufacturer

[ISO 6016:1998]

3.1.9 hydraulic circuit working pressure

pressure applied to the specific hydraulic lifting circuit by the hydraulic pump or pumps

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. ISO 14397-1:2002 en Grondverzetmachines - Laadschoppen en graaflaadcombinaties - Deel 1: Berekening van de nominale bedrijfs capaciteit en beproevingsmethode voor verificatie van de kantellading

€ 73.95

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products & Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.