

INTERNATIONAL STANDARD



641

INTERNATIONAL ORGANIZATION FOR STANDARDIZATION • МЕЖДУНАРОДНАЯ ОРГАНИЗАЦИЯ ПО СТАНДАРТИЗАЦИИ • ORGANISATION INTERNATIONALE DE NORMALISATION

Laboratory glassware — Interchangeable spherical ground joints

Verrerie de laboratoire — Assemblages sphériques rodés interchangeables

First edition — 1975-09-01

Preview

UDC 542.231.7.004.1

Ref. No. ISO 641-1975 (E)

Descriptors : laboratory glassware, joints (junctions), joining, geometrical characteristics, dimensions, diameters, interchangeability, tests, air tightness tests.

Price based on 5 pages

Dit document is een voorbeeld van NEN / This document is a preview by NEN

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toegestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten. This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.

FOREWORD

ISO (the International Organization for Standardization) is a worldwide federation of national standards institutes (ISO Member Bodies). The work of developing International Standards is carried out through ISO Technical Committees. Every Member Body interested in a subject for which a Technical Committee has been set up has the right to be represented on that Committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work.

Draft International Standards adopted by the Technical Committees are circulated to the Member Bodies for approval before their acceptance as International Standards by the ISO Council.

Prior to 1972, the results of the work of the Technical Committees were published as ISO Recommendations; these documents are now in the process of being transformed into International Standards. As part of this process, Technical Committee ISO/TC 48 has reviewed ISO Recommendation R 641 and found it technically suitable for transformation. International Standard ISO 641 therefore replaces ISO Recommendation R 641 1968 to which it is technically identical.

ISO Recommendation R 641 was approved by the Member Bodies of the following countries :

Australia	Greece	Poland
Austria	Hungary	South Africa, Rep. of
Belgium	India	Spain
Brazil	Ireland	Switzerland
Canada	Israel	Turkey
Chile	Italy	United Kingdom
Colombia	Japan	U.S.A.
Czechoslovakia	Netherlands	U.S.S.R.
Egypt, Arab Rep. of	New Zealand	Yugoslavia

The Member Body of the following country expressed disapproval of the Recommendation on technical grounds :

France*

No Member Body disapproved the transformation of ISO/R 641 into an International Standard.

* Subsequently, this Member Body approved the Recommendation.

Laboratory glassware – Interchangeable spherical ground joints

0 INTRODUCTION

The purpose of this International Standard is to ensure interchangeability between spherical ground glass joints, irrespective of where they are manufactured.

Limiting dimensions for the ground glass zone and the external diameter of adjacent tubing, which will ensure interchangeability, are given in table 1. The finish of the ground surface is also specified, and this is similar to the finish specified in ISO/R 388, *Interchangeable conical ground glass joints*.

A conventional designation is adopted, which consists of the code letter "S" in conjunction with the approximate spherical diameter of the joint in millimetres. The bore diameter which may be employed with each size of joint is controlled, for the purposes of this International Standard, only by the maximum diameter at the narrow end of the ground zone.

A convenient leakage test, to be carried out on ungreased joints, is described in annex A, but this does not form an integral part of this International Standard. In annex B are listed, for convenience, the size designations of the joints specified in the British and U.S.A. standards which correspond to, or are interchangeable with, the joints listed in this International Standard.

While reference is made in this International Standard only to glass joints, these having come into general use, it is not thereby intended to exclude the development of joints made of other materials, which should be manufactured to the same dimensions.

1 SCOPE AND FIELD OF APPLICATION

This International Standard specifies the essential geometric requirements for interchangeability in relation to a series of ground glass joints for laboratory use.

2 NOMINAL SPHERICAL GROUND JOINT DIAMETER

The diameter of the ground spherical zone shall be in accordance with the dimensions specified in table 1, columns 2, 3 and 4. These tolerances ensure that the diameter of the inner component (or ball member) is not greater than the nominal diameter and that the diameter of

the outer component (or cup member) is not less than the nominal diameter.

3 DIMENSIONS

The diameter at the wide end of the ground zone shall not be less than the corresponding dimension given in table 1, column 5, and the diameter at the narrow end of the ground zone shall not be greater than the corresponding dimension given in table 1, column 6. The relationship of the dimensions is illustrated in figure 1.

4 DIAMETER OF TUBING

The external diameter of tubing adjacent to the joint shall not exceed the dimensions given in table 1, column 7.

NOTE – It is important to limit the external diameter of the tubing in order to facilitate interchangeability of clamps.

5 SURFACE FINISH

The R_a value¹⁾ of the ground surface shall not exceed $1 \mu\text{m}$ and should preferably be less than $0,5 \mu\text{m}$.

6 TESTING OF INNER AND OUTER COMPONENTS (BALL AND CUP) OF SPHERICAL JOINTS

For checking for compliance with the dimensional tolerances, normal engineering techniques (including pneumatic or radius gauges) shall be used.

The degree of cleanliness of the ground surfaces is a vital factor affecting the rate of leakage. First rub the components with a cloth soaked in a suitable solvent, for example cyclohexane, then dip in the solvent and allow to dry. Remove any particles adhering to the surfaces, using a camel's-hair brush. Then place the components in turn in a vertical position in the apparatus and evacuate the system. No pressure, other than that exerted by the atmosphere, shall be applied to the joint.

When the mercury gauge reading is above a value preselected by the operator, close the stopcock and note the scale reading. After a further 1 min or more, note the scale reading again.

1) See ISO/R 468, *Surface roughness*.




FIGURE 1 – Dimensions of spherical joints

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. ISO 641:1975 en Laboratory glassware - Interchangeable spherical ground joints € 31.57

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.