

## Connectors for electronic equipment –

### Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 600 MHz minimum

Preview

**PUBLICLY AVAILABLE SPECIFICATION**



INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

Reference number  
IEC/PAS 61076-3-104



## Connectors for electronic equipment –

### Part 3-104:

**Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 600 MHz minimum**

Preview

**PUBLICLY AVAILABLE SPECIFICATION**



INTERNATIONAL  
ELECTROTECHNICAL  
COMMISSION

Reference number  
IEC/PAS 61076-3-104

## CONTENTS

1	General .....	8
1.1	Scope .....	8
1.2	Normative references .....	8
2	Marking Information .....	9
2.1	IEC type designation .....	9
2.2	Marking .....	9
2.3	Groups of Related Connectors .....	9
2.4	Interchangeability Level .....	9
2.5	Wiring Conventions .....	11
2.5.1	Outlet .....	11
2.5.2	Plug .....	11
3	Dimensional Information .....	12
3.1	General .....	12
3.2	Free Connector (Plug) .....	12
3.2.1	Free Connector Isometric views .....	12
3.2.2	Free Connector Dimensions .....	14
3.3	Fixed Connector (Outlet) .....	26
3.3.1	Isometric Views .....	26
3.3.2	Variant 01 (Cable Outlet) Drawings .....	27
3.3.3	Variant 02, Printed Circuit Board (PCB) outlet drawing .....	31
3.4	Gauges .....	32
3.4.1	Fixed Connector (Outlet) Gauges (See Table 12 for dimensions) .....	32
3.4.2	Free connector (plug) Gages (See Table 13 for dimensions) .....	35
3.4.3	Test Panels (See Table 14 for dimensions) .....	38
4	Characteristics .....	38
4.1	General .....	38
4.2	Terminology .....	38
4.3	Classification into Climatic Categories .....	38
4.4	Creepage and Clearance Distances .....	39
4.5	Electrical Characteristics .....	39
4.5.1	Current carrying capacity .....	39
4.5.2	Voltage proof .....	40
4.5.3	Initial contact and shield resistance .....	40
4.5.4	Input to output resistance .....	40
4.5.5	Input to output resistance unbalance .....	40
4.5.6	Insulation resistance .....	40
4.5.7	Insertion loss .....	40
4.5.8	Return loss .....	41
4.5.9	Propagation delay .....	41
4.5.10	Delay skew .....	41
4.5.11	NEXT loss .....	41
4.5.12	FEXT loss .....	41
4.5.13	Unbalanced attenuation (Longitudinal conversion loss (LCL), near end) ....	41
4.5.14	Coupling attenuation .....	41
4.5.15	Transfer Impedance .....	42

4.6	Mechanical .....	42
4.6.1	Mechanical operation .....	42
4.6.2	Effectiveness of connector coupling devices .....	42
4.6.3	Insertion and Withdrawal Forces .....	42
5	Quality assessment procedures .....	42
6	Qualification Approval Test Schedule .....	42
6.1	General .....	42
6.2	Test Procedures and Measuring Methods .....	42
6.3	Preconditioning .....	43
6.4	Wiring and Mounting of Specimens .....	43
6.4.1	Wiring .....	43
6.4.2	Mounting .....	43
6.4.3	Basic (Minimum) Test Schedule .....	43
6.4.4	Full Test Schedule .....	43
Annex A (normative)	Contact Resistance Arrangement .....	49
A.1	Procedure .....	49
Annex B (normative)	Gauging Requirements .....	50
B.1	Fixed Connectors .....	50
B.2	Free Connectors .....	50
Annex C (normative)	Locking device mechanical operation .....	51
C.1	Object .....	51
C.2	Preparation of the specimens .....	51
C.3	Test method .....	51
C.4	Final Measurements .....	51
Annex D (normative)	Plug and Outlet Interoperability Qualification .....	52
D.1	Object .....	52
D.2	Test Equipment .....	52
D.3	Test Procedure .....	53
Annex E (normative)	General requirements for the measurement set-up .....	54
E.1	Test instrumentation .....	54
E.2	Coaxial cables and test leads for network analysers .....	54
E.3	Measurement precautions .....	54
E.4	Balun requirements .....	54
E.5	Reference components for calibration .....	55
E.5.1	Reference loads for calibration .....	55
E.5.2	Reference cables for calibration .....	56
E.6	Termination loads for termination of conductor pairs .....	56
E.7	Termination of screens .....	57
E.8	Test specimen and reference planes .....	57
Annex F (normative)	Insertion loss .....	58
F.1	Object .....	58
F.2	Test method .....	58
F.3	Tests set up .....	58
F.4	Procedure .....	58
F.4.1	Calibration .....	58
F.4.2	Measurement .....	58
F.5	Test report .....	59

F.6 Accuracy .....	59
Annex G (normative) Return loss.....	60
G.1 Object 60 .....	
G.2 Test method .....	60
G.3 Test set-up .....	60
G.4 Procedure .....	60
G.4.1 Calibration .....	60
G.4.2 Measurement.....	60
G.5 Test report.....	60
G.6 Accuracy .....	60
Annex H (normative) Near end cross talk.....	61
H.1 Object 61 .....	
H.2 Test method .....	61
H.3 Test set-up .....	61
H.4 Procedure .....	62
H.4.1 Calibration .....	62
H.4.2 Establishment of noise floor .....	62
H.4.3 Measurement.....	63
H.5 Test report.....	63
H.6 Accuracy .....	63
Annex I (normative) Far end cross talk .....	64
I.1 Object .....	64
I.2 Test method.....	64
I.3 Test set-up .....	64
I.4 Procedure .....	65
I.4.1 Calibration.....	65
I.4.2 Establishment of noise floor .....	65
I.5 Measurement.....	65
I.6 Test report.....	66
I.7 Accuracy .....	66
Annex J (normative) Unbalanced Attenuation .....	67
J.1 Object .....	67
J.2 Test method .....	67
J.3 Test set-up .....	67
J.4 Procedure .....	68
J.4.1 Calibration .....	68
J.4.2 Noise floor .....	68
J.4.3 Measurement.....	68
J.5 Test report.....	68
J.6 Accuracy .....	68
Annex K (normative) Transfer impedance .....	69
K.1 Object .....	69
K.2 Test method .....	69
K.3 Definitions .....	69
K.3.1 Inner and outer circuit .....	69
K.3.2 Coupling length.....	69
K.4 Test set-up .....	70

K.4.1	Preparation of test specimen .....	70
K.4.2	Triaxial set-up .....	70
K.4.3	Impedance of the inner circuit .....	71
K.4.4	Impedance matching networks .....	71
K.5	Procedure .....	72
K.5.1	Calibration .....	72
K.5.2	Measurement .....	72
K.5.3	Evaluation of test results .....	73
K.6	Test report .....	74
K.7	Accuracy .....	74
Annex L (normative)	Coupling attenuation .....	75
L.1	Object .....	75
L.2	Test method .....	75
L.3	Test equipment and set-up .....	75
L.3.1	Equipment .....	75
L.3.2	Equipment set-up .....	75
L.3.3	Validation of the equipment set-up .....	75
L.4	Procedure .....	76
L.4.1	Calibration .....	76
L.4.2	Measurement .....	76
L.5	Test report .....	76
Annex M (normative)	Termination of balun .....	77
M.1	Termination of balun with low return loss for common mode .....	77
M.1.1	Centre tap connected to ground .....	77
M.1.2	Centre tap open .....	77

INTERNATIONAL ELECTROTECHNICAL COMMISSION

CONNECTORS FOR ELECTRONIC EQUIPMENT -

Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 600 MHz minimum

FOREWORD

A PAS is a technical specification not fulfilling the requirements for a standard, but made available to the public.

IEC-PAS 61076-3-104 has been processed by subcommittee 48B: Connectors, of IEC technical committee 48: Electromechanical components and mechanical structures for electronic equipment.

The text of this PAS is based on the following document:

This PAS was approved for publication by the P-members of the committee concerned as indicated in the following document:

<b>Draft PAS</b>	<b>Report on voting</b>
48B/1167/PAS	48B/1215A/RVD

Following publication of this PAS, the technical committee or subcommittee concerned will investigate the possibility of transforming the PAS into an International Standard.

The International Electrotechnical Commission (IEC) draws attention to the fact that it is claimed that compliance with this PAS may involve the use of patents concerning 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 600 MHz minimum.

The IEC takes no position concerning the evidence, validity and scope of this patent right.

The holder of this patent right has assured the IEC that he is willing to give free licences with applicants throughout the world. In this respect, the statement of the holder of this patent right is registered with the IEC

Information may be obtained from:

The Siemon Company  
Siemon Business Park  
76 Westbury Park Road  
Watertown, CT 06795-0400  
USA

Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights other than those identified above. IEC shall not be held responsible for identifying any or all such patent rights.

- 1) The IEC (International Electrotechnical Commission) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.



- 2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
- 3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
- 4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
- 5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.

Copyright  
Preview

## CONNECTORS FOR ELECTRONIC EQUIPMENT –

### Part 3-104: Detail specification for 8-way, shielded free and fixed connectors for data transmissions with frequencies up to 600 MHz minimum

#### 1 General

##### 1.1 Scope

This part of IEC 61076 establishes uniform specifications, type testing requirements and quality assessment procedures for 8 ways connectors, with up to 4 pairs, for frequencies up to 600 MHz minimum, and intended to be used at different locations within cabling for ICT, home entertainment and multimedia. It contains a choice of all test methods and sequences, severity and preferred values for dimensions and characteristics.

##### 1.2 Normative references

The following normative documents contain provisions that, through reference in this text, constitute provisions of this part of IEC 61076. At the time of publication, the editions indicated were valid. All normative documents are subject to revision, and parties to agreements based on this part of IEC 61076 are encouraged to investigate the possibility of applying the most recent editions of the normative documents listed below. Members of IEC and ISO maintain registers of currently valid International Standards.

IEC 60352-2:1990, *Solderless connections – Part 2: Solderless crimped connections – General requirements, test methods and practical guidance*

IEC 60352-3:1993, *Solderless connections – Part 3: Solderless accessible insulation displacement connections – General requirements, test methods and practical guidance.*

IEC 60352-4:1994, *Solderless connections – Part 4: Solderless non-accessible insulation displacement connections – General requirements, test methods and practical guidance*

IEC 60352-6:1994, *Solderless connections – Part 6: Insulation piercing connections – General requirements, test methods and practical guidance*

IEC 61076-1:1995, *Connectors with assessed quality, for use in d.c., low frequency analogue applications and in digital high speed data application – Part 1: Generic specifications – Capability approval*

ISO/IEC 11801 *Information technology – Generic cabling for customer premises*

IEC 60068-1 *Environmental testing. Part 1: General and guidance*

IEC 60603-7 *Connectors for frequencies below 3 MHz for use with printed boards – Part 7: Detail specification for connectors, 8-way, including fixed and free connectors with common mating features, with assessed quality*

IEC 60512-1 *Electromechanical components for electronic equipment, Basic testing procedures and measuring methods – Part 1: General*

IEC 60512-2 *Electromechanical components for electronic equipment, basic testing procedures and measuring methods – Part 2: General examination, electrical continuity and contact resistance tests, insulation tests and voltage stress tests*

IEC 60512-3 *Electromechanical components for electronic equipment; basic testing procedures and measuring methods – Part 3: Current-carrying capacity tests*

IEC 60512-4 *Electromechanical components for electronic equipment; basic testing procedures and measuring methods – Part 4: Dynamic stress tests*

IEC 60512-5 *Electromechanical components for electronic equipment; basic testing procedures and measuring methods – Part 5: Impact tests (free components), static load tests (fixed components), endurance tests and overload tests*

IEC 60512-6 *Electromechanical components for electronic equipment; basic testing procedures and measuring methods – Part 6: Climatic tests and soldering tests*

IEC 60512-7 *Electromechanical components for electronic equipment; basic testing procedures and measuring methods – Part 7: Mechanical operating tests and sealing tests*

IEC 60512-8 *Electromechanical components for electronic equipment; basic testing procedures and measuring methods – Part 8: Connector tests (mechanical) and mechanical tests on contacts and terminations*

ISO 1302 *Technical Drawings – Method of indicating surface texture*

## 2 Marking Information

### 2.1 IEC type designation

Connectors, connector bodies and connectors with pre-inserted contacts according to this standard shall be designated by the following system.

Connectors conforming to this standard shall be identified by the following indications and in the order given:

The letters "IEC".

The number denoting this sectional specification.

The number of the detail specification (without dashes), being nine characters (e.g. 610764100).

A letter denoting the style of the connector (the system shall be specified in the detail specification)

### 2.2 Marking

Each connector and its associated package shall be marked in accordance with the requirements specified in 2.6 of IEC 61076-1.

### 2.3 Groups of Related Connectors

Groups of connectors within a subfamily having common features. Typical examples are same type and range but different style. A group of related connectors is covered by a single detail specification.


- **Type:** Connectors within a particular subfamily such as a multicontact connector with one, two or four pairs.
- **Range:** The housing (shell) sizes and contacts arrangements within a type. For example a housing containing one, two or four pairs.
- **Style:** A particular connector within a type, for example fixed panel, PCB or free connector.
- **Variant:** Variations within a type, style or range.

### 2.4 Interchangeability Level

These connectors shall be fully interchangeable and intermateable. The mechanical and electrical characteristics shall be met whatever is the source of the connector. Moreover it is desirable that the mechanical and electrical compatibility with lower performance connecting hardware as defined in ISO/IEC 11801 and IEC 60603-7 is ensured when connected to this connector.

This can be achieved through the use of an adapter cord. Elements of connecting hardware, e.g. plugs, sockets that terminate more than one cable are permitted.

The plug/socket interface may be constructed so as to permit the use of multiple modules e.g. 2 × 2 pairs or 4 × 1 pair plugs mated directly with a single 4 pairs socket.



# Bestelformulier

# NEN

## Stuur naar:

NEN Standards Products & Services  
t.a.v. afdeling Klantenservice  
Antwoordnummer 10214  
2600 WB Delft

## NEN Standards Products & Services

Postbus 5059  
2600 GB Delft

Vlinderweg 6  
2623 AX Delft

T (015) 2 690 390  
F (015) 2 690 271

[www.nen.nl/normshop](http://www.nen.nl/normshop)

## Ja, ik bestel

\_\_\_ ex. IEC/PAS 61076-3-104:2002 en Connectoren voor elektronische  
apparatuur - Deel 3-104: Raamspecificatie voor 8-polige, afgeschermde  
connectoren voor gegevensoverdracht met frequenties hoger dan minimum  
600 MHz

€ 166.18

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via  
[www.nen.nl/normshop](http://www.nen.nl/normshop)**

### Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,  
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze  
e-mailnieuwsbrieven. [www.nen.nl/nieuwsbrieven](http://www.nen.nl/nieuwsbrieven)

### Retourneren

Fax: (015) 2 690 271  
E-mail: [klantenservice@nen.nl](mailto:klantenservice@nen.nl)  
Post: NEN Standards Products  
& Services,  
t.a.v. afdeling Klantenservice  
Antwoordnummer 10214,  
2600 WB Delft  
(geen postzegel nodig).

## Gegevens

Bedrijf / Instelling

T.a.v. \_\_\_\_\_ O M O V

E-mail

Klantnummer NEN

Uw ordernummer \_\_\_\_\_ BTW nummer \_\_\_\_\_

Postbus / Adres

Postcode \_\_\_\_\_ Plaats \_\_\_\_\_

Telefoon \_\_\_\_\_ Fax \_\_\_\_\_

**Factuuradres** (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode \_\_\_\_\_ Plaats \_\_\_\_\_

Datum \_\_\_\_\_ Handtekening \_\_\_\_\_

### Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: [www.nen.nl/leveringsvoorwaarden](http://www.nen.nl/leveringsvoorwaarden).