Nederlandse

norm

NEN-IEC 61097-13 (en)

Global maritime distress and safety system (GMDSS) - Part 13: Inmarsat F77 ship earth stationewuipment - Operational and performance requirements, methods of testing and required test results (IEC 61097-13:2003,IDT)

juni 2003
ICS 47.020.70

Als Nederlandse norm is aanvaard:

- IEC 61097-13:2003,IDT

Nederlands Elektrotechnisch Comité (NEC)
Normcommissie 365 080 "Geavanceerde navigatie-instrumenten (NEC 80)"

NEN

©2002 Nederlands Normalisatie-instituut
Postbus 5059, 2600 GB Delft
Telefoon (015) 2 690 390, Fax (015) 2 690 190

INTERNATIONAL STANDARD

IEC 61097-13

First edition
2003-05

Global maritime distress and safety system (GMDSS) –

Part 13: INMARSAT F77 ship earth station equipment – Operational and performance requirements, methods of testing and required test results

Reference number
IEC 61097-13:2003(E)

Publication numbering

As from 1 January 1997 all IEC publications are issued with a designation in the 60000 series. For example, IEC 34-1 is now referred to as IEC 60034-1.

Consolidated editions

The IEC is now publishing consolidated versions of its publications. For example, edition numbers 1.0, 1.1 and 1.2 refer, respectively, to the base publication, the base publication incorporating amendment 1 and the base publication incorporating amendments 1 and 2.

Further information on IEC publications

The technical content of IEC publications is kept under constant review by the IEC, thus ensuring that the content reflects current technology. Information relating to this publication, including its validity, is available in the IEC Catalogue of publications (see below) in addition to new editions, amendments and corrigenda. Information on the subjects under consideration and work in progress undertaken by the technical committee which has prepared this publication, as well as the list of publications issued, is also available from the following:

- **IEC Web Site (www.iec.ch)**

- **Catalogue of IEC publications**

  The on-line catalogue on the IEC web site (http://www.iec.ch/searchpub/cur_fut.htm) enables you to search by a variety of criteria including text searches, technical committees and date of publication. On-line information is also available on recently issued publications, withdrawn and replaced publications, as well as corrigenda.

- **IEC Just Published**

  This summary of recently issued publications (http://www.iec.ch/online_news/justpub/jp_entry.htm) is also available by email. Please contact the Customer Service Centre (see below) for further information.

- **Customer Service Centre**

  If you have any questions regarding this publication or need further assistance, please contact the Customer Service Centre:

  Email: custserv@iec.ch
  Tel: +41 22 919 02 11
  Fax: +41 22 919 03 00

INTERNATIONAL STANDARD

IEC 61097-13

First edition
2003-05

Global maritime distress and safety system (GMDSS) –

Part 13: INMARSAT F77 ship earth station equipment – Operational and performance requirements, methods of testing and required test results

International Electrotechnical Commission, 3, rue de Varembé, PO Box 131, CH-1211 Geneva 20, Switzerland
Telephone: +41 22 919 02 11 Telefax: +41 22 919 03 00 E-mail: inmail@iec.ch Web: www.iec.ch

Commission Electrotechnique Internationale
International Electrotechnical Commission
Международная Электротехническая Комиссия

PRICE CODE T

For price, see current catalogue

CONTENTS

INTERNATIONAL ELECTROTECHNICAL COMMISSION

GLOBAL MARITIME DISTRESS AND SAFETY SYSTEM (GMDSS) –

Part 13: INMARSAT F77 ship earth station equipment – Operational and performance requirements, methods of testing and required test results

FOREWORD

1) The IEC (International Electrotechnical Commission) is a world wide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of the IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, the IEC publishes International Standards. Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. The IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
2) The formal decisions or agreements of the IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested National Committees.
3) The documents produced have the form of recommendations for international use and are published in the form of standards, technical specifications, technical reports or guides and they are accepted by the National Committees in that sense.
4) In order to promote international unification, IEC National Committees undertake to apply IEC International Standards transparently to the maximum extent possible in their national and regional standards. Any divergence between the IEC Standard and the corresponding national or regional standard shall be clearly indicated in the latter.
5) The IEC provides no marking procedure to indicate its approval and cannot be rendered responsible for any equipment declared to be in conformity with one of its standards.
6) Attention is drawn to the possibility that some of the elements of this International Standard may be the subject of patent rights. The IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 61097-13 has been prepared by IEC technical committee 80: Maritime navigation and radiocommunication equipment and systems.

The text of this standard is based on the following documents:

FDIS	Report on voting
80/358/FDIS	80/370/RVD

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The committee has decided that the contents of this publication will remain unchanged until 2008-01. At this date, the publication will be

- reconfirmed;
- withdrawn;
- replaced by a revised edition, or
- amended.

GLOBAL MARITIME DISTRESS AND SAFETY SYSTEM (GMDSS) –

Part 13: INMARSAT F77 ship earth station equipment – Operational and performance requirements, methods of testing and required test results

1 Scope

This part of IEC 61097 specifies the minimum operational and performance requirements, technical characteristics, methods of testing and required test results for INMARSAT F77 ship earth stations (SES), capable of transmitting and receiving distress and safety communications, initiating and receiving distress priority calls and transmitting and receiving general radiocommunications, using radiotelephony (voice), as required within Regulation IV/10.1 and 14.1 of the 1988 amendments to the 1974 International Convention for the Safety of Life at Sea (SOLAS), for use in the GMDSS.

The INMARSAT F77 is intended to meet the voice requirements of IMO Resolution A.888(21). In order to meet the GMDSS carriage requirements of SOLAS in respect of receipt of SafetyNET broadcasts and direct printing telegraphy, it is necessary to install a combined INMARSAT C/EGC transceiver in addition to the INMARSAT F77 equipment. Annex B provides more information. Since Class 1 INMARSAT A and B ship earth stations meet the data requirement of GMDSS, although not necessarily those of MSC.130(75), the F77 cannot necessarily be considered as a direct replacement for these ship earth stations.

This standard also takes into account the priority access (voice pre-emption) requirements of IMO Resolution A.888(21).

This standard takes account of IMO Resolution A.694(17) to which is associated IEC 60945. When a requirement in this standard is different from IEC 60945, the requirement in this standard shall take precedence.

This standard incorporates the performance standards of IMO Resolution MSC.130(75) and the clarifications of certain requirements in IMO performance standards for GMDSS Equipment defined in IMO MSC Circular 862. It also incorporates the relevant ITU Radio Regulations.

All text of this standard, whose wording is identical to that in the IMO SOLAS Convention 1974 as amended, IMO Resolutions and IMO MSC Circular 862, is printed in *italics* and the Resolution or Recommendation and paragraph number indicated between brackets.

It is a requirement of INMARSAT Ltd that all INMARSAT F77 mobile earth station models be type-approved by INMARSAT before they can be allowed access to the INMARSAT space segment. This testing is designed to demonstrate that the equipment under test will be compatible with the INMARSAT F77 system and will not cause interference to other satellite users. It is recommended that approval authorities accept testing organized and supervised by INMARSAT, which results in INMARSAT type approval, without additional testing other than that defined in this standard.

It is also recommended that equipment manufacturers rationalize the test requirements of this standard and those of INMARSAT before embarking on the approval process.

NOTE This standard does not incorporate the INMARSAT system requirements needed for INMARSAT type approval. For these, the latest edition of "INMARSAT mini-M SDM Change Note No. 65" should be consulted. When a requirement in this standard is different from one in the above-mentioned INMARSAT document, reference shall be made to the most recent IMO and ITU applicable documents to resolve the difficulty.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60945, *Maritime navigation and radio communication equipment and systems – General requirements – Methods of testing and required test results*

IEC 61162 (all parts), *Maritime navigation and radio communication equipment and systems – Digital interfaces*

IEC 61162-1, *Maritime navigation and radio communication equipment and systems – Digital interfaces – Part 1: Single talker and multiple listeners*

ISO/IEC 17025, *General requirements for the competence of testing and calibration laboratories*

IMO International Convention for the Safety of Life at Sea (SOLAS)

IMO Resolution A.694(17), *General requirements for shipborne radio equipment forming part of the Global Maritime Distress and Safety System (GMDSS) and for electronic navigational aids*

IMO Resolution A.888(21), *Criteria for the provision of mobile-satellite communication systems in the Global Maritime Distress and Safety System (GMDSS)*

IMO Resolution MSC.430(75), *Performance standards for INMARSAT ship earth stations capable of two-way communications*

IMO MSC Circular 862, *Clarifications of certain requirements in IMO performance standards for GMDSS Equipment*

INMARSAT mini-M SDM Change Note No. 65

ITU Radio Regulations

3 Definitions and abbreviations

3.1 Definitions

For the purposes of this International Standard, the following definitions apply.

3.1.1
carrier-to-noise density ratio
ratio of unmodulated carrier power-to-noise power normalized to a 1 Hz bandwidth

3.1.2
INMARSAT priorities
priority 3 = distress
priority 2 = urgency
priority 1 = safety
priority 0 = routine

3.1.3
INMARSAT type approval
testing of a ship earth station design by INMARSAT. This approval is required for access to the INMARSAT space segment and is essential before approvals can be granted by national administrations

3.1.4
L-band
frequency band in the range 1,4 GHz to 1,7 GHz allocated to the mobile satellite service and in which the EUT transmits and receives

3.1.5
necessary bandwidth
for a given class of emission, width of the frequency band which is just sufficient to ensure the transmission of information at the rate and with the quality required under specified conditions

3.1.6
out-of-band emission
emission on a frequency or frequencies immediately outside the necessary bandwidth which results from the modulation process, but excluding spurious emissions

3.1.7
performance check
short functional test carried out during or after a technical test to confirm that the equipment operates

[IEC 60945]

3.1.8
performance test
measurement or group of measurements carried out during or after a technical test to confirm that the equipment complies with selected parameters as defined in this standard

[IEC 60945]

3.1.9
physical layer test-set (PLT)
item of test equipment designed to simulate the combined operation of an INMARSAT satellite and an INMARSAT F77 Land Earth Station. The PLT interfaces to the EUT at L-band, either by means of a small antenna or via coaxial cable. It permits voice calls to be set up in accordance with the relevant INMARSAT F77 protocols

3.1.10
pre-emption
automatic clearance of an ongoing call to enable a call of higher priority to be established

3.1.11
radiofrequency hazards
hazards caused by electromagnetic radiofrequency radiation, the level of which would require safety rules to be applied in the vicinity of the radiating equipment

3.1.12
radome
radiofrequency transparent cover placed over an antenna system

3.1.13
SafetyNET
service provided over a dedicated INMARSAT-C carrier, for the dissemination of maritime safety information, such as distress alerts, weather forecasts and coastal warnings

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-IEC 61097-13:2003 en Wereldwijd maritiem nood- en veiligheidssysteem (GMDSS) - Deel 13: Apparatuur voor grondstations voor Inmarsat F77 schepen - Operationele en functioneringseisen, beproevingsmethoden en vereiste beproevingsresultaten	€ 58.16

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typefouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.

Normalisatie: de wereld op één lijn.

preview - 2016