

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten. This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.

Vervangt NEN-EN 12253:2003 Ontw.; NVN-ENV 12253:1997

Nederlandse norm

NEN-EN 12253 (en)

Road transport and traffic telematics - Dedicated short-range communication - Physical layer using microwave at 5,8 GHz

ICS 35.240.60
juli 2004

Als Nederlandse norm is aanvaard:
- EN 12253:2004, IDT

VOORBEELD
Preview

Normcommissie 381 042 "Telematica voor wegverkeer en vervoer"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden veeveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veeveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaardden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.


Nederlands voorwoord

Voor de in deze norm vermelde normatieve verwijzingen bestaan in Nederland de volgende equivalenten:

<u>vermelde norm</u>	<u>Nederlandse norm</u>	<u>titel</u>
ETSI EN 300674-1	-	-

Voorbeeld
Preview

English version



Road transport and traffic telematics - Dedicated short-range communication - Physical layer using microwave at 5,8 GHz

Télématique des transports routiers - Communication à courte portée véhicule/infrastructure - Couche physique utilisant les micro-ondes à 5,8 GHz

Straßentransport- und Verkehrstelematik (RTTT) - Nahbereichskommunikation Fahrzeug-Bake (DSRC) - Bitübertragungsschicht für die Frequenz 5,8 GHz

This European Standard was approved by CEN on 23 April 2004.

CEN members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration. Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the Central Secretariat or to any CEN member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CEN member into its own language and notified to the Central Secretariat has the same status as the official versions.

CEN members are the national standards bodies of Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.



EUROPEAN COMMITTEE FOR STANDARDIZATION
COMITÉ EUROPÉEN DE NORMALISATION
EUROPÄISCHES KOMITEE FÜR NORMUNG

Management Centre: rue de Stassart, 36 B-1050 Brussels

Contents

	page
Foreword.....	3
Introduction.....	4
1 Scope.....	5
2 Normative references.....	5
3 Terms and definitions.....	5
3.1 General definitions.....	5
3.2 Downlink parameters.....	6
3.3 Uplink parameters.....	8
4 Abbreviations.....	10
5 DSRC link parameters.....	11
5.1 General.....	11
5.2 Downlink parameters.....	11
5.3 Uplink parameters.....	14
Annex A (informative) A-deviations.....	16
Bibliography.....	17

Preview
Orbcom

Foreword

This document (EN 12253:2004) has been prepared by Technical Committee CEN/TC 278 "Road Transport and Traffic Telematics", the secretariat of which is held by NEN.

This European Standard shall be given the status of a national standard, either by publication of an identical text or by endorsement, at the latest by January 2005, and conflicting national standards shall be withdrawn at the latest by January 2005.

This document supersedes ENV 12253:1997

According to the CEN/CENELEC Internal Regulations, the national standards organizations of the following countries are bound to implement this European Standard: Austria, Belgium, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Slovakia, Slovenia, Spain, Sweden, Switzerland and United Kingdom.

Copyright
Preview

Introduction

This document replaces ENV 12253. In order to facilitate migration from European Pre-standard (ENV) to European Standard, equipment procured and installed in accordance with ENV 12253 has been considered when drafting this document.

This document forms part of a series of documents defining the framework of a Dedicated Short Range Communication (DSRC) link in the Road Transport and Traffic Telematics (RTTT) environment.

The communication requirements of many RTTT applications can be fulfilled by DSRC. The DSRC Standards enable compliant communication systems to serve multiple RTTT applications in parallel.

The small service areas and severe real-time constraints require a specific protocol architecture leading to the reduced protocol stack shown in Figure 1, consisting of the Application Layer, the Data Link Layer, and the Physical Layer. Such an architecture is very common for real-time environments.

This document deals with the physical layer of the DSRC protocol stack.




Figure 1 — DSRC protocol stack

The following set of documents for the DSRC link is issued by CEN:

- EN 12253 *Road transport and traffic telematics - Dedicated short-range communication - Physical layer using microwave at 5,8 GHz*
- EN 12795 *Road transport and traffic telematics - Dedicated Short Range Communication (DSRC) - DSRC data link layer: medium access and logical link control*
- EN 12834 *Road transport and traffic telematics - Dedicated Short Range Communication (DSRC) - DSRC application layer*
- EN 13372 *Road transport and traffic telematics - Dedicated short-range communication - Profiles for RTTT applications*

This document comprises requirements for Open Systems Interconnection (OSI) Layer 1 at 5,8 GHz for DSRC. It does not include associated measurement procedures for verification of the requirements. Test methods for conformity are provided in ETSI EN 300674-1, ETSI EN 300674-2-1, ETSI EN 300674-2-2.

This European Standard caters for on-board units based on transponder technologies. Furthermore, it allows for mixed time, frequency and space division multiple access approaches.

This European Standard is conceived for the 10 MHz part, i.e. 5,795 GHz to 5,805 GHz, of the ISM band at 5,8 GHz which is recommended by ECC/DEC(01)01. An additional sub-band (5,805 GHz - 5,815 GHz) may be allocated on a national basis for RTTT. National restrictions on the usage of these frequency bands may apply according to CEPT/ERC REC 70-03.

1 Scope

The DSRC Standards EN 12253, EN 12795 and EN 12834, which together form a three-layered architecture for DSRC, are designed to encompass a wide range of services for different purposes in order to make the basic DSRC architecture suited for many different applications and for a wide range of possible products and systems.

This document:

- specifies a physical layer at 5,8 GHz for DSRC as applicable in the field of Road Transport and Traffic Telematics (RTTT).
- provides requirements for the communication medium to be used for exchange of information between road-side units (RSU) and on-board units (OBU).
- caters for a communication means to be used by several applications in the RTTT sector.

2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ETSI EN 300674-1	Electromagnetic compatibility and Radio spectrum Matters (ERM); Road Transport and Traffic Telematics (RTTT); Dedicated Short Range Communication (DSRC) transmission equipment (500 kbit/s / 250 kbit/s) operating in the 5,8 GHz Industrial, Scientific and Medical (ISM) band; Part 1: General characteristics and test methods for Road Side Units (RSU) and On-Board Units (OBU)
------------------	---

3 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

3.1 General definitions

3.1.1

Adjacent channel

refers to the use of a neighbouring DSRC channel by two or more emissions

Note: It is possible that a DSRC channel has either one or two adjacent channels.

3.1.2

Antenna bore sight direction

direction of maximum antenna gain

3.1.3

Bit error ratio

averaged number of erroneous bits relative to the total number of transmitted bits

3.1.4

Channel

for DSRC, a channel is indicated by reference to the downlink centre frequency of one of up to four frequency bands with 5 MHz width each.

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-EN 12253:2004 en Telematica voor wegverkeer en -vervoer - € 49.30
Korte-afstandscommunicatie - Fysieke laag op 5,8 GHz microgolf

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products & Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling _____

T.a.v. _____ O M O V

E-mail _____

Klantnummer NEN _____

Uw ordernummer _____ BTW nummer _____

Postbus / Adres _____

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres _____

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.