

# norm

NEN-ISO 15840 (en)

Ships and marine technology - Standard specification for thermosetting resin fibreglass pipe and fittings to be used for marine applications  
(ISO 15840:2004, IDT)

april 2004  
ICS 47.020.30; 83.140.30

Als Nederlandse norm is aanvaard:

- ISO 15840:2004, IDT

Normcommissie 345 040 "Schepen en maritieme techniek"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden veelevoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veelevoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

Voorbeeld  
Preview

# INTERNATIONAL STANDARD

# ISO 15840

First edition  
2004-04-01

Preview

---

---

## **Ships and marine technology — Standard specification for thermosetting resin fibreglass pipe and fittings to be used for marine applications**

*Navires et technologie maritime — Spécification normalisée pour les  
tuyaux et raccords en résine thermodurcissable avec renforcement en  
fibre de verre pour des applications maritimes*



Reference number  
ISO 15840:2004(E)

© ISO 2004

**PDF disclaimer**

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright  
Preview

© ISO 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office  
Case postale 56 • CH-1211 Geneva 20  
Tel. + 41 22 749 01 11  
Fax + 41 22 749 09 47  
E-mail [copyright@iso.org](mailto:copyright@iso.org)  
Web [www.iso.org](http://www.iso.org)

Published in Switzerland

## Contents

Page

|  |           |
|--|-----------|
| Foreword.....  | iv        |
| 1 Scope.....   | 1         |
| 2 Normative references .....   | 1         |
| 3 Terms and definitions.....   | 2         |
| 4 Classification.....  | 3         |
| 5 Ordering information .....   | 5         |
| 6 Performance requirements .....   | 6         |
| 7 Other requirements.....  | 7         |
| 8 Inspection and sampling.....   | 7         |
| 9 Appearance and workmanship.....  | 9         |
| 10 Product marking.....  | 11        |
| 11 Certification .....   | 11        |
| <b>Annex A</b> (normative) <b>Determination of internal pressure rating for pipes, fittings and joints</b> ..... | <b>12</b> |
| <b>Annex B</b> (normative) <b>Fire performance tests</b> .....   | <b>13</b> |
| <b>Annex C</b> (normative) <b>Electrical property test methods for conductive fibreglass piping</b> .....        | <b>24</b> |
| <b>Annex D</b> (informative) <b>Fire endurance requirements matrix [excerpt from IMO Res. A.753(18)]</b> .....   | <b>30</b> |
| <b>Bibliography</b> .....  | <b>34</b> |

## Foreword

ISO (the International Organization for Standardization) is a worldwide federation of national standards bodies (ISO member bodies). The work of preparing International Standards is normally carried out through ISO technical committees. Each member body interested in a subject for which a technical committee has been established has the right to be represented on that committee. International organizations, governmental and non-governmental, in liaison with ISO, also take part in the work. ISO collaborates closely with the International Electrotechnical Commission (IEC) on all matters of electrotechnical standardization.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of technical committees is to prepare International Standards. Draft International Standards adopted by the technical committees are circulated to the member bodies for voting. Publication as an International Standard requires approval by at least 75 % of the member bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO shall not be held responsible for identifying any or all such patent rights.

ISO 15840 was prepared by Technical Committee ISO/TC 8, *Ships and marine technology*, Subcommittee SC 3, *Piping and machinery*.

Copyright  
Preview

# Ships and marine technology — Standard specification for thermosetting resin fibreglass pipe and fittings to be used for marine applications

## 1 Scope

This International Standard applies to reinforced thermosetting resin pipe systems with nominal diameter (DN) 0 through 1 200 mm and nominal pipe sizes (NPS) 0 through 48, which are to be used in marine piping systems.

Values stated in SI units are to be regarded as the standard. Values given in English units are for information only.

The dimensionless designators DN and NPS have been substituted for traditional terms such as “nominal diameter”, “size”, and “nominal size”.

The following safety hazard caveat pertains to the test methods that are included in this International Standard. This standard does not purport to address all of the safety concerns associated with its use.

**SAFETY PRECAUTIONS** — It is the responsibility of the user of this standard to establish appropriate safety and health practices and determine the applicability of regulatory limitations prior to use.

## 2 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

- American Society of Mechanical Engineers (ASME) B16.1:1998, *Cast Iron Pipe Flanges and Flanged Fittings*
- American Society of Mechanical Engineers (ASME) B16.5:1996, *Pipe Flanges and Flanged Fittings*
- American Society for Testing and Materials (ASTM) D883, *Standard Terminology Relating to Plastics*
- ASTM D1598, *Standard Test Method for Time-To-Failure of Plastic Pipe Under Constant Internal Pressure*
- ASTM D1599, *Standard Test Method for Resistance to Short-Time Hydraulic Failure Pressure of Plastic Pipe, Tubing, and Fittings*
- ASTM D2310, *Standard Classification for Machine-Made Fibreglass (Glass-Fibre-Reinforced Thermosetting-Resin) Pipe*
- ASTM D2583, *Standard Test Method for Indentation Hardness of Rigid Plastics by Means of a Barcol Impressor*
- ASTM D2584, *Standard Test Method for Ignition Loss of Cured Reinforced Resins*
- ASTM D2924, *Standard Test Method for External Pressure Resistance of Fibreglass (Glass-Fibre-Reinforced Thermosetting-Resin) Pipe*

**ISO 15840:2004(E)**

ASTM D2992: 2001, *Standard Practice for Obtaining Hydrostatic or Pressure Design Basis for Fibreglass (Glass-Fibre-Reinforced Thermosetting-Resin) Pipe and Fittings*

ASTM D3567, *Standard Practice for Determining Dimensions of Fibreglass (Glass-Fibre-Reinforced Thermosetting Resin) Pipe and Fittings*

ASTM E1529: 2000, *Standard Test Methods for Determining Effects of Large Hydrocarbon Pool Fires on Structural Members and Assemblies*

ASTM F412, *Standard Terminology Relating to Plastic Piping Systems*

International Maritime Organisation (IMO), *International Convention for the Safety of Life at Sea (SOLAS)*

International Maritime Organisation (IMO) Resolution A.753 (18), *Guidelines for the Application of Plastic Pipes on Ships*

IMO Resolution MSC.61 (67), *International Code for Application of Fire Test Procedures*

ISO 75-1:—<sup>1)</sup>, *Plastics — Determination of temperature of deflection under load — Part 1: General test method*

ISO 75-2:—<sup>2)</sup>, *Plastics — Determination of temperature of deflection under load — Part 2: Plastics and ebonite*

ISO 4901, *Reinforced plastics based on unsaturated polyester resins — Determination of residual styrene monomer content*

ISO 9001:2000, *Quality management systems — Requirements*

ISO 11357-2 *Plastics — Differential scanning calorimetry (DSC) — Part 2: Determination of glass transition temperature*

National Sanitation Foundation (NSF) International, *Standard 61 Drinking Water System Components — Health Effects*

United Kingdom Health and Safety Executive (HSE) Offshore Technology Report (OTI) 95 634, *Jet-Fire Resistance Test of Passive Fire Protection Materials*

United States Code of Federal Regulations (CFR), Title 21 — Food and Drugs, Sections 175.105, 177.2280, 177.2410 and 177.2420.

United States CFR, Title 46 — Shipping

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in ASTM D383 and ASTM F412 and the following apply.

#### 3.1

##### **continuously conductive**

pipe and fittings made conductive using continuous conductive filaments, liners or layers

1) To be published. Revision of ISO 75-1:1993.

2) To be published. Revision of ISO 75-2:1992.



### 3.2

#### **homogeneously conductive**

pipe and fittings made conductive using a resin additive so that conductivity is maintained between any two points on the pipe or fitting

NOTE For conveying non-conducting fluids (those having conductance less than 1 000 picosiemens per metre), pipe systems which are homogeneously conductive or have conductivity from the inside surface to the outside surface are recommended.

### 3.3

#### **maximum operating pressure**

highest pressure that can exist in a system or subsystem under normal operating conditions

### 3.4

#### **non-conducting fluid**

fluid having conductance less than 1 000 picosiemens per metre

### 3.5

#### **representative piping system**

system composed of a single manufacturer's pipes, fittings, joints and adhesives that would normally be used by a customer or installer

## 4 Classification

### 4.1 General

Pipe and fittings are to be classified using the system described in 4.2 through 4.6, which are similar to the requirements of ASTM D2810 for pipe.

### 4.2 Types

The following are pipe and fitting types:

- a) Type I — Filament wound
- b) Type II — Centrifugally cast
- c) Type III — Moulded (fittings only)

### 4.3 Resin

The following are examples of resin classifications:

- a) Resin 1 — Epoxy resin
- b) Resin 2 — Vinylester resin
- c) Resin 3 — Polyester resin
- d) Resin 4 — Phenolic resin
- e) Resin 5 — Customer-specified resin

### 4.4 Class

The following represent class types:

- a) Class A — No liner
- b) Class B — Reinforced liner
- c) Class C — Non-reinforced liner

# Bestelformulier

## Stuur naar:

NEN Standards Products & Services  
t.a.v. afdeling Klantenservice  
Antwoordnummer 10214  
2600 WB Delft



**NEN** Standards Products & Services

Postbus 5059  
2600 GB Delft

Vlinderweg 6  
2623 AX Delft

T (015) 2 690 390  
F (015) 2 690 271

[www.nen.nl/normshop](http://www.nen.nl/normshop)

## Ja, ik bestel

\_\_ ex. NEN-ISO 15840:2004 en Scheepsbouw en maritieme techniek - € 124.99  
Standaard specificatie voor thermohardende harsglasvezelbuizen en  
hulpstukken voor maritieme toepassingen

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via  
[www.nen.nl/normshop](http://www.nen.nl/normshop)**

### Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,  
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze  
e-mailnieuwsbrieven. [www.nen.nl/nieuwsbrieven](http://www.nen.nl/nieuwsbrieven)

## Gegevens

Bedrijf / Instelling \_\_\_\_\_

T.a.v. \_\_\_\_\_ O M O V

E-mail \_\_\_\_\_

Klantnummer NEN \_\_\_\_\_

Uw ordernummer \_\_\_\_\_ BTW nummer \_\_\_\_\_

Postbus / Adres \_\_\_\_\_

Postcode \_\_\_\_\_ Plaats \_\_\_\_\_

Telefoon \_\_\_\_\_ Fax \_\_\_\_\_

**Factuuradres** (indien dit afwijkt van bovenstaand adres)

Postbus / Adres \_\_\_\_\_

Postcode \_\_\_\_\_ Plaats \_\_\_\_\_

Datum \_\_\_\_\_ Handtekening \_\_\_\_\_

### Retourneren

Fax: 015 2 690 271

E-mail: [klantenservice@nen.nl](mailto:klantenservice@nen.nl)

Post: NEN Standards Products  
& Services,

t.a.v. afdeling Klantenservice  
Antwoordnummer 10214,  
2600 WB Delft

(geen postzegel nodig).

### Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: [www.nen.nl/leveringsvoorwaarden](http://www.nen.nl/leveringsvoorwaarden).