
**Software and system engineering —
High-level Petri nets —**

**Part 1:
Concepts, definitions and graphical
notation**

*Ingénierie du logiciel et du système — Toiles de Petri de haut niveau —
Partie 1: Concepts, définitions et notation graphique*

Dit document mag slechts op een stand-alone PC worden geïnstalleerd. Gebruik op een netwerk is alleen toestaan als een aanvullende licentieovereenkomst voor netwerkgebruik met NEN is afgesloten. This document may only be used on a stand-alone PC. Use in a network is only permitted when a supplementary license agreement for us in a network with NEN has been concluded.

Preview

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright
Preview

© ISO/IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Foreword	vi
Introduction	vii
1 Scope	1
1.1 Purpose	1
1.2 Field of Application	1
1.3 Audience	2
2 Terms, Definitions, Abbreviations and Symbols	2
2.1 Glossary	2
2.2 Abbreviations	5
3 Conventions and Notation	5
4 Semantic Model for High-level Petri Nets	6
4.1 Definition	6
4.2 Marking of HLPN	6
4.3 Enabling of Transition Modes	7
4.3.1 Enabling of a Single Transition Mode	7
4.3.2 Concurrently Enabling of Transition Modes	7
4.4 Transition Rule	7
5 Concepts Required for High-level Petri Net Graphs	8
5.1 Introduction	8
5.2 High-level Petri Net Graph Components	8
5.3 Net Execution	8
5.3.1 Enabling	9
5.3.2 Transition Rule for a Single Transition Mode	9
5.3.3 Step of Concurrently Enabled Transition Modes	10
5.4 Graphical Concepts and Notation	10
5.5 Conditionals in Arc Expressions, and Parameters	11
6 Definition of High-level Petri Net Graphs	13
6.1 Introduction	13

6.2	Definition	13
6.3	Marking	14
6.4	Enabling	14
6.4.1	Enabling of a Single Transition Mode	14
6.4.2	Concurrent Enabling of Transition Modes	15
6.5	Transition Rule	15
7	Notation for High-level Petri Net Graphs	16
7.1	General	16
7.2	Places	16
7.3	Transitions	16
7.4	Arcs	17
7.5	Markings and Tokens	17
8	Semantics of High-level Petri Net Graphs	17
9	Conformance	18
9.1	PN Conformance	18
9.1.1	Level 1	18
9.1.2	Level 2	19
9.2	HLPN Conformance	19
9.2.1	Level 1	19
9.2.2	Level 2	19
Annex A:	Mathematical Conventions (normative)	20
A.1	Sets	20
A.2	Multisets	20
A.2.1	Sum Representation	20
A.2.2	Membership	20
A.2.3	Empty Multiset	21
A.2.4	Cardinality and Finite Multiset	21
A.2.5	Multiset Equality and Comparison	21
A.2.6	Multiset Operations	21
A.3	Concepts from Algebraic Specification	21
A.3.1	Signatures	21

A.3.2	Boolean Signature	22
A.3.3	Variables	22
A.3.4	Terms built from a Signature and Variables	22
A.3.5	Many-sorted Algebras	23
A.3.6	Assignment and Evaluation	24
Annex B: Net Classes (normative)		25
B.1	Place/Transition Nets	25
Annex C: High-level Petri Net Schema (informative)		27
C.1	Introduction	27
C.2	Definition	27
Annex D: Tutorial (informative)		28
D.1	Introduction	28
D.2	Net Graphs	28
D.2.1	Places and Tokens	28
D.2.2	Transitions	29
D.2.3	Arcs	30
D.2.4	The Net Graph	30
D.3	Transition Conditions	31
D.4	Net Dynamics	31
D.5	Flow Control Example	34
Annex E: Analysis Techniques (informative)		36
Bibliography		37

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 15909-1 was prepared by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, Subcommittee SC 7, *Software and system engineering*.

ISO/IEC 15909 consists of the following parts, under the general title *Software and system engineering — High-level Petri nets*:

— *Part 1: Concepts, definitions and graphical notation*

Introduction

This International standard is Part 1 of a multi-part standard concerned with defining a modelling language and its transfer format, known as High-level Petri Nets. Part 1 defines a semi-graphical technique for the specification, design and analysis of discrete event systems.

The technique is mathematically defined and may thus be used to provide unambiguous specifications and descriptions of applications. It is also an executable technique, allowing specification prototypes to be developed to test ideas at the earliest and cheapest opportunity. Specifications written in the technique may be subjected to analysis methods to prove properties about the specifications, before implementation commences, thus saving on testing and maintenance time and providing a high level of quality assurance.

Petri nets have been used to describe a wide range of systems since their invention in 1962. A problem with Petri nets is the explosion of the number of elements of their graphical form when they are used to describe complex systems. High-level Petri Nets were developed to overcome this problem by introducing higher-level concepts, such as the use of complex structured data as tokens, and using algebraic expressions to annotate net elements. The use of 'high-level' to describe these Petri nets is analogous to the use of 'high-level' in high-level programming languages (as opposed to assembly languages), and is the usual term used in the Petri net community. Two of the early forms of high-level nets that this standard builds on are Predicate-Transition Nets and Coloured Petri Nets, first introduced in 1979 and developed during the 1980s. It also uses some of the notions developed for Algebraic Petri nets, first introduced in the mid 1980s. It is believed that this standard captures the spirit of these earlier developments (see bibliography).

The technique promises to have multiple uses. For example, it may be used directly to specify systems or to define the semantics of other less formal languages. It may also serve to integrate techniques currently used independently such as state transition diagrams and data flow diagrams. The technique is particularly suited to parallel and distributed systems development as it supports concurrency. The technique is able to specify systems at a level that is independent of the choice of implementation (i.e. by software, hardware (electronic and/or mechanical) or humans or a combination). This International Standard may be cited in contracts for the development of systems (particularly distributed systems), or used by application developers or Petri net tool vendors or users.

Part 1 of this International Standard provides an abstract mathematical syntax and a formal semantics for the technique. Conformance to the standard is possible at several levels. The level of conformance depends on the class of high-level net chosen and the degree to which the syntax is supported. The basic level of conformance is to the semantic model.

Clause 1 describes the scope, areas of application and the intended audience of Part 1 of this International Standard. Clause 2 provides a glossary of terms and defines abbreviations. The main mathematical apparatus required for defining the semantic model and its graphical form is developed in normative Annex A and referred to in clause 3. The basic semantic model for High-level Petri Nets is given in clause 4, while the main concepts behind the graphical form are formally introduced in clause 5. Clause 6 defines the High-level Petri Net Graph, the form of the standard intended for industrial use. Components of the graph are annotated. The annotations are defined at a

meta-level allowing many different concrete syntaxes to be used. Clause 7 describes several syntactical conventions. Clause 8 maps the graphical form to the basic semantic model. The conformance statement is given in clause 9. Normative Annex B defines Place/Transition nets (without capacities) as a restriction of the definition of Clause 6. Place/Transition nets is often what is meant when the term Petri nets is used. Three informative annexes are included: Annex C defines a High-level Petri Net Schema, which allows classes of systems to be described at a syntactic level; Annex D is a tutorial on the High-level Petri Net Graph; and Annex E provides pointers to analysis techniques for High-level Petri Nets. A bibliography concludes this International Standard.

Copyright
Preview

Software and system engineering — High-level Petri nets —

Part 1: Concepts, definitions and graphical notation

1 Scope

1.1 Purpose

This International Standard defines a Petri net technique, called High-level Petri Nets, including its syntax and semantics. It provides a reference definition that can be used both within and between organisations, to ensure a common understanding of the technique and of the specifications written using the technique. This International Standard will also facilitate the development and interoperability of Petri net computer support tools.

Part 1 of this International Standard defines a mathematical semantic model, an abstract mathematical syntax for annotations and a graphical notation for High-level Petri Nets, known as the High-level Petri Net Graph. A mathematical mapping is provided that defines the graphical form in terms of the semantic model. A transfer format for the High-level Petri Net Graph is the subject of Part 2 of this International Standard, while Part 3 addresses techniques for modularity (such as hierarchies) and the augmentation of High-level Petri Nets with time.

1.2 Field of Application

This International Standard is applicable to a wide variety of concurrent discrete event systems and in particular distributed systems. Generic fields of application include:

- requirements analysis;
- development of specifications, designs and test suites;
- descriptions of existing systems prior to re-engineering;
- modelling business and software processes;
- providing the semantics for concurrent languages;
- simulation of systems to increase confidence;
- formal analysis of the behaviour of systems; and
- development of Petri net support tools.

This International Standard may be applied to the design of a broad range of systems and processes, including aerospace, air traffic control, avionics, banking, biological and chemical processes, business processes, communication protocols, computer hardware architectures, control systems, databases, defence command and control, distributed computing, electronic commerce, fault-tolerant systems, hospital procedures, information systems, Internet protocols and applications, legal processes, logistics, manufacturing systems, metabolic processes, music, nuclear power systems, operating systems, transport systems (including railway control), security systems, telecommunications and workflow.

Bestelformulier

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft



NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. ISO/IEC 15909-1:2004 en Software and system engineering - High-level Petri nets - Part 1: Concepts, definitions and graphical notation € 132.95

Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via www.nen.nl/normshop

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen, normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Gegevens

Bedrijf / Instelling _____

T.a.v. _____ O M O V

E-mail _____

Klantnummer NEN _____

Uw ordernummer _____ BTW nummer _____

Postbus / Adres _____

Postcode _____ Plaats _____

Telefoon _____ Fax _____

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres _____

Postcode _____ Plaats _____

Datum _____ Handtekening _____

Retourneren

Fax: 015 2 690 271

E-mail: klantenservice@nen.nl

Post: NEN Standards Products & Services,

t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft

(geen postzegel nodig).

Voorwaarden

- De prijzen zijn geldig tot 31 december 2018, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon 015 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.