

norm

NEN-ISO/IEC 20115 (en)

Information technology -
Telecommunications and information
exchange between systems - Private
Integrated Services Network - Use of
QSIG for Message Centre Access (MCA)
profile standard
(ISO/IEC 20115:2004, IDT)

mei 2004
ICS 33.040.35

Als Nederlandse norm is aanvaard:

- ISO/IEC 20115:2004, IDT

Normcommissie 381006 "Telecommunications and information exchange"

Apart from exceptions provided by the law, nothing from this publication may be duplicated and/or published by means of photocopy, microfilm, storage in computer files or otherwise, which also applies to full or partial processing, without the written consent of the Netherlands Standardization Institute.

The Netherlands Standardization Institute shall, with the exclusion of any other beneficiary, collect payments owed by third parties for duplication and/or act in and out of law, where this authority is not transferred or falls by right to the Reproduction Rights Foundation.

Auteursrecht voorbehouden. Behoudens uitzondering door de wet gesteld mag zonder schriftelijke toestemming van het Nederlands Normalisatie-instituut niets uit deze uitgave worden veeveelvoudigd en/of openbaar gemaakt door middel van fotokopie, microfilm, opslag in computerbestanden of anderszins, hetgeen ook van toepassing is op gehele of gedeeltelijke bewerking.

Het Nederlands Normalisatie-instituut is met uitsluiting van ieder ander gerechtigd de door derden verschuldigde vergoedingen voor veeveelvoudiging te innen en/of daartoe in en buiten rechte op te treden, voor zover deze bevoegdheid niet is overgedragen c.q. rechtens toekomt aan de Stichting Reprorecht.

Although the utmost care has been taken with this publication, errors and omissions cannot be entirely excluded. The Netherlands Standardization Institute and/or the members of the committees therefore accept no liability, not even for direct or indirect damage, occurring due to or in relation with the application of publications issued by the Netherlands Standardization Institute.

Hoewel bij deze uitgave de uiterste zorg is nagestreefd, kunnen fouten en onvolledigheden niet geheel worden uitgesloten. Het Nederlands Normalisatie-instituut en/of de leden van de commissies aanvaarden derhalve geen enkele aansprakelijkheid, ook niet voor directe of indirecte schade, ontstaan door of verband houdend met toepassing van door het Nederlands Normalisatie-instituut gepubliceerde uitgaven.

**Information technology —
Telecommunications and information
exchange between systems — Private
Integrated Services Network — Use of
QSIG for Message Centre Access (MCA)
profile standard**

*Technologies de l'information — Télécommunications et échange
d'information entre systèmes — Réseau privé à intégration de
services — Emploi de QSIG pour une norme de profil pour accès au
centre du message (MCA)*

Reference number
ISO/IEC 20115:2004(E)



© ISO/IEC 2004

PDF disclaimer

This PDF file may contain embedded typefaces. In accordance with Adobe's licensing policy, this file may be printed or viewed but shall not be edited unless the typefaces which are embedded are licensed to and installed on the computer performing the editing. In downloading this file, parties accept therein the responsibility of not infringing Adobe's licensing policy. The ISO Central Secretariat accepts no liability in this area.

Adobe is a trademark of Adobe Systems Incorporated.

Details of the software products used to create this PDF file can be found in the General Info relative to the file; the PDF-creation parameters were optimized for printing. Every care has been taken to ensure that the file is suitable for use by ISO member bodies. In the unlikely event that a problem relating to it is found, please inform the Central Secretariat at the address given below.

Copyright
Preview

© ISO/IEC 2004

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either ISO at the address below or ISO's member body in the country of the requester.

ISO copyright office
Case postale 56 • CH-1211 Geneva 20
Tel. + 41 22 749 01 11
Fax + 41 22 749 09 47
E-mail copyright@iso.org
Web www.iso.org

Published in Switzerland

Contents

Page

Foreword.....	iv
Introduction.....	v
1 Scope.....	1
2 Conformance.....	1
3 Normative references.....	1
4 Terms and definitions.....	3
4.1 External definitions.....	3
5 Acronyms.....	6
6 Specification framework.....	7
6.1 General Description.....	7
6.2 Scenarios.....	8
7 Profiles.....	9
7.1 MCA-Profile-1.....	9
7.2 MCA-Profile-2.....	11
7.3 MCA-Profile-3.....	12
7.4 MCA-Profile-4.....	14
Annex A (normative) Requirements List (RL).....	16
A.1 General.....	16
A.2 Relationship between RL and corresponding PICS proformas.....	16
A.3 Requirement List.....	17
Annex B (normative) Profile specific ICS proforma.....	40
B.1 General.....	40
B.2 Instruction for completing the ICS proforma.....	40
B.3 ICS proforma for Profile 1.....	42
B.4 ICS proforma for Profile 2.....	44
B.5 ICS proforma for Profile 3.....	46
B.6 ICS proforma for Profile 4.....	49
Annex C (informative) Example Message Flows.....	52
C.1 Example Message Flows for Profile 1.....	52
C.2 Example Message Flows for Profile 2.....	55
C.3 Example Message Flows for Profile 3.....	57
C.4 Example Message Flows for Profile 4.....	60

Foreword

ISO (the International Organization for Standardization) and IEC (the International Electrotechnical Commission) form the specialized system for worldwide standardization. National bodies that are members of ISO or IEC participate in the development of International Standards through technical committees established by the respective organization to deal with particular fields of technical activity. ISO and IEC technical committees collaborate in fields of mutual interest. Other international organizations, governmental and non-governmental, in liaison with ISO and IEC, also take part in the work. In the field of information technology, ISO and IEC have established a joint technical committee, ISO/IEC JTC 1.

International Standards are drafted in accordance with the rules given in the ISO/IEC Directives, Part 2.

The main task of the joint technical committee is to prepare International Standards. Draft International Standards adopted by the joint technical committee are circulated to national bodies for voting. Publication as an International Standard requires approval by at least 75 % of the national bodies casting a vote.

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. ISO and IEC shall not be held responsible for identifying any or all such patent rights.

ISO/IEC 20115 was prepared by ECMA (as ECMA-345) and was adopted, under a special "fast-track procedure", by Joint Technical Committee ISO/IEC JTC 1, *Information technology*, in parallel with its approval by national bodies of ISO and IEC.

Preview
Copyright © NEN

Introduction

This International Standard is one of a series defining services and signalling protocols applicable to Private Integrated Services Networks (PISNs). The series uses ISDN concepts as developed by ITU-T and conforms to the framework of International Standards for Open Systems Interconnection as defined by ISO/IEC.

This International Standard is based upon the practical experience of ECMA member companies and the results of their active and continuous participation in the work of ISO/IEC JTC1, ITU-T, ETSI and other international and regional standardization bodies. It represents a pragmatic and widely based consensus.

Copyright
Preview

Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Use of QSIG for Message Centre Access (MCA) profile standard

1 Scope

This Profile Standard specifies the combination of base standards, together with the selection of appropriate options and parameter values, necessary to specify how QSIG/PSS1 can be used for Message Centre Access (MCA) procedures.

This International Standard identifies the necessary or optional employment of particular functions, procedures and services for a

- Calling User to deposit messages for a Served User at a Message Centre,
- Served User to monitor the Served User's Mailbox for new messages,
- Served User to browse through the messages saved in the Served User's Mailbox,
- Served User to retrieve the messages saved in the Served User's Mailbox, and
- Served User to get connected to the Originator of a message or any other destination.

2 Conformance

A system conforms to this International Standard if it correctly performs all the mandatory capabilities defined in one or more of the requirement list (RL) (Annex A) and one or more of the profile specific ICS (Annex B).

NOTE For the purpose of this International Standard capabilities marked as optional in the base standards may be mandatory or excluded.

3 Normative references

The following referenced documents are indispensable for the application of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

ISO/IEC 9646-7:1994, *Information technology — Open Systems Interconnection — Conformance testing methodology and framework — Part 7: Implementation Conformance Statements*

ISO/IEC 11571:1998, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Networks — Addressing*

ISO/IEC 11572:2000, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Circuit mode bearer services — Inter-exchange signalling procedures and protocol*

ISO/IEC 11574:2000, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Circuit-mode 64 kbit/s bearer services — Service description, functional capabilities and information flows*

ISO/IEC 11579-1:1994, *Information technology — Telecommunications and information exchange between systems — Private integrated services network — Part 1: Reference configuration for PISN Exchanges (PINX)*

ISO/IEC 11582:2002, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Generic functional protocol for the support of supplementary services — Inter-exchange signalling procedures and protocol*

ISO/IEC 13865:2003, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Call Transfer supplementary service*

ISO/IEC 13869:2003, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Call Transfer supplementary service*

ISO/IEC 13872:2003, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Call Diversion supplementary services*

ISO/IEC 13873:2003, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Call Diversion supplementary services*

ISO/IEC 15505:2003, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Message Waiting Indication supplementary service*

ISO/IEC 15506:2003, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Message Waiting Indication supplementary service*

ISO/IEC 19459:2001, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Single Step Call Transfer Supplementary Service*

ISO/IEC 19460:2003, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Single Step Call Transfer supplementary service*

ISO/IEC 20113:2004, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Make call request supplementary service*

ISO/IEC 20114:2004, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Make call request supplementary service*

ISO/IEC 20116:2004, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Message centre monitoring and mailbox identification supplementary services*

ISO/IEC 20117:2004, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Message centre monitoring and mailbox identification supplementary services*

ISO/IEC 21407:2001, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Specification, functional model and information flows — Simple dialog supplementary service*

ISO/IEC 21408:2003, *Information technology — Telecommunications and information exchange between systems — Private Integrated Services Network — Inter-exchange signalling protocol — Simple dialog supplementary service*

4 Terms and definitions

For the purposes of this document, the following terms and definitions apply.

4.1 External definitions

This International Standard uses the following terms defined in other documents:

— Basic Call	(ISO/IEC 11582)
— Call	(ISO/IEC 11582)
— Call Independent Signalling Connection	(ISO/IEC 11582)
— Call Related	(ISO/IEC 11582)
— Complete Number	(ISO/IEC 11571)
— Compressed Information	(ISO/IEC 20116)
— Display information	(ISO/IEC 21407)
— Diverted-to PINX	(ISO/IEC 13873)
— Keypad information	(ISO/IEC 21407)
— Mailbox	(ISO/IEC 20116)
— Mailbox Identification	(ISO/IEC 20116)
— Make Call Request	(ISO/IEC 20113)
— Message Centre	(ISO/IEC 20116)
— Message Centre PINX	(ISO/IEC 20117)
— Message Type	(ISO/IEC 20116)
— Message Status	(ISO/IEC 20116)
— MCR Co-operating PINX	(ISO/IEC 20114)
— MCR Co-operating User	(ISO/IEC 20113)
— MCR Destination PINX	(ISO/IEC 20114)
— MCR Destination User	(ISO/IEC 20113)

— MCR Requesting PINX	(ISO/IEC 20114)
— MCR Requesting User	(ISO/IEC 20113)
— New Message	(ISO/IEC 20116)
— Original Call	(ISO/IEC 20113)
— Originator	(ISO/IEC 20116)
— Private Integrated Services Network (PISN)	(ISO/IEC 11579-1)
— Private Integrated services Network eXchange (PINX)	(ISO/IEC 11579-1)
— Requested Call	(ISO/IEC 20113)
— Rerouting PINX	(ISO/IEC 13873)
— Retrieved Message	(ISO/IEC 20116)
— Secondary Call	(ISO/IEC 13869)
— Served User	(ISO/IEC 13872, ISO/IEC 20116)
— Server User	(ISO/IEC 21407)
— Served User PINX	(ISO/IEC 13873, ISO/IEC 20117)
— Server User PINX	(ISO/IEC 21408)
— Transferred User	(ISO/IEC 19459)
— Transferring User	(ISO/IEC 13869)
— Telecommunication Service	(ISO/IEC 11574)
— User	(ISO/IEC 11574)
— User B	(ISO/IEC 13865)
— Q reference point	(ISO/IEC 11579-1)

4.2

Served User

The Served User as defined in Message Centre Monitoring (ISO/IEC 20116). For MCA, the Served User may also act as Served User in Call Diversion (as defined in ISO/IEC 13872), as a User B in Call Transfer (as defined in ISO/IEC 13865), as a Client User in Simple Dialog (as defined in ISO/IEC 21407), as a Transferred User in Single Step Call Transfer (as defined in ISO/IEC 19459) and as a Co-operating User in Make Call Request (as defined in ISO/IEC 20113).

4.3

Served User PINX

The Served User PINX as defined in ISO/IEC 20117. For MCA, the Served User PINX may also act as Served User PINX or Rerouting PINX for Call Diversion (as defined in ISO/IEC 13872), as a Primary PINX for Call Transfer (as defined in ISO/IEC 13865), as a Client User PINX for Simple Dialog (as defined in ISO/IEC 21408), as a Transferred PINX for Single Step Call Transfer (as defined in ISO/IEC 19460) and as a Co-operating PINX for Make Call Request (as defined in ISO/IEC 20114).

4.4**Message Centre**

Depending on the MCA-Profile, either the MCM or the MWI Message Centre.

4.4.1**MCM Message Centre**

The Message Centre as defined in ISO/IEC 20116. This definition is used in MCA-Profile-3 and MCA-Profile-4. For MCA, the MCM Message Centre may also act as Diverted-to PINX for Call Diversion (as defined in ISO/IEC 13873), as a Server User PINX for Simple Dialog (as defined in ISO/IEC 21408), a Transferring PINX for Call Transfer (as defined in ISO/IEC 13869), a Transferring PINX for Single Step Call Transfer (as defined in ISO/IEC 19460) and a Requesting PINX for Make Call Request (as defined in ISO/IEC 20114).

4.4.2**MWI Message Centre**

The Message Centre as defined in ISO/IEC 15505. This definition is used in MCA-Profile-1 and MCA-Profile-2. For MCA, the MWI Message Centre may also act as Diverted-to PINX for Call Diversion (as defined in ISO/IEC 13873), as a Server User PINX for Simple Dialog (as defined in ISO/IEC 21408), as a Transferring PINX for Call Transfer (as defined in ISO/IEC 13869) and as a Transferring PINX for Single Step Call Transfer (as defined in ISO/IEC 19460).

4.5**MCA-Profile-1**

MCA-Profile-1 is a profile, which describes the interoperation of supplementary services for Message Centre Access purposes. Supplementary services involved in MCA-Profile-1 are Call Diversion, Message Waiting Indication and Call Transfer.

4.6**MCA-Profile-2**

MCA-Profile-2 is a profile, which describes the interoperation of supplementary services for Message Centre Access purposes. Supplementary services involved in MCA-Profile-2 are Call Diversion, Message Waiting Indication, Call Transfer, Single Step Call Transfer and Simple Dialog.

4.7**MCA-Profile-3**

MCA-Profile-3 is a profile, which describes the interoperation of supplementary services for Message Centre Access purposes. Supplementary services involved in MCA-Profile-3 are Call Diversion, Call Transfer, Single Step Call Transfer, Simple Dialog, Message Centre Monitoring and Mailbox Identification.

4.8**MCA-Profile-4**

MCA-Profile-4 is a profile, which describes the interoperation of supplementary services for Message Centre Access purposes. Supplementary services involved in MCA-Profile-4 are Call Diversion, Call Transfer, Single Step Call Transfer, Simple Dialog, Message Centre Monitoring, Mailbox Identification and Make Call Request.

4.9**Message Deposit**

The part of MCA describing how an Originator can deposit a Message in a Served User's Mailbox at a Message Centre.

4.9.1**Direct Message Deposit**

The part of MCA describing how an Originator can deposit a Message in a Served User's Mailbox by directly calling the Message Centre, i.e. without a prior call to the Served User.

4.9.2**Message Deposit after Diversion**

The part of MCA describing how an Originator can deposit a Message in a Served User's Mailbox if the Originator gets diverted to the Served User's Mailbox.

Bestelformulier

NEN

Stuur naar:

NEN Standards Products & Services
t.a.v. afdeling Klantenservice
Antwoordnummer 10214
2600 WB Delft

NEN Standards Products & Services

Postbus 5059
2600 GB Delft

Vlinderweg 6
2623 AX Delft

T (015) 2 690 390
F (015) 2 690 271

www.nen.nl/normshop

Ja, ik bestel

__ ex. NEN-ISO/IEC 20115:2004 en Information technology -
Telecommunications and information exchange between systems - Private
Integrated Services Network - Use of QSIG for Message Centre Access
(MCA) profile standard € 147.90

**Wilt u deze norm in PDF-formaat? Deze bestelt u eenvoudig via
www.nen.nl/normshop**

Gratis e-mailnieuwsbrieven

Wilt u op de hoogte blijven van de laatste ontwikkelingen op het gebied van normen,
normalisatie en regelgeving? Neem dan een gratis abonnement op een van onze
e-mailnieuwsbrieven. www.nen.nl/nieuwsbrieven

Retourneren

Fax: (015) 2 690 271
E-mail: klantenservice@nen.nl
Post: NEN Standards Products
& Services,
t.a.v. afdeling Klantenservice
Antwoordnummer 10214,
2600 WB Delft
(geen postzegel nodig).

Gegevens

Bedrijf / Instelling

T.a.v. O M O V

E-mail

Klantnummer NEN

Uw ordernummer BTW nummer

Postbus / Adres

Postcode Plaats

Telefoon Fax

Factuuradres (indien dit afwijkt van bovenstaand adres)

Postbus / Adres

Postcode Plaats

Datum Handtekening

Voorwaarden

- De prijzen zijn geldig tot 31 december 2016, tenzij anders aangegeven.
- Alle prijzen zijn excl. btw, verzend- en handelingskosten en onder voorbehoud bij o.m. ISO- en IEC-normen.
- Bestelt u via de normshop een pdf, dan betaalt u geen handeling en verzendkosten.
- Meer informatie: telefoon (015) 2 690 391, dagelijks van 8.30 tot 17.00 uur.
- Wijzigingen en typfouten in teksten en prijsinformatie voorbehouden.
- U kunt onze algemene voorwaarden terugvinden op: www.nen.nl/leveringsvoorwaarden.